

# Handbook of Pharmaceutical Excipients

FOURTH EDITION

Edited by

## Raymond C Rowe

BPharm, PhD, DSc, FRPharmS, CChem, FRSC, CPhys, MInstP

### Senior Principal Scientist

AstraZeneca

Macclesfield, UK

## Paul J Sheskey

BSc, RPh

### Technical Service Leader

Water Soluble Polymers R&D

The Dow Chemical Company

Midland

MI, USA

## Paul J Weller

BSc, MSc, CChem, MRSC

### Publisher – Science and Practice

Royal Pharmaceutical Society of Great Britain

London, UK



London • Chicago **Pharmaceutical Press**



**APhA**  
American  
Pharmaceutical  
Association

Petitioner InnoPharma EX 1074

IPR2015-00902

IPR2015-00903

Page 1

**Published by the Pharmaceutical Press**

Publications division of the Royal Pharmaceutical Society of Great Britain

1 Lambeth High Street, London SE1 7JN, UK  
100 South Atkinson Road, Suite 206, Grayslake, IL 60030-7820, USA

**and the American Pharmaceutical Association**

2215 Constitution Avenue NW, Washington, DC 20037-2985, USA

© Pharmaceutical Press and American Pharmaceutical Association 2003

**(PP)** is a trade mark of Pharmaceutical Press

First edition published 1986

Second edition published 1994

Third edition published 2000

Fourth edition published 2003

Text design by Barker Hilsdon, Lyme Regis

Typeset by Bibliocraft Ltd, Dundee

Printed in Great Britain by The Bath Press, Bath

ISBN 0 85369 472 9 (UK)

ISBN 1 58212 022 6 (USA)

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, without the prior written permission of the copyright holder.

The publisher makes no representation, express or implied, with regard to the accuracy of the information contained in this book and cannot accept any legal responsibility or liability for any errors or omissions that may be made.

A catalogue record for this book is available from the British Library

**Library of Congress Cataloging-in-Publication Data**

Handbook of pharmaceutical excipients.—4th ed. / edited by Raymond C. Rowe, Paul J. Sheskey, Paul J. Weller.

p. ; cm.

Includes bibliographical references and index.

ISBN 1-58212-022-6 (alk. paper) — ISBN 0-85369-472-9 (alk. paper)

1. Excipients—Handbooks, manuals, etc.

[DNLM: 1. Excipients—Handbooks. QV 735 H236 2003] I. Rowe, Raymond C. II. Sheskey, Paul J. III. Weller, Paul J.

RS201.E87H36 2003

615'.19—dc21

2003002641

## 1 Nonproprietary Names

The polyoxyethylene alkyl ethers are a series of polyoxyethylene glycol ethers of *n*-alcohols (lauryl, myristyl, cetyl, and stearyl alcohol). Of the large number of different materials commercially available, two types are listed in the USPNF 20, one type in the JP 2001, and four types in the PhEur 2002.

BP:	Macrogol cetostearyl ether Macrogol lauryl ether Macrogol oleyl ether Macrogol stearyl ether
JP:	Lauromacrogol
PhEur:	Macrogoli aether cetostearylicus Macrogoli aether laurilicum Macrogoli aether oleicum Macrogoli aether stearylicus
USPNF:	Polyoxyl 20 cetostearyl ether Polyoxyl 10 oleyl ether

Polyoxyethylene alkyl ethers are employed extensively in cosmetics, where the CTFA names laureth-*N*, myreth-*N*, ceteth-*N*, and steareth-*N* are commonly used. In this nomenclature, *N* is the number of ethylene oxide groups, e.g., steareth-20.

See also Sections 2–5.

## 2 Synonyms

Polyoxyethylene alkyl ethers are nonionic surfactants produced by the polyethoxylation of linear fatty alcohols. Products tend to be mixtures of polymers of slightly varying molecular weights and the numbers used to describe polymer lengths are average values.

Two systems of nomenclature are used to describe these materials. The number '10' in the name *Texofor A10* refers to the approximate polymer length in oxyethylene units (i.e., *y*, see Section 5). The number '1000' in the name 'cetomacrogol 1000' refers to the average molecular weight of the polymer chain.

Synonyms applicable to polyoxyethylene alkyl ethers are shown below.

*Brij*; *Cremophor A*; *Cyclogol 1000*; *Empilan KB*; *Empilan KM*; *Ethylan C*; macrogol ethers; *Marlowet*; *Plurafac*; *Procol*; *Texofor A*; *Volpo*.

Table I shows synonyms for specific materials.

## 3 Chemical Name and CAS Registry Number

Polyethylene glycol monocetyl ether [9004-95-9]  
Polyethylene glycol monolauryl ether [9002-92-0]  
Polyethylene glycol monooleyl ether [9004-98-2]  
Polyethylene glycol monostearyl ether [9005-00-9]

## 4 Empirical Formula      Molecular Weight

See Sections 1, 2, and 5.

## 5 Structural Formula

$\text{CH}_3(\text{CH}_2)_x(\text{OCH}_2\text{CH}_2)_y\text{OH}$

In the formula, (*x* + 1) is the number of carbon atoms in the alkyl chain, typically:

- 12 lauryl (dodecyl)
- 14 myristyl (tetradecyl)
- 16 cetyl (hexadecyl)
- 18 stearyl (octadecyl)

and *y* is the number of ethylene oxide groups in the hydrophilic chain, typically 10–60.

The polyoxyethylene alkyl ethers tend to be mixtures of polymers of slightly varying molecular weights, and the numbers quoted are average values. In cetomacrogol 1000, for example, *x* is 15 or 17, and *y* is 20–24.

## 6 Functional Category

Emulsifying agent; solubilizing agent; wetting agent.

**Table I:** Synonyms of selected polyoxyethylene alkyl ethers.

Name	Synonym
Cetomacrogol 1000	Polyethylene glycol 1000; macrocetyl ether; polyoxyethylene glycol 1000; monocetyl ether
Polyoxyl 20 cetostearyl ether	<i>Atlas G-3713</i>
Polyoxyl 2 cetyl ether	<i>Brij 52</i> ; ceteth-2; <i>Lipocol C-2</i> ; <i>Procol CA-2</i>
Polyoxyl 10 cetyl ether	<i>Brij 56</i> ; ceteth-10; <i>Lipocol C-10</i> ; <i>Procol CA-10</i>
Polyoxyl 20 cetyl ether	<i>Brij 58</i> ; ceteth-20; <i>Lipocol C-20</i>
Polyoxyl 4 lauryl ether	<i>Brij 30</i> ; laureth-4; <i>Lipocol L-4</i> ; <i>Procol LA-4</i> ; <i>Tego Alkanol L4</i>
Polyoxyl 9 lauryl ether	Laureth 9; Lauromacrogol 400; polidocanol
Polyoxyl 23 lauryl ether	<i>Brij 35</i> ; laureth-23; <i>Lipocol L-23</i> ; <i>Procol LA-23</i> ; <i>Ritox 35</i> ; <i>Tego Alkanol L23 P</i>
Polyoxyl 2 oleyl ether	<i>Brij 92</i> ; <i>Brij 93</i> ; oleth-2; <i>Lipocol O-2</i> ; <i>Procol OA-2</i>
Polyoxyl 10 oleyl ether	<i>Brij 96</i> ; <i>Brij 97</i> ; oleth-10; polyethylene glycol monooleyl ether; <i>Lipocol O-10</i> ; <i>Procol OA-10</i> ; <i>Volpo 10</i>
Polyoxyl 20 oleyl ether	<i>Brij 98</i> ; <i>Brij 99</i> ; <i>Lipocol O-20</i> ; oleth-20; <i>Procol OA-20</i> ; <i>Volpo 20</i>
Polyoxyl 2 stearyl ether	<i>Brij 72</i> ; <i>Lipocol S-2</i> ; <i>Procol SA-2</i> ; steareth-2; <i>Tego Alkanol S2</i> ; <i>Volpo S-2</i>
Polyoxyl 10 stearyl ether	<i>Brij 76</i> ; <i>Lipocol S-10</i> ; <i>Procol SA-10</i> ; steareth-10; <i>Tego Alkanol S10</i> ; <i>Volpo S-10</i>
Polyoxyl 20 stearyl ether	<i>Brij 78</i> ; <i>Lipocol S-20</i> ; <i>Procol SA-20</i> ; steareth-20; <i>Tego Alkanol S20 P</i> ; <i>Volpo S-20</i>
Polyoxyl 100 stearyl ether	<i>Brij 700</i> ; steareth-100

Polyoxyethylene alkyl ethers are nonionic surfactants widely used in topical pharmaceutical formulations and cosmetics, primarily as emulsifying agents for water-in-oil and oil-in-water emulsions.

Polyoxyethylene alkyl ethers are also used in other applications such as solubilizing agents for essential oils, perfumery chemicals, vitamin oils, and drugs of low-water solubility; gelling and foaming agents (e.g., *Brij 72* gives a quick-breaking foam, while *Brij 97* (and others) gives clear gels at 15–20% concentration); antidusting agents for powders; wetting and dispersing agents for coarse-particle liquid dispersions; and detergents, especially in shampoos and similar cosmetic cleaning preparations.

## 8 Description

Polyoxyethylene alkyl ethers vary considerably in their physical appearance from liquids, to pastes, to solid waxy substances. They are colorless, white or cream-colored materials with a slight odor.

## 9 Pharmacopeial Specifications

See Table II.

## 10 Typical Properties

See Tables III and IV.

acidic or alkaline conditions. The presence of strong electrolytes may, however, adversely affect the physical stability of emulsions containing polyoxyethylene alkyl ethers.

On storage, polyoxyethylene alkyl ethers can undergo autoxidation, resulting in the formation of peroxides with an increase in acidity. Many commercially available grades are thus supplied with added antioxidants. Typically, a mixture of 0.01% butylated hydroxyanisole and 0.005% citric acid is used for this purpose.

Polyoxyethylene alkyl ethers should be stored in an airtight container, in a cool, dry place.

## 12 Incompatibilities

Discoloration or precipitation may occur with iodides, mercury salts, phenolic substances, salicylates, sulfonamides, and tannins. Polyoxyethylene alkyl ethers are also incompatible with benzocaine and oxidizable drugs.<sup>(1)</sup>

The antimicrobial efficacy of some phenolic preservatives, such as the parabens, is reduced owing to hydrogen bonding. Cloud points are similarly depressed by phenols owing to hydrogen bonding between ether oxygen atoms and phenolic hydroxyl groups. Salts, other than nitrates, iodides, and thiocyanates (which cause an increase) can also depress cloud points.<sup>(2)</sup>

**Table II:** Pharmacopeial specifications for polyoxyethylene alkyl ethers.

Test	JP 2001	PhEur 2002	PhEur 2002	PhEur 2002 (Suppl 4.1)	PhEur 2002 (Suppl 4.1)	USPNF 20	USPNF 20
	Lauro-macrogol	Macrogol cetostearyl ether	Macrogol stearyl ether	Macrogol lauryl ether	Macrogol oleyl ether	Polyoxyl 20 cetostearyl ether	Polyoxyl 10 oleyl ether
Identification	+	+	+	+	+	+	+
Characters	+	+	+	+	+	—	—
Water	—	≤3.0%	≤3.0%	≤3.0%	≤3.0%	≤1.0%	≤3.0%
pH (10% solution)	—	—	—	—	—	4.5–7.5	—
Alkalinity	—	+	+	+	+	—	—
Acidity	+	—	—	—	—	—	—
Residue on ignition	≤0.20%	—	—	—	—	≤0.4%	≤0.4%
Heavy metals	—	—	—	—	—	≤0.002%	≤0.002%
Acid value	—	≤1.0	≤1.0	≤1.0	≤1.0	≤0.5	≤1.0
Hydroxyl value	—	+	+	+	+	42–60	75–95
Iodine value	—	≤2.0	≤2.0	≤2.0	+	—	23–40
Saponification value	—	≤3.0	≤3.0	≤3.0	≤3.0	≤2.0	≤3.0
Free polyethylene glycols	—	—	—	—	—	≤7.5%	≤7.5%
Free ethylene oxide	—	≤1 ppm	≤1 ppm	≤1 ppm	≤1 ppm	≤0.01%	≤0.01%
Dioxan	—	≤10 ppm	≤10 ppm	≤10 ppm	≤10 ppm	—	—
Peroxide	—	—	—	—	≤10.0	—	—
Average polymer length	—	—	—	—	—	17.2–25.0	8.6–10.4
Organic volatile impurities	—	—	—	—	—	+	+
Total ash	—	≤0.2%	—	≤0.2%	≤0.2%	—	—

Brij 52	Solid	≤1	5.3	160-180	—	—	—	≤1.0	33
Brij 56	Solid	≤1	12.9	75-90	—	—	—	≤3.0	31
Brij 58	Solid	≤1	15.7	45-60	—	—	—	≤3.0	38
Brij 72	Solid	≤1	4.9	150-170	—	—	—	≤1.0	43
Brij 76	Solid	≤1	12.4	75-90	—	—	—	≤3.0	38
Brij 78	Solid	≤1	15.3	45-60	—	—	—	≤3.0	38
Brij 93	—	≤1	4.9	160-180	—	—	—	≤1.0	10
Brij 97	—	≤1	12.4	80-95	—	—	—	≤3.0	16
Brij 99	—	≤1	15.3	50-65	—	—	—	≤3.0	33
Cremophor A6	—	≤1	10-12	115-135	≤1	≤3	0.896-0.906 at 60°C	≤1.0	41-43
Cremophor A25	—	≤1	15-17	35-45	≤1	≤3	1.020-1.028 at 60°C	≤1.0	44-46
Ethospense 1A4	—	≤2	—	145-160	—	—	0.95	≤0.5	—
Ethospense 1A12	—	≤2	—	72-82	—	—	1.10	≤1.0	—
Ethospense TDA6	—	≤1	—	118-133	—	—	0.98	≤1.0	—
Ethospense S120	—	≤0.5	—	385-430	—	—	1.16	≤1.0	—
Ethospense G26	—	≤2	—	133-142	—	—	1.12 at 38°C	≤0.5	—
Ethylan D252	Liquid	—	5.6	—	—	—	0.903	≤0.5	5
Ethylan 253	Liquid	—	7.8	—	—	—	0.930	≤0.5	3
Ethylan 254	Liquid	—	9.8	—	—	—	0.948	≤3.0	5
Ethylan 256	Liquid	—	11.4	—	—	—	0.972	≤0.5	15
Ethylan 257	Liquid	—	12.2	—	—	—	0.974 at 40°C	≤0.5	21
Ethylan 2512	Solid	—	14.2	—	—	—	1.001	≤0.5	29
Ethylan 2560	Solid	—	18.6	—	—	—	—	≤0.5	45
Plurafac RA20	—	—	—	69-78	—	0.9965	≤0.1	4	—
Plurafac RA30	—	—	—	85-95	—	—	0.976	≤0.1	-6
Plurafac RA40	—	—	—	65-75	—	—	0.978	≤0.2	-27
Plurafac RA340	—	—	—	73	—	—	0.977	—	-23
Renex 30	Cloudy liquid	≤1	14.5	75-85	—	—	1.0	≤3.0	14
Renex 31	—	≤1	15.4	60-74	—	—	1.0	≤3.0	16
Renex 36	—	≤1	11.4	118-133	—	—	1.0	≤1.0	—
Texofor A1P	Solid	—	16.2	—	—	—	1.025 at 60°C	—	40
Texofor AP	—	—	—	—	—	—	0.875	—	31
Texofor A6	Solid	—	—	—	—	—	0.140	—	26
Texofor A10	Solid	—	—	—	—	—	0.970	—	30
Texofor A14	Solid	—	—	—	—	—	0.995	—	35
Texofor A30	Solid	—	—	—	—	—	1.035	—	43
Texofor A45	Solid	—	—	—	—	—	1.055	—	47
Texofor A60	Solid	—	—	—	—	—	1.065	—	48
Volpo 10	Hazy liquid	<2	—	79-91	31-37	—	—	<1.0	—
Volpo 20	Soft solid	<2	—	50-58	18-25	—	—	<1.0	—
Volpo S-2	Soft solid	<1	—	150-170	—	—	—	<1.0	—
Volpo S-10	Soft solid	<1	—	75-90	—	—	—	<3.0	—
Volpo S-120	Waxy solid	<1	—	45-60	—	—	—	<3.0	—

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.