In Vitro Dissolution Profile Comparison—Statistics and Analysis of the Similarity Factor, f₂

Vinod P. Shah,^{1,4} Yi Tsong,² Pradeep Sathe,¹ and Jen-Pei Liu³

Received December 4, 1997; accepted February 26, 1998

Purpose. To describe the properties of the similarity factor (f_2) as a measure for assessing the similarity of two dissolution profiles. Discuss the statistical properties of the estimate based on sample means.

Methods. The f_2 metrics and the decision rule is evaluated using examples of dissolution profiles. The confidence interval is calculated using bootstrapping method. The bias of the estimate using sample mean dissolution is evaluated.

Results. 1. f_2 values were found to be sensitive to number of sample points, after the dissolution plateau has been reached. 2. The statistical evaluation of f_2 could be made using 90% confidence interval approach. 3. The statistical distribution of f_2 metrics could be simulated using 'Bootstrap' method. A relatively robust distribution could be obtained after more than 500 'Bootstraps'. 4. A statistical 'bias correction' was found to reduce the bias.

Conclusions. The similarity factor f_2 is a simple measure for the comparison of two dissolution profiles. But the commonly used similarity factor estimate \hat{f}_2 is a biased and conservative estimate of f_2 . The bootstrap approach is a useful tool to simulate the confidence interval.

KEY WORDS: dissolution; similarity factor; estimation bias; bootstrap confidence interval.

INTRODUCTION

DOCKE.

For immediate release solid oral drug products, a single time-point dissolution specification has been routinely employed as a quality control release test. In general, a single point dissolution test does not characterize the dosage form completely, and therefore the dissolution profile and dissolution profile comparison is recommended in recently released guidances by the Agency (1–4). For the post-approval changes such as (i) scale-up, (ii) manufacturing site, (iii) component and composition, (iv) equipment and process changes, a comparison of dissolution profiles between pre-change and post-change products is recommended in SUPAC-IR guidance (1) as it provides a more precise measurement of product similarity using

¹ Office of Pharmaceutical Science, Center for Drug Evaluation and Research, Food and Drug Administration, HFD-350,1451 Rockville Pike, WOC 2, Rockville, Maryland 20852. dissolution characteristics. Dissolution profiles may be considered similar by virtue of (i) overall profile similarity and (ii) similarity at every dissolution sample time point. The dissolution profile comparison can be carried out using model independent or model dependent methods.

In the last decade, several methods for the comparison of dissolution profiles were proposed in the literature (5-9). However, a major problem has been the quantification of the comparison of dissolution profile. Shah et al. proposed a multivariate analysis of variance method to test for the difference between two dissolution profiles (5). Chow et al. proposed dissolution difference measurement and similarity testing based on parameters after fitting a one-degree autoregression time series model (6). Sathe et al. proposed dissolution difference measurement and similarity testing based on parameters of the profiles after fitting a selected mathematical model (7). Tsong et al. proposed dissolution difference measurement and similarity testing based on multivariate 'Mahalanobis' distance between two dissolution data sets (8). However, the statistical methods proposed in most of these examples involved the complicated estimation of covariance matrix.

Recently, Moore and Flanner proposed a simple model independent approach using mathematical indices to define difference factor, f_1 , and similarity factor, f_2 , to compare dissolution profiles (9). The f_1 and f_2 factors are derived from Minkowski difference (average absolute differences) and mean-squared difference respectively. The similarity factor f_2 and a similarity testing criteria based on f_2 were therefore recommended for dissolution profile comparison in the FDA's Guidances for Industry (1–4). The simplicity of similarity factor generated considerable interest. Subsequently, examples of the application of f_2 appeared in the literature (10–12), and some statistical properties of f_2 were also delineated in two papers (12,13).

The purpose of this work is to (i) describe f_2 as a population measure for assessing the similarity of two dissolution profiles (ii) describe how a similarity criteria for f_2 is defined for the two dissolution profiles (iii) discuss the statistical properties of \hat{f}_2 , an estimate of population f_2 based on sample means, (iv) discuss the estimation of the confidence interval of f_2 based on \hat{f}_2 and calculation of the bias of \hat{f}_2 , and (v) discuss the corresponding hypotheses for similarity testing based on f_2 and \hat{f}_2 . These discussions will provide rational steps for the application of similarity factor f_2 in dissolution profile comparison.

SIMILARITY FACTOR

A. Theoretical Considerations

The profile comparison in general refers to the comparison of two dissolution profiles between (i) a reference batch and a test batch (ii) a pre-change batch and a post-change batch, and (iii) different strengths of products for biowaivers as discussed in various guidances. The principles can be applied at anytime when a profile comparison is needed.

To illustrate the applications of similarity factor, f_2 , consider the dissolution profiles of the two batches generated using P number of sample points. For comparison of the dissolution profiles of two batches, the dissolution measurements should be made under the same test conditions and the dissolution time points for both the profiles should be the same, e.g., for

889

² Division of Biometrics III, Office of Epidemiology and Biometrics, Center for Drug Evaluation and Research, Food and Drug Administration, Rockville, Maryland 20857.

³ Department of Statistics, National Cheng-Kung University, Tainan, Taiwan, ROC.

⁴ To whom correspondence should be addressed. (e-mail: Shahvi@CDER.FDA.GOV)

DISCLAIMER: The manuscript represents the personal opinions of the authors and does not necessarily represent the views or policies of FDA.

immediate release products, 15, 30, 45, 60 minutes and for controlled release products, 1, 3, 5 and 8 hours. Let $(\mu_{r1}, \mu_{r2}, \ldots, \mu_{rP})$ represent the dissolution measurements at P time points on the reference profile and $(\mu_{t1}, \mu_{t2}, \ldots, \mu_{tP})$ be the corresponding P measurements on the test profile. The distances between the two profiles at these P time points are $(|\mu_{r1} - \mu_{t1}|, |\mu_{r2} - \mu_{t2}|, \ldots, |\mu_{rP} - \mu_{tP}|)$. The distances at the P time points may be combined into one measure, by either the sum, $D_1 = |\mu_{r1} - \mu_{t1}| + |\mu_{r2} - \mu_{t2}| + \ldots + |\mu_{rP} - \mu_{tP}|$, or the square root of the sum of squares, $D_2 =$

 $\sqrt{[(\mu_{r1} - \mu_{r1})^2 + (\mu_{r2} - \mu_{t2})^2 + ... + (\mu_{rP} - \mu_{tP})^2]}$. In 1996, Moore and Flanner proposed measurements of relative distance and similarity of two dissolution profiles as functions of D₁ and D₂, as follows:

$$\mathbf{f}_{1} = \left\{ \left[\sum_{i=1}^{\mathbf{P}} |\boldsymbol{\mu}_{ti} - \boldsymbol{\mu}_{ti}| \right] / \left[\sum_{i=1}^{\mathbf{P}} \boldsymbol{\mu}_{ti} \right] \right\} \cdot 100$$

$$f_{2} = 50 \cdot \log \left\{ \left[1 + (1/P) \sum_{i=1}^{P} (\mu_{ti} - \mu_{ri})^{2} \right]^{-1/2} \cdot 100 \right\}$$
$$= 50 \cdot \log \left\{ [1 + (1/P)D_{2}^{2}]^{-1/2} \cdot 100 \right\}$$

where log is the logarithm based on 10. Note that f_1 reflects the cumulative difference between the two curves at all time points, and is a measure of relative error between the two curves. Conceptually, f1 which is a function of the average absolute difference between the two dissolution curves could be referred as a 'difference' factor. On the other hand, f₂ metric is a function of the reciprocal of mean square-root transform of the sum of square distances at all points. Conceptually, f22 which is a measure of the similarity in the percent dissolution between two curves, could be referred as a 'similarity' factor. When the two profiles are identical, $f_2 = 50 \cdot \log(100) = 100$, and when the dissolution of one batch is complete before the other begins, $f_2 = 50 \cdot \log\{[1 + (1/P)\Sigma_{i=1}^{P}(100)^2]^{-1/2} \cdot 100\} =$ -.001, which can be rounded to 0. Thus the value of f₂ ranges between 0 to 100 with a higher f2 value indicating more similarity between the two profiles.

In a real life situation, due to the batch-to-batch variation in dissolution profiles, it is not expected to have f_2 value be anywhere near 100 even when the two dissolution curves are generated from the same batch of tablets (or capsules). A test batch is therefore accepted as 'similar' to a reference batch if the dissolution profile difference between the two batches is no more than the dissolution profile difference between the two reference batches. Empirically, the experience in dissolution data analysis leads one to believe that an average difference of no more than 10% at any sample time point, of the batches of the same formulation may be acceptable. When this 10% average difference is substituted in the Equation 1, f_2 becomes:

$$f_{2,10} = 50 \cdot \log \left\{ \left[1 + (1/P) \sum_{i=1}^{P} |10|^2 \right]^{-1/2} \cdot 100 \right\}$$
$$= 50 \cdot \log \{ [101]^{-1/2} \cdot 100 \}$$
$$= 50 \cdot \log (9.95037) = 49.89$$

which may be rounded to 50 for simplicity. A test batch dissolution is therefore considered similar to that of the reference batch if the f_2 value of the two true profiles is not less than 50. It is

Shah, Tsong, Sathe, and Liu

 Table 1. Average Difference Between Two Dissolution Profiles of Reference Batches

	2%	5%	10%	15%	20%
f ₂ Limit	83	65	50	41	36

clear that once the average distance at any sample time point between any two reference batch is defined, the similarity limit based on f_2 can be defined independent to the test batch or the specific reference batch and independent to the number of sampling time points to be used in the assessment of dissolution similarity. Table 1 provides the f_2 similarity limits for different average distances at multiple time points by appropriate substitution in Equation 1.

B. Results and Discussions

(1)

Example #1, One Reference Batch and Four Test Batches (Tables 2, 3 and Figures 1 and 2). To illustrate the concept of assessing similarity and dissolution profile comparison using





Find authenticated court documents without watermarks at docketalarm.com.

and

DOCKE

In Vitro Dissolution Profile Comparison



Fig. 3. Sample mean dissolution.

 f_2 , consider the following example. In Table 2 provides the actual cumulative dissolutions at 15, 30, 45, 60, 75 and 90 minutes of a reference batch and four test batches. The f_2 value for each of the four test batches compared to the reference batch is given in Table 3.

Based on measurements up to 60 minutes (the time when the reference product is dissolved up to 87%), it is clear that test batch #2 is similar to the reference batch with an average difference of 5% at the four time points. Test batch #3 can be claimed to be similar to the reference batch with an average difference of 10% at the four time points. Test batch #1 can only be considered to be similar to the reference batch if the average difference between any two reference batches is 15%. Test batch #4 is not

 Table 2. Example #1: Dissolution Profile of One Reference and Four Test Batches

Batch	15	30	45	60	75	90 minutes
Reference	40	67	80	87	89	91
Test batch #1	28	51	71	88	92	94
Test batch #2	36	69	84	89	93	95
Test batch #3	43	78	86	93	94	96
Test batch #4	78	89	91	93	95	98

Table 3									
	f ₂ Value for test batch								
	1	2	3	4					
When calculated up to 60 minutes only When calculated up to	48	70	54	32					
90 minutes	52	71	57	36					

Note: f_2 value calculated by using data presented for example #1, in Table 2.

similar to the reference batch even when one allows an average difference of 20% at all time points (Figure 1). Using more time points after more than 85% dissolution, will invariably increase the f_2 value leading to bias in the similarity assessment. For example, when using cumulative dissolutions up to 90 minutes, for the same four test batches, the f_2 values increases in almost all test batches (Table 3). It is therefore important to limit the number of sample points to no more than one, once any of the batch (product) reaches 85% dissolution.

C. Estimation of Similarity Factor

The properties illustrated in the last section are based on the f₂ of the actual (population) dissolution profiles of the reference and test batches. In practice, dissolution testing is often carried out with no more than 12 units and the dissolution profile of each batch is an estimate based on dissolutions of the 12 units. Hence $(\bar{x}_{r1}, \bar{x}_{r2}, \ldots, \bar{x}_{rP})$ and $(\bar{x}_{t1}, \bar{x}_{t2}, \ldots, \bar{x}_{tP})$ are used to estimate $(\mu_{r1}, \mu_{r2}, \ldots, \mu_{rP})$ and $(\mu_{t1}, \mu_{t2}, \ldots, \mu_{rP})$ respectively, where $\bar{x}_{ti}, \bar{x}_{ri}$ are the mean dissolution value of the twelve tablets measured at the i-th time point of the test and the reference batch respectively. With these estimates, f₂ is estimated as follows

$$\hat{f}_{2} = 50 \cdot \log \left\{ \left[1 + (1/P) \sum_{i=1}^{P} (\bar{x}_{ii} - \bar{x}_{ii})^{2} \right]^{-1/2} \cdot 100 \right\}$$

D. Confidence Interval of Similarity Factor

Because of the sampling variation for the estimate, dissolution similarity of the test and reference batches may not be assessed by direct comparison of f_2 with the similarity limit, SL. The SL proposed in the guidances is 50 (1-4). Assuming the expected value of \hat{f}_2 equals f_2 , i.e., $E(\hat{f}_2) = f_2$, for an assurance of 95% correct decision, one should compare the 90% lower confidence limit of $E(f_2)$ with SL instead. In order to have a mathematical form of the confidence interval, one needs to derive the sampling distribution of \hat{f}_2 . Each component of the mean vector $\overline{x}_r = (\overline{x}_{r1.}, \overline{x}_{r2.}, \dots, \overline{x}_{rP.})$ and $\overline{x}_t = (\overline{x}_{t1.}, \overline{x}_{t2.}, \dots, \overline{x}_{tP.})$ is a random variable with standard error $se(\bar{x}_{ki})$, where k=r,t, and the elements in \overline{x}_k are correlated. In order to have a standard (or asymptotically standard) distribution for f_2 , one needs to standardize \hat{f}_2 by its covariance matrix. If there is a known standardized form of \hat{f}_2 , it would be a complicated function of the 'Mahalanobis' distance as described by Tsong et al. (7,8). Alternatively, the 90% confidence interval can be simulated through bootstrap method as given by Tsong et al. (14).

A bootstrap sample of f_2 can be generated by random sample with replacement twelve times from $x_{rj} = (x_{r1j}, x_{r2j}, \ldots, x_{rPj.})$ and $x_{tj} = (x_{r1j}, x_{r2j}, \ldots, x_{rPj.})$, where j=1 to 12. Let $x'_{rj} = (x_{r1j'}, x_{r2j'}, \ldots, x_{rPj.})$ and $x'_{tj} = (x_{r1j'}, x_{r2j'}, \ldots, x_{rPj'.})$ and $x'_{tj} = (x_{r1j'}, x_{r2j'}, \ldots, x_{rPj'.})$, j'=1 to 12, be the twelve dissolution vectors re-sampled from the 12 tablets of the test and reference batches respectively. Note that some of the vectors of dissolution values may be identical because of the replacement in the sampling. Let f'_2 denote the estimated f_2 value of the bootstrap sample. Considering that M sets of sample are generated using the bootstrap method, the 90% percent confidence interval is defined by $[Lf'_2, Uf'_2]$, where Lf'_2 and Uf'_2 are the 5th and 95th percentiles of the Ef'_2 values. Since distribution of f'_2 is skewed, an adjustment may be necessary. The adjusted confidence interval, BC_{α} of $E(f_2)$ of bias correction $(\hat{f}_2^{(\alpha 1)}, \hat{f}_2^{(\alpha 2)})$ is defined with

$$\begin{split} \alpha 1 &= \Phi(Z_0 + (Z_0 + Z^{(\alpha)})/[1 - a(Z_0 + Z^{(\alpha)})] \\ \alpha 2 &= \Phi(Z_0 + (Z_0 + Z^{(1-\alpha)})/[1 - a(Z_0 + Z^{(1-\alpha)}) \\ z_0 &= \Phi^{-1}(\#(\hat{f}'_2(m) < \hat{f}_2)/M) \\ a &= \sum (\hat{f}_{2(\cdot)} - \hat{f}_{2(i)})^3/\{6[\sum (\hat{f}_{2(\cdot)} - \hat{f}_{2(i)})^2]^{3/2}\} \end{split}$$

where α is the level of type I error, $\hat{f}_{2(i)}$ is the i-th jackknife statistic, $\hat{f}_{2(\cdot)}$ is the mean of jackknife statistics, $\hat{f}_{2}(m)$ is the bootstrap estimate of the m-th bootstrap sample, \hat{f}_{2} is the original sample mean, $z^{(\alpha)}$ is the α -th percentile of standard normal distribution.

Example #2, One Reference Batch and Five Test Batches (*Tables 4, 5 and Figure 2*). To illustrate the application of bootstrap method in confidence interval estimation and assessment of dissolution similarity, consider the cumulative percent of dissolution at 30, 60, 90 and 180 minutes of five test batches and one reference batch with 12 tablets each as shown in Table 4. Table 4 also provides the sample means of each batch at every time point. The covariance and correlations among time points are given in Table 5. From Table 5, the correlation between two time points can be as high as 0.93 and some times, the cumulative percent dissolved at different time points may be negatively correlated. The mean dissolution values of test batch #1 differ from the reference batch by no more than 8%. Test batch #2 dissolved 15% more than the reference batch at 30 minutes, but the differences between the test and reference

batches are less than 8% at any time point after 30 minutes. Test batch #3 is more than 12% different compared with the reference batch at 90 minutes and less than 10% at any other time points. Test batch #4 differs with the reference batch by more than 19% at 30 minutes and shows no difference at any other time point. Test batch #5 differs with the reference batch by more than 17% at 60 minutes, but less than 10% at any other time point. The \hat{f}_2 of the five test batches are 60.04 for test batch #1, 51.08 for test batch #2, 51.19 for test batch #3, 50.07 for test batch #4 and 48.05 for test batch #5. When taking \hat{f}_2 as f_2 for dissolution similarity assessment, one would consider that all test batches except batch #5 have dissolution profile similar to the reference batch, when the similarity criterion value, 50 (computed based on an 10% average distance at all key time points) is used. However, the bootstrap confidence intervals of $E(\hat{f}_2)$ give the lower 90% confidence limits lower than similarity criterion in this example, using either the percentage confidence interval (PI) or the BC_{α} confidence interval which are given in Table 6 with 100, 200, 400, 500 and 1,000 bootstrap samples. The 90% lower confidence limits BC_{α} based on the 500 samples are 52.79 for test batch #1, 48.39 for test batch #2, 48.59 for test batch #3, 48.38 for test batch #4 and 46.11 for test batch #5. It indicates that all test batches except test batch #1 fail to show dissolution similarity to the reference batch when the f_2 value of 50 is used as a cutoff point for accepting similarity between two dissolution profiles.

Table 4. Example #2 Dissolution Data of Reference and Five Test Batches

		Referen	ice batch			Test b	atch 1		T batch 2			
Time	30	60	90	180	30	60	90	180	30	60	90	180
Tablet												
1	36.1	58.6	80	93.3	38.75	61.79	85.14	100.2	48	60	84	103
2	33	59.5	80.8	95.7	36.16	61.21	84.25	97.3	52	75	89	99
3	35.7	62.3	83	97.1	38.49	63.89	84.94	96.39	48	60	83	101
4	32.1	62.3	81.3	92.8	37.27	62.52	85.65	95.47	53	70	93	103
5	36.1	53.6	72.6	88.8	48.12	77.18	95.32	99.3	45	60	84	105
6	34.1	63.2	83	97.4	48.45	80.62	95.05	98.94	48	66	90	103
7	32.4	61.3	80	96.8	41.08	67.62	84.94	99.03	51	71	91	100
8	39.6	61.8	80.4	98.6	39.64	63.68	80.73	95.63	49	63	89	104
9	34.5	58	76.9	93.3	36.06	61.59	82.22	96.12	44	60	84	103
10	38	59.2	79.3	94	36.69	63.6	84.5	98.42	53	68	81	104
11	32.2	56.2	77.2	96.3	39.95	67.98	87.4	98.1	49	63	86	105
12	35.2	58	76.7	96.8	43.41	74.07	93.95	97.8	52	68	87	104
Mean	34.92	59.5	79.27	95.08	40.34	67.15	87.01	97.73	49.33	65.33	86.75	102.83
		Test b	patch 3			Test t	batch 4		Test batch 5			
1	28.7	48.2	63.8	85.6	17.1	58.6	80	93.3	41.5	78	86.4	98.3
2	26.4	53.1	68.3	90.6	16	59.5	80.8	95.7	43.7	78.3	85.9	102.9
3	25.4	52.4	70	89.5	12.7	62.3	83	97.1	46.3	78.3	86.9	96.4
4	23.2	49.5	65.5	92.2	15.1	62.3	81.3	92.8	44	79.9	88.6	96
5	25.1	50.7	68	87.6	14.1	53.6	72.6	88.8	42.6	73.2	81.4	95.5
6	28.7	54.1	70.8	93.6	12.1	63.2	83	97.4	44.4	78.4	86.2	98.4
7	23.5	50.3	66.1	85.1	14.4	61.3	80	96.8	43	79	87.5	99.5
8	26.2	50.6	67.7	88	19.6	61.8	80.4	98.6	44.4	79.6	87.3	99.9
9	25	49.1	63.6	85.8	14.5	58	76.9	93.3	44.8	78.7	86.9	97.8
10	24.9	49.5	66.7	86.6	14	59.2	79.3	94	41.7	76.9	84.5	100
11	30.4	53.9	70.4	89.9	18.2	56.2	77.2	96.3	42.3	77	81.9	97.9
12	22	46.3	63	88.7	13.2	58	76.7	96.8	42	78.2	92.4	100.3
Mean	25.80	50.64	67.00	88.6	15.08	59.5	79.27	95.08	43.39	77.96	86.33	98.58

892

DOCKE.

	_			Covar	iance		Correlation				
Batch	Time	Std	D30	D60	D90	D180	D30	D60	D90	D180	
1	D30	2.36	5.55	-0.21	-0.58	0.19	1.00	-0.03	-0.08	0.03	
	D60	2.84	-0.21	8.09	7.88	4.92	-0.03	1.00	0.93	0.63	
	D90	2.98	-0.57	7.89	8.88	5.05	-0.08	0.93	1.00	0.62	
	D180	2.73	0.19	4.92	5.05	7.43	0.03	0.63	0.62	1.00	
2	D30	4.28	18.30	27.39	18.73	3.28	1.00	0.97	0.88	0.50	
	D60	6.62	27.39	43.86	30.53	4.67	0.97	1.00	0.93	0.46	
	D90	4.97	18.73	30.52	24.75	3.85	0.88	0.93	1.00	0.50	
	D180	1.55	3.29	4.67	3.85	2.40	0.50	0.46	0.50	1.00	
3	D30	2.96	8.79	12.33	4.18	-1.48	1.00	0.81	0.38	-0.26	
	D60	5.10	12.33	26.06	11.18	-5.21	0.81	1.00	0.60	-0.54	
	D90	3.67	4.18	11.18	13.48	-2.23	0.38	0.60	1.00	-0.32	
	D180	1.90	-1.48	-5.21	-2.23	3.61	-0.26	-0.54	-0.31	1.00	
4	D30	2.47	6.10	3.74	3.70	1.40	1.00	0.64	0.56	0.21	
	D60	2.37	3.74	5.60	5.95	3.51	0.64	1.00	0.94	0.55	
	D80	2.68	3.70	5.95	7.19	4.03	0.56	0.94	1.00	0.56	
	D180	2.68	1.40	3.51	4.03	7.17	0.21	0.55	0.56	1.00	
5	D30	2.56	5.10	-0.98	-0.56	0.81	1.00	-0.15	-0.08	0.13	
	D60	2.84	-0.98	8.09	7.89	4.92	-0.15	1.00	0.93	0.63	
	D90	2.98	-0.56	7.89	8.88	5.05	-0.08	0.93	1.00	0.62	
	D180	2.73	0.81	4.92	5.05	7.43	0.13	0.63	0.62	1.00	
6	D30	5.81	2.18	1.02	0.67	-0.72	1.00	0.40	0.16	-0.24	
	D60	1.74	1.02	3.02	3.52	1.13	0.40	1.00	0.70	0.31	
	D90	2.90	0.67	3.52	8.40	1.73	0.16	0.70	1.00	0.28	
	D180	2.10	-0.72	1.13	1.73	4.39	-0.24	0.31	0.28	1.00	

Table 5. Covariance and Correlation Matrices of the Six Batches

Efron and Tibshrani (15) indicated that in general a bootstrap of 400 sample sets give precise estimate. However, the rate of convergence of the bootstrap confidence limits is data dependent, and it is recommended to calculate a few bootstrap estimates in order to make sure that the estimate is stable. Table 6 shows that the confidence intervals are quite stable with 500 sample sets for both Percent interval and BC_{α} estimate.

E. Bias of the Estimate of Similarity Factor

The confidence interval estimated using bootstrap method is for the expected value of \hat{f}_2 , $E(\hat{f}_2)$. The assessment of dissolution similarity using the confidence interval as in the last section is unbiased only if \hat{f}_2 is an unbiased estimate of f_2 , which means $E(\hat{f}_2) = f_2$. Assuming that there are n tablets in both the test and reference batches, consider the expected value of $[(1/P) \sum_{i=1}^{P} \{\sum_{j=1}^{n} (x_{tij} - x_{rij})/n\}^2]$,

$$\begin{split} & E \bigg[(1/P) \sum_{i=1}^{P} \left\{ \sum_{j=1}^{n} (x_{tij} - x_{rij})/n \right\}^{2} \bigg] \\ & = E \bigg((1/P) \bigg\{ \sum_{i=1}^{P} \left[\left(\sum_{j} (x_{tij} - x_{rij})/n - (\mu_{ti} - \mu_{ri}) \right)^{2} \right] \end{split}$$

Table 6. Bootstrap	Confidence	Interva	ds
--------------------	------------	---------	----

Type Te	Test	Sample	100	100 Bootstraps		200 Bootstraps		400 Bootstraps		500 Bootstraps		1,000 Bootstraps	
of CI	batch	mean	Mean	CI									
PI^a Bc α^b PI	1 2	60.03 60.08 ^c 51.08	61.16 50.96	(54.26, 70.28) (54.18, 70.24) (48.23, 53.32) (49.27, 53.46)	60.57 51.03	(53.73, 70.13) (54.34, 70.73) (48.36, 53.63) (49.27, 52.63)	60.17 50.97	(52.84, 68.69) (54.19, 70.73) (48.25, 53.71)	60.11 50.98	(52.79, 68.15) (54.07, 70.35) (48.33, 53.68)	60.22 51.01	(53.01, 68.34) (53.89, 70.24) (48.25, 53.69)	
Bcα PI Bcα	3	51.01 51.19 51.19	51.22	(48.37, 53.46) (48.47, 54.11) (48.14, 53.95)	51.16	(48.37, 53.68) (48.52, 54.05) (48.49, 53.94)	51.27	(48.35, 53.77) (48.59, 54.05) (48.47, 53.87)	51.29	(48.39, 53.74) (48.59, 54.10) (48.41, 53.91)	51.29	(48.37, 53.74) (48.54, 54.56) (48.41, 54.22)	
ΡΙ Βcα ΡΙ Βcα	5	50.07 50.06 48.05 48.05	49.86 48.17	(48.51, 51.42) (48.96, 51.90) (46.52, 49.91) (46.41, 49.89)	49.93	(48.49, 51.50) (48.75, 51.69) (46.35, 49.89) (46.01, 49.78)	49.96	(48.41, 51.55) (48.63, 51.85) (46.08, 49.91) (46.32, 50.33)	49.96 48.01	(48.39, 51.55) (48.60, 51.74) (46.11, 50.09) (46.33, 50.33)	49.99 48.01	(48.38, 51.59) (48.47, 51.73) (46.05, 50.04) (46.15, 50.17)	

^a Percent confidence interval.

^b Bca adjusted confidence interval.

^c Jackknife mean.

RM

DOCKE.

Δ

Δ

DOCKET



Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

