

CENTER FOR DRUG EVALUATION AND RESEARCH

APPLICATION NUMBER: NDA 29845

CHEMISTRY REVIEW(S)

11/18/99
NOV 18 1999**DIVISION OF CARDIO-RENAL DRUG PRODUCTS**
Review of Chemistry, Manufacturing, and Controls**NDA #:** 20-845**DATE REVIEWED:** 10-Nov-99**REVIEW #:** 4**REVIEWER:** JV Advani

<u>SUBMISSION TYPE</u>	<u>DOCUMENT DATE</u>	<u>CDER DATE</u>	<u>ASSIGNED DATE</u>
ORIGINAL	26-Feb-97	27-Feb-97	03-Mar-97
AMENDMENT (BC)	28-Aug-97	02-Sep-97	04-Sep-97
AMENDMENT (BC)	17-Jun-97	19-Jun-97	24-Jun-97
AMENDMENT (BC)	16-Sep-97	17-Sep-97	18-Sep-97
Resubmission	25-May-99	26-May-99	04-Jun-99
(INO Therapeutics)			
AMENDMENT (BC)	13-Aug-99	17-Aug-99	20-Aug-99
AMENDMENT (BC)	27-Sep-99	28-Sep-99	30-Sep-99
AMENDMENT (BL)	06-Nov-99	08-Nov-99	10-Nov-99

NAME & ADDRESS OF APPLICANT:INO Therapeutics, Inc.
54 Old Highway 22
Clinton, NJ 08809
(formerly Ohmeda PPD)**DRUG PRODUCT NAME**Proprietary:Inhaled Nitric Oxide (INOMax)
This trade name was approved by LNC
Committee on 08/25/97
Nitric oxide
CAS 10102-43-9
I PEstablished:Code Name/#:Chem.Type/Ther.Class:**PHARMACOL. CATEGORY/INDICATION:**Hypoxemic Respiratory Failure in the Term and
near-Term Newborn
Inhaled nitric oxide mixtures (nitric oxide in nitrogen)**DOSAGE FORM:****STRENGTHS:**

100 ppm and 800 ppm

ROUTE OF ADMINISTRATION:

Inhaled

Rx/OTC:☒ Rx ☐ OTC**SPECIAL PRODUCTS:**☐ Yes ☒ No(If yes, fill out the form for special products and
deliver to TIA through team leader for data entry)**CHEMICAL NAME, STRUCTURAL FORMULA, MOLECULAR FORMULA, MOLECULAR
WEIGHT:****Chemical name:**Nitric oxide
Nitrogen (II) oxide**Molecular Formula:** NO**Molecular Weight:** 30.006

SUPPORTING DOCUMENTS:

Type/Number	Subject	Holder	Status	Review Date	Letter Date
DMF	Seamless, high pressure steel Cylinders (Vol. 1.1 p0104-0106)		*Adequate	-----	
DMF	High pressure, diaphragm seal, stainless steel valve. (Vol. 1.1, p. 0107-01088)		*Adequate	-----	
DMF	O-rings		*Adequate	-----	

* Firm has provided the necessary information in the submission.

RELATED DOCUMENTS (if applicable):

IND (Inhaled Nitric oxide – INO)

IND Inhaled – INO)

CONSULTS:

None

REMARKS/COMMENTS:

INOMax is a potent selective pulmonary vasodilator with minimal systemic cardiovascular effects. The drug product is composed of Nitric Oxide (NO) in Nitrogen (N₂) at concentration of either 100 ppm or 800 ppm. It is packaged in aluminum cylinders fitted with a stainless steel valve seated with a Teflon O-ring.

An EER for the establishment of Port Allen, LA, site was requested on 6/15/99 and it is acceptable.

Expiration date: 36 months is proposed. 24 months stability data is provided and 30 months expiration date is acceptable. Methods validation will be requested to be performed by district laboratories.

Amendment of 11/06/99- Firm has submitted on our request the proposed draft labels for cylinders, and for cardboard cylinder box. Also has included the pictures of size 88 cylinders and shrink wrap plastic which will be placed around each cylinder.

CONCLUSIONS & RECOMMENDATIONS:

The information on the draft copies of the labels for drug packages and product is reviewed and is satisfactory. However, we recommend the following storage statement in the labels.

Store at 25°C (77° F) with excursions permitted between 15-30°C (59-86°F) (see USP Controlled Room Temperature). Container labels (gas cylinders) have now been provided and reviewed.

The NDA may be approved from a chemistry viewpoint. The firm should be informed in the action letter that a 30 month expiration date can be granted for the drug product stored at 25° C temperature. And recommended storage statements should be included in the package insert and labels

/S/

JM Advani, Review Chemist

cc:

Orig. NDA 20845

HFD-110/Division File

HFD-110/JADVANI /

HFD-110/PM

HFD-810/TEAM LEADER

HFD-810/DIVISION DIRECTOR (JSimmons)

R/D init by: KSrinivasachar

Filename: NDA20854BC2.Doc

/S/

11-18-99

DIVISION OF CARDIO-RENAL DRUG PRODUCTS
Review of Chemistry, Manufacturing, and Controls

NOV - 5 1999

NDA #: 20-845DATE REVIEWED: 21-Oct-99REVIEW #: 3REVIEWER: JV Advani

<u>SUBMISSION TYPE</u>	<u>DOCUMENT DATE</u>	<u>CDER DATE</u>	<u>ASSIGNED DATE</u>
ORIGINAL	26-Feb-97	27-Feb-97	03-Mar-97
AMENDMENT (BC)	28-Aug-97	02-Sep-97	04-Sep-97
AMENDMENT (BC)	17-Jun-97	19-Jun-97	24-Jun-97
AMENDMENT (BC)	16-Sep-97	17-Sep-97	18-Sep-97
Resubmission	25-May-99	26-May-99	04-Jun-99
(INO Therapeutics)			
AMENDMENT (BC)	13-Aug-99	17-Aug-99	20-Aug-99
AMENDMENT (BC)	27-Sep-99	28-Sep-99	30-Sep-99

NAME & ADDRESS OF APPLICANT:INO Therapeutics, Inc.
54 Old Highway 22
Clinton, NJ 08809
(formerly Ohmeda PPD)DRUG PRODUCT NAMEProprietary:Inhaled Nitric Oxide (INOMax)
This trade name was approved by LNC
Committee on 08/25/97
Nitric oxide
CAS 10102-43-9
I PEstablished:Code Name/#:Chem.Type/Ther.Class:PHARMACOL. CATEGORY/INDICATION:Hypoxemic Respiratory Failure in the Term and
near-Term NewbornDOSAGE FORM:

Inhaled nitric oxide mixtures (nitric oxide in nitrogen).

STRENGTHS:

100 ppm and 800 ppm

ROUTE OF ADMINISTRATION:

Inhaled

Rx/OTC:☒ Rx ☐ OTCSPECIAL PRODUCTS:☐ Yes ☒ No(If yes, fill out the form for special products and
deliver to TIA through team leader for data entry)CHEMICAL NAME, STRUCTURAL FORMULA, MOLECULAR FORMULA, MOLECULAR
WEIGHT:

Chemical name:

Nitric oxide
Nitrogen (II) oxide

Molecular Formula: NO

Molecular Weight: 30.006

SUPPORTING DOCUMENTS:

Type/Number	Subject	Holder	Status	Review Date	Letter Date
DMF	Seamless, high pressure steel Cylinders (Vol. 1.1 p0104-0106)		*Adequate	_____	
DMF	High pressure, diaphragm seal, stainless steel valve. (Vol. 1.1, p. 0107-01088)		*Adequate	_____	
DMF	O-rings		*Adequate	_____	

* Firm has provided the necessary information in the submission.

RELATED DOCUMENTS (if applicable):

IND (Inhaled Nitric oxide - INO)

IND (Inhaled - INO)

CONSULTS:

None

REMARKS/COMMENTS:

INOMax is a potent selective pulmonary vasodilator with minimal systemic cardiovascular effects. The drug product is composed of Nitric Oxide (NO) in Nitrogen (N₂) at concentration of either 100 ppm or 800 ppm. It is packaged in aluminum cylinders fitted with a stainless steel valve seated with a Teflon O-ring.

An EER for the establishment of Port Allen, LA, site was requested on 6/15/99 and it is acceptable.

Expiration date: 36 months is proposed. 24 months stability data is provided and 30 months expiration date is acceptable.

Methods validation will be requested to be performed by district laboratories.

CONCLUSIONS & RECOMMENDATIONS:

The information submitted in this resubmission has been previously reviewed (refer to my 2 reviews). The firm has addressed our recommendations that were made during the 1997 submission (refer to review #2 of 10/07/97).

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.