Food and Drug Administration Silver Spring MD 20993

NDA 22387/S-004

SUPPLEMENT APPROVAL

United Therapeutics Corporation Attention: Mr. Dean Bunce EVP, Regulatory Affairs and Compliance 55 T.W. Alexander Drive PO Box 14186 Research Triangle Park, NC 27709

Dear Mr. Bunce:

Please refer to your supplemental New Drug Application (sNDA) dated December 16, 2010, submitted under section 505(b) of the Federal Food, Drug, and Cosmetic Act (FDCA) for Tyvaso (treprostinil) Inhalation Solution.

We also acknowledge receipt of your amendment dated January 28, 2011.

This Prior Approval sNDA provides for the following revisions to the labeling for Tyvaso (treprostinil).

HIGHLIGHTS OF PRESCRIBING INFORMATION

1. In **INDICATIONS AND USAGE**, revise the following text

FROM

Tyvaso is a prostacyclin vasodilator indicated for the treatment of pulmonary arterial hypertension (WHO Group I) in patients with NYHA Class III symptoms, to increase walk distance. (1)

TO

Tyvaso is a prostacyclin vasodilator indicated for the treatment of pulmonary arterial hypertension (PAH) (WHO Group 1) to improve exercise ability. Studies establishing effectiveness included predominately patients with NYHA Functional Class III symptoms and etiologies of idiopathic or heritable PAH (56%) or PAH associated with connective tissue diseases (33%). (1)



Full Prescribing Information

2. In INDICATIONS AND USAGE, revise the following text

FROM

Tyvaso is indicated to increase walk distance in patients with WHO Group I pulmonary arterial hypertension and NYHA Class III symptoms. The effects diminish over the minimum recommended dosing interval of 4 hours; treatment timing can be adjusted for planned activities.

While there are long-term data on use of treprostinil by other routes of administration, nearly all controlled clinical experience with inhaled treprostinil has been on a background of bosentan (an endothelin receptor antagonist) or sildenafil (a phosphodiesterase type 5 inhibitor). The controlled clinical experience was limited to 12 weeks in duration [see Clinical Studies (14)].

TO

Tyvaso is indicated for the treatment of pulmonary arterial hypertension (PAH) (WHO Group 1) to improve exercise ability. Studies establishing effectiveness included predominately patients with NYHA Functional Class III symptoms and etiologies of idiopathic or heritable PAH (56%) or PAH associated with connective tissue diseases (33%).

The effects diminish over the minimum recommended dosing interval of 4 hours; treatment timing can be adjusted for planned activities.

While there are long-term data on use of treprostinil by other routes of administration, nearly all controlled clinical experience with inhaled treprostinil has been on a background of bosentan (an endothelin receptor antagonist) or sildenafil (a phosphodiesterase type 5 inhibitor). The controlled clinical experience was limited to 12 weeks in duration [see Clinical Studies (14)].

Note that minor labeling revisions were made in section 14 of the labeling (**CLINICAL STUDIES**) to be consistent with the revisions made in section 1 (**INDICATIONS AND USAGE**).

We note that you also revised the manufacturer information from "Tyvaso manufactured by Catalent Pharm Solutions" to "Tyvaso manufactured for United Therapeutics Corp."

We have completed our review of this supplemental application, as amended. It is approved, effective on the date of this letter, for use as recommended in the enclosed agreed-upon labeling text.

CONTENT OF LABELING



As soon as possible, but no later than 14 days from the date of this letter, submit, using the FDA automated drug registration and listing system (eLIST), the content of labeling [21 CFR 314.50(l)] in structured product labeling (SPL) format, as described at http://www.fda.gov/ForIndustry/DataStandards/StructuredProductLabeling/default.htm, that is identical to the enclosed labeling (text for the package insert, Medication Guide) and include the labeling changes proposed in any pending "Changes Being Effected" (CBE) supplements. Information on submitting SPL files using eLIST may be found in the guidance for industry titled "SPL Standard for Content of Labeling Technical Qs and As" at http://www.fda.gov/downloads/DrugsGuidanceComplianceRegulatoryInformation/Guidances/UCM072392.pdf.

The SPL will be accessible from publicly available labeling repositories.

Also within 14 days, amend all pending supplemental applications for this NDA, including pending "Changes Being Effected" (CBE) supplements, for which FDA has not yet issued an action letter, with the content of labeling [21 CFR 314.50(l)(1)(i)] in MS Word format that includes the changes approved in this supplemental application.

We request that the revised labeling approved today be available on your website within 10 days of receipt of this letter.

LETTERS TO HEALTH CARE PROFESSIONALS

If you decide to issue a letter communicating important safety-related information about this drug product (i.e., a "Dear Health Care Professional" letter), we request that you submit, at least 24 hours prior to issuing the letter, an electronic copy of the letter to this NDA, to CDERMedWatchSafetyAlerts@fda.hhs.gov, and to the following address:

MedWatch Program Office of Special Health Issues Food and Drug Administration 10903 New Hampshire Ave Building 32, Mail Stop 5353 Silver Spring, MD 20993

REPORTING REQUIREMENTS

We remind you that you must comply with reporting requirements for an approved NDA (21 CFR 314.80 and 314.81).

If you have any questions, please call Dan Brum, PharmD, MBA, BCPS, RAC, Regulatory Project Manager, at (301)796-0578.

Sincerely,



{See appended electronic signature page}

Norman Stockbridge, M.D., Ph.D. Director Division of Cardiovascular and Renal Products Office of Drug Evaluation I Center for Drug Evaluation and Research

Enclosure: Package Insert



This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.
/s/
NORMAN L STOCKBRIDGE 02/08/2011

