## EXHIBIT 21

(Redacted Version Filed Under Seal)



## Highly Confidential - Attorneys Eyes Only

Page 1 UNITED STATES DISTRICT COURT EASTERN DISTRICT OF TEXAS TYLER DIVISION PERSONAL WEB TECHNOLOGIES, LLC AND LEVEL 3 COMMUNICATIONS, LLC, ) Plaintiffs, ) Civil Action No. VS. ) 6:11-cv-00683 (LED) AUTONOMY, INC., HELWETT-PACKARD ) COMPANY, AND HP ENTERPRISE ) Volume I SERVICES, LLC, Defendants. - HIGHLY CONFIDENTIAL - ATTORNEY'S EYES ONLY -VIDEOTAPED DEPOSITION OF PRAVEEN K. GATTU 30(b)(6) AMAZON DESIGNEE Seattle, Washington Thursday, April 3, 2014 Reported by: Janis K. Floate CCR No. 2996 NDS Job No.: 161530

Network Deposition Services, Inc. • networkdepo.com • 866-NET-DEPO



## Highly Confidential - Attorneys Eyes Only

Page 90 1 Α. They are some of examples where we required MD5. I don't have a full list of all the policies on 3 which we require MD5. 4 Do you remember any other ones? Ο. 5 Not from the top of my head. 6 Do you know how the signature or URL path 7 that's given to the web server is processed or disassembled? 8 9 Α. I have some knowledge about that. 10 What is it? 0. 11 Okay. Most of the time the URL contains --12 most of the time the requests come to us as 13 S3.AmazonAWS.com forward slash --14 S3.AmazonAWS.com/bucketname/objectname. And the 15 customer is referencing an object. 16 And that's also the case for presigned Q. 17 URLs? 18 Α. That's correct. Well, let's say the user is doing a get 19 20 operation with the If-Match option and provides an 21 ETag. Does S3 -- S3 looks at the ETag that the user 22 provides, correct? 23 A. That's correct. 24 Q. Does S3 -- how does S3 find the object --25 Α. We have --

Network Deposition Services, Inc. • networkdepo.com • 866-NET-DEPO



## Highly Confidential - Attorneys Eyes Only

```
Page 91
 1
         Q.
               -- that's associated with it?
               MR. DONNELLY: Objection. Form.
 3
               Can I have the question again?
         Α.
     BY MR. HAREL:
 5
         0.
               If a user sends a get request with an
 6
     If-Match option, how does S3 find the object?
7
         A .
               Customer has -- customer, when he sends the
8
     get operation, he includes the bucket and the key
 9
10
11
12
13
14
15
16
17
18
         Q.
               If the user issues a get operation with an
     If-Match option --
19
20
         Α.
               Yes.
21
               -- how does S3 know that the match has been
         Ο.
22
     successful?
2.3
24
25
         Q.
               And that's what's used to do the comparison
```

Network Deposition Services, Inc. • networkdepo.com • 866-NET-DEPO

