EXHIBIT T



Case 1:16xxxxB0290-MSPRD4cst7neotnln24isi6filerocold/22gie6, InRagev28ss 41euPager)D#: 361

- 11. A MOS (metal-oxide-semiconductor) image pick-up device comprising:
- (A) a semiconductor substrate,
- (B) an imaging region formed on the semiconductor substrate by arraying (C) plural unit pixels, and
- (D) a peripheral circuit region comprising (E) a driving circuit for operating the imaging region formed on the semic substrate;

where each of (C) the unit pixels comprises: (F) a photodiode, (G) MOS transistors, and (H) a first device-isolation (D) the peripheral circuit region comprises (I) a second device-isolation portion for isolating devices in (E) the driv wherein the following are satisfied:

- I. (H) the first device-isolation portion has a structure comprising:
- A. an electrically insulating film formed on a surface of the substrate so as to erode the substrate to a depth in a range onm, or
- B. (J) an impurity diffusion region formed within (A) the substrate directly under the substrate surface, and
- II. (H) the first device-isolation portion and (I) the second device-isolation portion have respective structures select so as to be different from each other.



Claim 11

A MOS (metal-oxide-semiconductor) image pick-up device comprising:

(A) a semiconductor substrate,

(B) an imaging region formed on the semiconductor substrate by arraying (C) plural unit pixels, and




Figure 3.1.6 General Structure - Pixel Array



Case 1:1<u>6xxxx180290-1M\$PRD4C8071e0tnln24isi6Fileroc046226166, InCagev8888 (1101Pager)</u>D#: 363

Claim 11

A MOS (metal-oxide-semiconductor) image pick-up device comprising:

(A) a semiconductor substrate,

(B) an imaging region formed on the semiconductor substrate by arraying (C) plural unit pixels, and




Figure 2.5.1 Annotated Poly Die Photograph



Case 1:1<u>6xxx160290-1084-reparstye otn1n20isitfiil@cc04622/ie6, inRagev\$898 (101)Raget</u>D #: 364

Claim 11

A MOS (metal-oxide-semiconductor) image pick-up device comprising:

(A) a semiconductor substrate,

(B) an imaging region formed on the semiconductor substrate by arraying (C) plural unit pixels, and




Figure 4.2.8 N-Cathode Overview – SCM



DOCKET

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

