

# *Exhibit E*

021304

23026 U.S. PTO

PTO/SB/16 (01-04)

Approved for use through 07/31/2006. OMB 0651-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

**PROVISIONAL APPLICATION FOR PATENT COVER SHEET**

This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53(c).

Express Mail Label No.

INVENTOR(S)					
Given Name (first and middle (if any))		Family Name or Surname		Residence (City and either State or Foreign Country)	
XIAODONG		LI		KIRKLAND, WA	
Additional inventors are being named on the _____ separately numbered sheets attached hereto					
TITLE OF THE INVENTION (500 characters max)					
Methods and Apparatus for Multi-carrier Communication Systems with Adaptive Transmission and Feedback					
Direct all correspondence to: CORRESPONDENCE ADDRESS					
<input type="checkbox"/> Customer Number: <span style="border: 1px solid black; display: inline-block; width: 200px; height: 20px; vertical-align: middle;"></span>					
OR					
<input checked="" type="checkbox"/> Firm or Individual Name: WALBELL TECHNOLOGIES, INC.					
Address: 1750 112th Ave. NE					
Address: Suite D159					
City: Bellevue		State: WA		Zip: 98004	
Country: USA		Telephone: 425-451-8278		Fax: 425-451-8254	
ENCLOSED APPLICATION PARTS (check all that apply)					
<input checked="" type="checkbox"/> Specification Number of Pages: 9		<input type="checkbox"/> CD(s), Number: _____			
<input checked="" type="checkbox"/> Drawing(s) Number of Sheets: 8		<input type="checkbox"/> Other (specify): _____			
<input type="checkbox"/> Application Data Sheet. See 37 CFR 1.76					
METHOD OF PAYMENT OF FILING FEES FOR THIS PROVISIONAL APPLICATION FOR PATENT					
<input checked="" type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27.					
<input checked="" type="checkbox"/> A check or money order is enclosed to cover the filing fees.					
<input type="checkbox"/> The Director is hereby authorized to charge filing fees or credit any overpayment to Deposit Account Number: _____					
<input type="checkbox"/> Payment by credit card. Form PTO-2038 is attached.					
FILING FEE Amount (\$) <span style="border: 1px solid black; padding: 5px; float: right;">\$80.00</span>					
The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government.					
<input type="checkbox"/> No.					
<input type="checkbox"/> Yes, the name of the U.S. Government agency and the Government contract number are: _____					

[Page 1 of 2]

Respectfully submitted,

Date 2/13/2004

SIGNATURE 

REGISTRATION NO. \_\_\_\_\_

TYPED or PRINTED NAME TITUS LO

(if appropriate)

Docket Number: \_\_\_\_\_

TELEPHONE 425-451-8278

**USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT**

This collection of information is required by 37 CFR 1.51. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop Provisional Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

**PROVISIONAL APPLICATION COVER SHEET**  
**Additional Page**

PTO/SB/16 (08-03)

Approved for use through 07/31/2006. OMB 0651-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Docket Number

INVENTOR(S)/APPLICANT(S)		
Given Name (first and middle [if any])	Family or Surname	Residence (City and either State or Foreign Country)
TITUS	LO	REDMOND, WA
KEMIN	LI	BELLEUE, WA
HAIMING	HUANG	BELLEUE, WA

[Page 2 of 2]

Number 2 of 2

**WARNING:** Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

# Methods and Apparatus for Multi-Carrier Communication Systems with Adaptive Transmission and Feedback

## 1 Background of the Invention

Adaptive modulation and coding (AMC) has been used in wireless systems to improve spectral efficiency in a fading environment where signal quality varies significantly. By adjusting the modulation and coding scheme (MCS) in accordance with the varying signal-to-noise-plus-interference ratio (SINR), reliable communication link can be maintained between communicating devices. For example, in CDMA2000 1xEV-DO system, twelve different modulation/coding schemes are provided. AMC is also used in CDMA2000 1xEV-DV and 3GPP HSDPA systems.

In addition to MCS, other system functionalities, such as channel estimation, transmission power control (TPC), subchannel configuration, can be adjusted in accordance with state of the communication channel to improve performance. For example, channel estimation is usually carried out using so called training symbols or pilot data, which are known to both the transmitter and the receiver. For coherent modulation, the channel information can be extracted at the receiver by comparing the pilots and their corresponding received versions. For non-coherent modulation, the received samples of those pilots are used as reference for the detection of the transmitted data. Channel estimation is an important part of multi-carrier communication systems such as Orthogonal Frequency Division Multiplexing (OFDM) systems. For example, in conventional OFDM systems, such as IEEE802.11a, 802.11g, 802.16, or DVB-T system, pilots are transmitted for the channel estimation purpose. However, the number of pilots and pilot patterns are fixed, independent of other functionalities such as MCS, TPC, subchannel configuration.

Fast TPC can be used to compensate for fast fading. In a multi-cell multiple access system, TPC is also used to reduce intra-cell and inter-cell interference and conserve battery life for the mobile station by not transmitting excessive power when not needed. However, TPC is usually considered an independent function in a wireless system in that it is not related to MCA, pilot attributes, or subchannel configuration.

Subchannel configuration is normally defined and fixed in the operation. It is usually not considered as adjustable functionality of the system to adapt to user profile and/or operational environment.

## 2 Summary of the Invention

This invention describes the methods and apparatus to carry out adaptive transmission where modulation schemes, coding rates, training pilot patterns, TPC levels, and subchannel configurations are jointly adjusted to adapt to the channel

WALBELL TECHNOLOGIES, INC.  
Confidential and Proprietary

Rev. 0.1 2/13/2004

conditions in order to maximize the overall system capacity and spectral efficiency without wasting radio resource and compromising error probability performance. Furthermore, the subchannel composition is designed to be configurable so that it can be adjusted statically or dynamically according to user profiles or environment conditions. The methods for obtaining the channel information and for transmitting the control information in the joint adaptation scheme are also included in the present invention, and methods for reducing the overhead of messaging such as feedback of channel condition and indexing of the joint scheme are described.

The multi-carrier system mentioned in this invention can be of any special formats such as OFDM, or Multi-Carrier Code Division Multiple Access (MC-CDMA). The invention can be applied to downlink, uplink, or both, where the duplexing technique can be either Time Division Duplexing (TDD) or Frequency Division Duplexing (FDD).

### **3 Brief Description of the Drawings**

The present invention will be thoroughly understood from the detailed description given below and from the accompanying drawings of various embodiments of the invention, which, however, should not be taken to limit the invention to the specific embodiments, but are for explanation and understanding only.

Figure 1: A representative cellular communication system: Base Station 1 is communicating with Mobile Station 1 and Mobile Station 2 in Sector A of its cell site, and Base Station 2 is communicating with Mobile Stations 3, 4, and 5 in Sector B of its cell site.

Figure 2: The basic structure of a multi-carrier signal in the frequency domain is made up of subcarriers. Data subcarriers can be grouped into subchannels in a particular way. The pilot subcarriers are also distributed over the entire channel in a particular way.

Figure 3: The radio resource is divided into small units in both the frequency and time domains: subchannels and time slots. The basic structure of a multi-carrier signal in the time domain is made up of time slots.

Figure 4 is an illustration of the control process between Device A and Device B. Device A transmits the data and the associated control information to Device B after the adaptation process. Device B measures the channel condition and feeds the CQI information back to Device A.

Figure 5 illustrates the joint adaptation process at the transmitter of an OFDM system which controls the coding, modulation, training pilot pattern, and transmission power for a subchannel.

Figure 6 is an illustration of the control messaging associated with the data transmission between the communication devices: AMCTP indicator associated with the data transmission on the forward link from the transmitter to the receiver, and CQI feedback on the return channel from the receiver to the transmitter.

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.