

# EXHIBIT D



US009006417B2

(12) **United States Patent**  
**Yaworski et al.**

(10) **Patent No.:** **US 9,006,417 B2**  
(45) **Date of Patent:** **Apr. 14, 2015**

(54) **NON-LIPOSOMAL SYSTEMS FOR NUCLEIC ACID DELIVERY**

(75) Inventors: **Ed Yaworski**, Maple Ridge (CA); **Lloyd B. Jeffs**, Delta (CA); **Lorne R. Palmer**, Vancouver (CA)

(73) Assignee: **Protiva Biotherapeutics, Inc.**, Burnaby, BC (CA)

(\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **13/807,288**

(22) PCT Filed: **Jun. 30, 2011**

(86) PCT No.: **PCT/CA2011/000778**

§ 371 (c)(1),

(2), (4) Date: **Apr. 18, 2013**

(87) PCT Pub. No.: **WO2012/000104**

PCT Pub. Date: **Jan. 5, 2012**

(65) **Prior Publication Data**

US 2013/0303587 A1 Nov. 14, 2013

**Related U.S. Application Data**

(60) Provisional application No. 61/360,480, filed on Jun. 30, 2010.

(51) **Int. Cl.**

**C07H 21/04** (2006.01)

**A61K 47/14** (2006.01)

**A61K 9/51** (2006.01)

**A61K 31/7088** (2006.01)

**A61K 31/7105** (2006.01)

**A61K 31/712** (2006.01)

**A61K 31/713** (2006.01)

**C12N 15/88** (2006.01)

**A61K 9/107** (2006.01)

**A61K 9/127** (2006.01)

(52) **U.S. Cl.**

CPC ..... **A61K 47/14** (2013.01); **A61K 9/1075** (2013.01); **A61K 9/1272** (2013.01); **A61K 9/1274** (2013.01); **A61K 9/5123** (2013.01); **A61K 31/7088** (2013.01); **A61K 31/7105** (2013.01); **A61K 31/712** (2013.01); **A61K 31/713** (2013.01); **C12N 15/88** (2013.01)

(58) **Field of Classification Search**

None

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,394,448 A 7/1983 Szoka, Jr. et al.  
4,438,052 A 3/1984 Weder et al.  
4,515,736 A 5/1985 Deamer  
4,598,051 A 7/1986 Papahadjopoulos et al.  
4,897,355 A 1/1990 Eppstein et al.  
5,013,556 A 5/1991 Woodle et al.  
5,171,678 A 12/1992 Behr et al.  
5,208,036 A 5/1993 Eppstein et al.

5,279,833 A 1/1994 Rose  
5,283,185 A 2/1994 Epand et al.  
5,320,906 A 6/1994 Eley et al.  
5,334,761 A 8/1994 Gebeyehu et al.  
5,545,412 A 8/1996 Eppstein et al.  
5,578,475 A 11/1996 Jessee et al.  
5,627,159 A 5/1997 Shih et al.  
5,641,662 A 6/1997 Debs et al.  
5,656,743 A 8/1997 Busch et al.  
5,674,908 A 10/1997 Haces et al.  
5,703,055 A 12/1997 Felgner et al.  
5,705,385 A 1/1998 Bally et al.  
5,736,392 A 4/1998 Hawley-Nelson et al.  
5,820,873 A 10/1998 Choi et al.  
5,877,220 A 3/1999 Schwartz et al.  
5,885,613 A 3/1999 Holland et al.  
5,958,901 A 9/1999 Dwyer et al.  
5,976,567 A 11/1999 Wheeler et al.  
5,981,501 A 11/1999 Wheeler et al.  
6,020,202 A 2/2000 Jessee  
6,020,526 A 2/2000 Schwartz et al.  
6,034,135 A 3/2000 Schwartz et al.  
6,051,429 A 4/2000 Hawley-Nelson et al.  
6,075,012 A 6/2000 Gebeyehu et al.  
6,165,501 A 12/2000 Tirosh et al.  
6,172,049 B1 1/2001 Dwyer et al.

(Continued)

**FOREIGN PATENT DOCUMENTS**

CA 2309727 A1 4/1999  
CA 2271582 A1 11/1999

(Continued)

**OTHER PUBLICATIONS**

Epand et al. (Chemistry and Physics of Lipids 135, 2005: 39-53).  
Arpicco, S., et al., "Preparation and Characterization of Novel Cationic Lipids Developed for Gene Transfection," Proceed. Int'l Symp. Control. Rel. Bioact. Mater. (Controlled Release Society, Inc.), 1999, vol. 26, pp. 759-760.

Arpicco, S., et al., "Synthesis, characterization and transfection activity of new saturated and unsaturated cationic lipids," IL Farmaco, 2004, vol. 59, pp. 869-878.

Ballas, N., et al., "Liposomes bearing a quaternary ammonium detergent as an efficient vehicle for functional transfer of TMV-RNA into plant protoplasts," Biochimica et Biophysica Acta, 1988, vol. 939, pp. 8-18.

Barinaga, M., "Step Taken Toward Improved Vectors for Gene Transfer," Science, 1994, vol. 266, p. 1326.

(Continued)

*Primary Examiner* — Kimberly Chong

(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend & Stockton LLP

(57) **ABSTRACT**

The present invention provides novel, stable lipid particles having a non-lamellar structure and comprising one or more active agents or therapeutic agents, methods of making such lipid particles, and methods of delivering and/or administering such lipid particles. More particularly, the present invention provides stable nucleic acid-lipid particles (SNALP) that have a non-lamellar structure and that comprise a nucleic acid (such as one or more interfering RNA), methods of making the SNALP, and methods of delivering and/or administering the SNALP.

## US 9,006,417 B2

Page 2

(56)

## References Cited

## U.S. PATENT DOCUMENTS

6,251,939	B1	6/2001	Schwartz et al.	
6,284,267	B1	9/2001	Aneja	
6,287,591	B1	9/2001	Semple et al.	
6,339,173	B1	1/2002	Schwartz et al.	
6,376,248	B1	4/2002	Hawley-Nelson et al.	
6,534,484	B1	3/2003	Wheeler et al.	
6,586,410	B1	7/2003	Wheeler et al.	
6,638,529	B2	10/2003	Schwartz et al.	
6,649,780	B1	11/2003	Eibl et al.	
6,671,393	B2	12/2003	Hays et al.	
6,696,424	B1	2/2004	Wheeler	
6,815,432	B2	11/2004	Wheeler et al.	
6,858,224	B2	2/2005	Wheeler et al.	
7,166,745	B1	1/2007	Chu et al.	
7,422,902	B1	9/2008	Wheeler et al.	
7,479,573	B2	1/2009	Chu et al.	
7,601,872	B2	10/2009	Chu et al.	
7,687,070	B2	3/2010	Gebeyehu et al.	
7,745,651	B2	6/2010	Heyes et al.	
7,799,565	B2	9/2010	MacLachlan et al.	
7,803,397	B2	9/2010	Heyes et al.	
7,807,815	B2	10/2010	MacLachlan et al.	
7,838,658	B2	11/2010	MacLachlan et al.	
7,901,708	B2	3/2011	MacLachlan et al.	
7,915,450	B2	3/2011	Chu et al.	
7,982,027	B2	7/2011	MacLachlan et al.	
8,058,068	B2	11/2011	Hawley-Nelson et al.	
8,058,069	B2	11/2011	Yaworski	
8,101,741	B2	1/2012	MacLachlan et al.	
8,158,827	B2	4/2012	Chu et al.	
8,188,263	B2	5/2012	MacLachlan et al.	
8,227,443	B2	7/2012	MacLachlan et al.	
8,236,943	B2	8/2012	Lee et al.	
8,283,333	B2	10/2012	Yaworski et al.	
8,455,455	B1	6/2013	Robbins et al.	
8,492,359	B2	7/2013	Yaworski et al.	
8,513,403	B2	8/2013	MacLachlan et al.	
8,569,256	B2	10/2013	Heyes et al.	
8,598,333	B2	12/2013	MacLachlan et al.	
2001/0048940	A1	12/2001	Tousignant et al.	
2003/0069173	A1	4/2003	Hawley-Nelson et al.	
2003/0072794	A1	4/2003	Boulikas	
2003/0077829	A1	4/2003	MacLachlan	
2003/0143732	A1	7/2003	Fosnaugh et al.	
2004/0063654	A1	4/2004	Davis et al.	
2004/0142892	A1	7/2004	Finn et al.	
2004/0253723	A1	12/2004	Tachas et al.	
2004/0259247	A1	12/2004	Tuschl et al.	
2005/0064595	A1	3/2005	MacLachlan et al.	
2005/0118253	A1	6/2005	MacLachlan et al.	
2005/0260757	A1	11/2005	Gebeyehu et al.	
2006/0008910	A1	1/2006	MacLachlan et al.	
2006/0147514	A1	7/2006	Gebeyehu et al.	
2006/0228406	A1	10/2006	Chiou et al.	
2007/0042031	A1	2/2007	MacLachlan et al.	
2007/0202598	A1	8/2007	Chu et al.	
2007/0202600	A1	8/2007	Chu et al.	
2009/0143583	A1	6/2009	Chu et al.	
2009/0291131	A1	11/2009	MacLachlan et al.	
2010/0159593	A1	6/2010	Chu et al.	
2012/0136073	A1	5/2012	Yang et al.	
2012/0148663	A1*	6/2012	Nilssen et al. ....	424/450
2012/0238747	A1	9/2012	Chu et al.	
2012/0276209	A1	11/2012	Cullis et al.	

## FOREIGN PATENT DOCUMENTS

CA	2330741	A1	11/1999
CA	2397016	A1	7/2001
CA	2513623		8/2004
JP	03-126211		5/1991
JP	05-202085		8/1993

WO	93/05162	A1	3/1993
WO	93/12240	A1	6/1993
WO	93/12756	A2	7/1993
WO	93/24640	A2	12/1993
WO	93/25673	A1	12/1993
WO	95/02698	A1	1/1995
WO	95/18863	A1	7/1995
WO	95/35301	A1	12/1995
WO	96/02655	A1	2/1996
WO	96/10390	A1	4/1996
WO	96/40964	A2	12/1996
WO	96/41873	A1	12/1996
WO	98/51285	A2	11/1998
WO	00/03683	A2	1/2000
WO	00/15820	A1	3/2000
WO	00/62813	A2	10/2000
WO	01/05374	A1	1/2001
WO	01/05873	A1	1/2001
WO	01/93836		12/2001
WO	02/34236	A2	5/2002
WO	02/087541	A1	11/2002
WO	03/097805	A2	11/2003
WO	2004/065546	A2	8/2004
WO	2004/110499	A1	12/2004
WO	2005/007196	A2	1/2005
WO	2005/026372	A1	3/2005
WO	2005/035764	A1	4/2005
WO	2005/120152	A2	12/2005
WO	2006/002538	A1	1/2006
WO	2006/053430	A1	5/2006
WO	2007/012191		2/2007
WO	2007/056861	A1	5/2007
WO	2009086558	A1	7/2009
WO	2009/111658		9/2009
WO	2009/111658	A2	9/2009
WO	WO2009127060	*	10/2009
WO	2010/042877	A1	4/2010
WO	2010/048228	A2	4/2010
WO	2010/088537	A2	8/2010
WO	2010/105209	A1	9/2010
WO	2010/144740	A1	12/2010
WO	2011/000107	A1	1/2011
WO	2011/140627		11/2011

## OTHER PUBLICATIONS

Bass, "The Short Answer," *Nature*, 2001, 411: 428-9.

Beale, G., et al., "Gene Silencing Nucleic Acids Designed by Scanning Arrays: Anti-EGFR Activity of siRNA, Ribozyme and DNA Enzymes Targeting a Single Hybridization-accessible Region using the Same Delivery System," *Journal of Drug Targeting*, 2003, vol. 11, No. 7, pp. 449-456.

Behr, J.-P., "Synthetic Gene-Transfer Vectors," *Acc. Chem. Res.*, 1993, vol. 26, pp. 274-278.

Brigham, K., et al., "Rapid Communication: in vivo Transfection of Murine Lungs with a Functioning Prokaryotic Gene Using a Liposome Vehicle," *The American Journal of the Medical Sciences*, vol. 298, No. 4, pp. 278-281, 1989.

Brummelkamp, et al., "A System for Stable Expression of Short Interfering RNAs in Mammalian Cells," *Science*, 2002, V. 296, pp. 550-553.

Cevc, G., "How Membrane Chain-Melting Phase-Transition Temperature is Affected by the Lipid Chain Asymmetry and Degree of Unsaturation: An Effective Chain-Length Model," *Biochemistry*, 1991, vol. 30, pp. 7186-7193.

Chonn et al., "Recent advances in liposomal drug-delivery systems," *Current Opinion in Biotechnology*, 1995, vol. 6, pp. 698-708.

Cortesi, R., et al., "Effect of cationic liposome composition on in vitro cytotoxicity and protective effect on carried DNA," *International Journal of Pharmaceutics*, 1996, vol. 139, pp. 69-78.

Crystal, R., "Transfer of Genes to Humans: Early Lessons and Obstacles to Success," *Science*, 1995, vol. 270, pp. 404-410.

Culver K., "The First Human Gene Therapy Experiment," *Gene Therapy: A Handbook for Physicians*, 1994, pp. 33-40.

(56)

## References Cited

## OTHER PUBLICATIONS

- Dwarki, V.J., et al., "Cationic Liposome-Mediated RNA Transfection," *Methods in Enzymology*, 1993, vol. 217, pp. 644-654.
- Elbashir, et al., "Duplexes of 21-nucleotide RNAs mediate RNA interference in cultured mammalian cells," *Nature*, May 2001, pp. 494-498, vol. 411.
- Enoch, H., et al., "Formation and properties of 1000-Å-diameter, single-bilayer phospholipid vesicles," *Proc. Natl. Acad. Sci. USA*, 1979, vol. 76, No. 1, pp. 145-149.
- Felgner, J., et al., "Cationic Lipid-Mediated Transfection in Mammalian Cells: 'Lipofection,'" *J. Tiss. Cult. Meth.*, 1993, vol. 15, pp. 63-68.
- Felgner, J., et al., "Enhanced Gene Delivery and Mechanism Studies with a Novel Series of Cationic Lipid Formulations," *The Journal of Biological Chemistry*, 1994, vol. 269, No. 4, pp. 2550-2561.
- Felgner, P., et al., "Lipofection: A highly efficient, lipid-mediated DNA-transfection procedure," *Proc. Natl. Acad. Sci. USA*, 1987, vol. 84, pp. 7413-7417.
- Felgner, P.L., et al., "Cationic Liposome Mediated Transfection," *Proc. West. Pharmacol. Soc.*, 1989, vol. 32, pp. 115-121.
- Gao, X., et al., "A Novel Cationic Liposome Reagent for Efficient Transfection of Mammalian Cells," *Biochem. Biophys. Res. Comm.*, 1991, vol. 179, No. 1, pp. 280-285.
- Gershon, H., et al., "Mode of Formation and Structural Feature of DNA-Cationic Liposome Complexes Used for Transfection," *Biochemistry*, 1993, vol. 32, pp. 7143-7151.
- Global Newswire, retrieved from <http://globalnewswire.com> on Feb. 27, 2013, Tekmira sues Alnylam Pharmaceuticals for repeated misuse of tradesecrets and confidential information, Mar. 16, 2011, pp. 1-3.
- Guy-Caffey, J., et al., "Novel Polyaminolipids Enhance the Cellular Uptake of Oligonucleotides," *The Journal of Biological Chemistry*, 1995, vol. 270, No. 52, pp. 31391-31396.
- Hawley-Nelson, P., et al., "LipofectAmine™ Reagent: A New, Higher Efficiency Polycationic Liposome Transfection Reagent," *Focus*, 1993, vol. 15, No. 3, pp. 73-80.
- Heyes et al., "Cationic lipid saturation influences intracellular delivery of encapsulated nucleic acids," *Journal of Controlled Release*, 2005, vol. 107, pp. 276-287.
- Heyes et al., "Synthesis of novel cationic lipids: effect of structural modification on the efficiency of gene transfer," *J. Med. Chem.*, 2002, vol. 45, pp. 99-114.
- Hyde, S., et al., "Correction of the ion transport defect in cystic fibrosis transgenic mice by gene therapy," *Nature*, 1993, vol. 362, pp. 250-255.
- Jiang, L., et al., "Comparison of protein precipitation methods for sample preparation prior to proteomic analysis," *Journal of Chromatography A*, 2004, vol. 1023, pp. 317-320.
- Juliano, R., et al., "The Effect of Particle Size and Charge on the Clearance Rates of Liposomes and Liposome Encapsulated Drugs," *Biochem. Biophys. Res. Commun.*, 1975, vol. 63, No. 3, pp. 651-658.
- Keough, K., "Influence of chain unsaturation and chain position on thermotropism and intermolecular interactions in membranes," *Biochem. Soc. Transactions*, 1990, vol. 18, No. 5, pp. 835-837.
- Krichevsky, A. et al., "RNAi functions in cultured mammalian neurons," *PNAS*, 99(18):11926-29, 2002.
- Lawrence et al. "The formation, characterization and stability of non-ionic surfactant vesicles," *S.T.P. Pharma Sciences*, 1996, vol. 6, No. 1, pp. 49-60.
- Lawrence et al., "Synthesis and aggregation properties of dialkyl polyoxyethylene glycerol ethers," *Chemistry and Physics of Lipids*, 1996, 82(2):89-100.
- Legendre, J.-Y. et al., "Delivery of Plasmid DNA into Mammalian Cell Lines Using pH-Sensitive Liposomes: Comparison with Cationic Liposomes," *Pharm. Res.*, 1992, vol. 9, No. 10, pp. 1235-1242.
- Leventis, R., et al., "Interactions of mammalian cells with lipid dis-
- Liu, et al., "Cationic Liposome-mediated Intravenous Gene Delivery," *J. Biol. Chem.*, 1995, V. 270, pp. 24864-24870.
- Marshall, E., "Gene Therapy's Growing Pains," *Science*, 1995, vol. 269, pp. 1050-1055.
- Murahashi et al., "Synthesis and evaluation of neoglycolipid for liposome modification," *Biol. Pharm. Bull.*, 1997, 20(6):704-707.
- Orkin, S., et al., NIH Report, Report and Recommendations of the Panel to Assess the NIH Investment in Research on Gene Therapy, 1995.
- Parr et al., Factors influencing the retention and chemical stability of poly(ethylene glycol)-lipid conjugates incorporated into large unilamellar vesicles, *Biochimica et Biophysica Acta*, 1994, 1195:21-30.
- Paul, C., et al., "Effective expression of small interfering RNA in human cells," *Nature Biotech.*, 2002, vol. 20, pp. 505-508.
- Puyal, C., et al., "A new cationic liposome encapsulating genetic material: A potential delivery system for polynucleotides," *Eur. J. Biochem.*, 1995, vol. 228, pp. 697-703.
- Sawada et al., "Microemulsions in supercritical CO<sub>2</sub> utilizing the polyethyleneglycol dialkylglycerol and their use for the solubilization of hydrophiles," *Dyes and Pigments*, 2005, pp. 64-74, vol. 65.
- Shin, et al. "Acid-triggered release via dePEGylation of DOPE liposomes containing acid-labile vinyl ether PEG-lipids," *Journal of Controlled Release*, 2003, vol. 91, pp. 187-200.
- Song et al., "Characterization of the inhibitory effect of PEG-lipid conjugates on the intracellular delivery of plasmid and antisense DNA mediated by cationic lipid liposomes," *Biochimica et Biophysica Acta*, 2002, 1558:1-13.
- Sorensen, et al., "Gene Silencing by Systemic Delivery of Synthetic siRNAs in Adult Mice", *J. Biol. Chem.*, 2003, V. 327, pp. 761-766.
- Spagnou, S., et al., "Lipidic Carriers of siRNA: Differences in the Formulation, Cellular Uptake, and Delivery with Plasmid DNA," *Biochemistry*, 2004, vol. 43, pp. 13348-13356.
- Stamatatos, L., et al., "Interactions of Cationic Lipid Vesicles with Negatively Charged Phospholipid Vesicles and Biological Membranes," *Biochemistry*, 1988, vol. 27, pp. 3917-3925.
- Szoka, F., et al., "Comparative Properties and Methods of Preparation of Lipid Vesicles (Liposomes)," *Ann. Rev. Biophys. Bioeng.*, 1980, vol. 9, pp. 467-508.
- Szoka, F., et al., "Procedure for preparation of liposomes with large internal aqueous space and high capture by reverse-phase evaporation," *Proc. Natl. Acad. Sci. USA*, 1978, vol. 75, No. 9, pp. 4194-4198.
- Templeton, "Cationic Liposome-mediated Gene Delivery in vivo", *Bioscience Reports*, 2002, vol. 22, No. 2, pp. 283-295.
- Van Der Woude, I., et al., "Parameters influencing the introduction of plasmid DNA into cells by the use of synthetic amphiphiles as a carrier system," *Biochimica et Biophysica Acta*, 1995, vol. 1240, pp. 34-40.
- Wheeler, et al., "Stabilized Plasmid-lipid Particles: Constructions and Characterization," *Gene Therapy*, V. 6, pp. 271-281, 1999.
- Wilson, R., et al., "Counterion-Induced Condensation of Deoxyribonucleic Acid," A Light-Scattering Study, *Biochemistry*, 1979, vol. 18, No. 11, pp. 2192-2196.
- Woodle, M.C., et al., "Versatility in lipid compositions showing prolonged circulation with sterically stabilized liposomes," *Biochimica et Biophysica Acta*, 1992, vol. 1105, pp. 193-200.
- Zhu, N., et al., "Systemic Gene Expression After Intravenous DNA Delivery into Adult Mice," *Science*, 1993, vol. 261, pp. 209-211.
- Choi, S. et al., "Novel cationic solid lipid nanoparticles enhanced p53 gene transfer to lung cancer cells," *European J. of Pharmaceutics and Biopharmaceutics*, 68:545-554, 2008.
- Jeffs, L. et al. "A scalable, extrusion-free method for efficient liposomal encapsulation of plasmid DNA," *Pharmaceutical Research*, 22(3):362-372, 2005.
- Kim, H. et al., "Cationic solid lipid nanoparticles reconstituted from low density lipoprotein components for delivery of siRNA," *Molecular Pharmaceutics*, 5(4):622-631, 2008.
- Montana, G. et al., "Employment of cationic solid-lipid nanoparticles as RNA carriers," *Bioconjugate Chemistry*, 18:302-308, 2007.
- Olbrich, C. et al., "Cationic solid-lipid nanoparticles can efficiently

**US 9,006,417 B2**

Page 4

(56)

**References Cited**

OTHER PUBLICATIONS

Rotenberg, M. et al., "Physico-chemical characterization of Intralipid™ emulsions," *Biochimica et Biophysica Acta*, 1086:265-272, 1991.

Rudolph, C. et al., "Application of novel solid lipid nanoparticle (SLN)-gene vector formulations based on a dimeric HIV-1 TAT-peptide in vitro and in vivo," *Pharmaceutical Research*, 21 (9): 1662-1669, 2004.

Smisterova, J. et al., "Molecular shape of the cationic lipid controls the structure of cationic lipid/dioleoylphosphatidylethanolamine-DNA complexes and the efficiency of gene delivery," *J. Biol. Chem.*, 276(50):47615-47622, 2001.

Tabatt, K. et al., "Effect of cationic lipid and matrix lipid composition on solid lipid nanoparticle-mediated gene transfer," *European J. of Pharmaceutics and Biopharmaceutics*, 57:155-162, 2004.

Teixeira, H. et al., "Characterization of oligonucleotide/lipid interactions in submicron cationic emulsions: influence of the cationic lipid structure and the presence of PEG-lipids," *Biophysical Chemistry*, 92:169-181, 2001.

Tekmira Pharmaceuticals and Protiva Biotherapeutics Inc., Poster entitled "Manufacturing, Safety and Efficacy of SNALP Formulated siRNA," Presented at CHI—Discovery on Target—Oct. 23, 2008, Boston, MA, by Ian MacLachlan.

Xu, Y. et al., "Physicochemical characterization and purification of cationic lipoplexes," *Biophysical Journal*, 77:341-353, 1999.

\* cited by examiner

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.