INTERNATIONAL STANDARD

ISO 8790

First edition 1987-09-01



INTERNATIONAL ORGANIZATION FOR STANDARDIZATION ORGANISATION INTERNATIONALE DE NORMALISATION МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ

Information processing systems — Computer system configuration diagram symbols and conventions

Systèmes de traitement de l'information — Symboles et conventions s'appliquant aux schémas des configurations de systèmes informatiques

Reference number



Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at least 75 % approval by the member bodies voting.

International Standard ISO 8790 was prepared by Technical Committee ISO/TC 97, *Information processing systems*.

Users should note that all International Standards undergo revision from time to time and that any reference made herein to any other International Standard implies its latest edition, unless otherwise stated.

© International Organization for Standardization, 1987 •



ISO 8790 : 1987 (E)

C	Contents			
١	Scop	e	1	
2	Field	1 ication		
3	Conf	Configuration diagram symbols		
	3.1	Physical unit or its enclosure	1	
	3.2	Connection line	5	
1	Conv	entions	6	
	4.1	Symbol shape	6	
	4.2	Connection lines	6	
	4.3	Identification of symbols	9	
	4.4	Representation of multiple units in a single enclosure	9	
	4.5	Proper use of symbols	_10	
	4.6	Representation of a selection unit	10	
	4.7	Representation of future installations	10	
	4.8	Repetitive representation of the same units	11	
	4.9	Overlaid representation of different units	11	
	4.10	Representation of omission	11	
5	Consolidated table of symbols		12	

This page intentionally left blank



ISO 8790 : 1987 (E)

Information processing systems — Computer system configuration diagram symbols and conventions

1 Scope

This International Standard establishes graphical symbols and their conventions for use in configuration diagrams for computer systems, including automatic data processing systems.

2 Field of application

The graphical symbols included in this International Standard are intended to represent major hardware units of a computer system configuration. This International Standard does not cover:

 detailed representation of hardware, such as logical or electronic circuit diagrams;

or pictorial type diagrams that utilize pictures or drawings to depict a system;

nor does it include any abbreviations or mnemonics used to identify a specific kind of unit.

The configuration diagram is used to represent the physical structure of computer systems such as the physical equipment and the connection cables.

A configuration diagram can represent

- the maximum configuration in which all hardware units are included:
- the configuration resulting from reallocation of hardware units and temporary withdrawal of service;
- the minimum configuration necessary for the solution of a given problem;
- alternative configurations of the same equipment, etc.

The configuration diagram has many uses, namely:

- in commercial brochures of computer manufacturers;
- in selection and evaluation of computer configurations;
- in the technical clauses of computer contracts for purchase or lease;
- in the representation of a computer centre;
- in magazine articles describing data processing applications;

Linement to Connecte Destance LLC/Mi

in specifications of data processing applications;

A configuration diagram consists of

- a) hardware symbols where each symbol represents a physical unit by its essential function;
- b) connection lines representing a local or distant (transmission line) physical connection;
- c) special conventions to facilitate the reading and the writing of the diagram.

3 Configuration diagram symbols

This clause defines the symbols for describing physical units and the means used to connect them. Additional methods used to facilitate the reading and writing of the diagram are defined in clause 4.

Four levels of symbols are presented to permit various levels of detail to be shown in the diagram. The highest level represents only physical units and their connections. The second level represents the principal functional units of computer systems, such as processors, storage, input-output units, communications units, and means of connection. The third level represents the basic types of media or means of input-output used for storage and input-output. The lowest level provides the most detailed distinction between the various kinds of units. (See consolidated table of symbols in clause 5.)

The same symbol is used at several different levels where there is no necessity for further details. Identification in such cases is supplied by the use of symbol identification (see 4.3).

3.1 Physical unit or its enclosure

These symbols are basic symbols representing any kind of physical unit or set of physical units. These symbols also represent an enclosure of a unit or set of units (see 4.4).





DOCKET

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

