| UNITED STATES PATENT AND TRADEMARK OFFICE            |
|--|
|  |
| BEFORE THE PATENT TRIAL AND APPEAL BOARD             |
|  |
| Samsung Electronics America, Inc., et al. Petitioner |
| V.   |
| Smartflash, LLC Patent Owner                         |
| Case CBM2014-00190 Patent 7,334,720                  |

PETITIONER'S RESPONSE TO PATENT OWNER'S OBJECTIONS AND NOTICE OF SERVICE OF SUPPLEMENTAL EVIDENCE UNDER 37 CFR § 42.64(b)(2)

### **UPDATED EXHIBIT LIST**

- SAMSUNG-1001 U.S. Patent No. 7,334,720 to Hulst et al. ("the '720 Patent")
- SAMSUNG-1002 Excerpts from the Prosecution History of the '720 Patent ("the Prosecution History")
- SAMSUNG-1003 Declaration of Dr. Jeffrey Bloom re the '720 Patent ("Bloom")
- SAMSUNG-1004 U.S. Patent No. 5,530,235 ("Stefik '235")
- SAMSUNG-1005 U.S. Patent No. 5,629,980 ("Stefik '980")
- SAMSUNG-1006 PCT Publication No. WO 00/08909 ("Gruse")
- SAMSUNG-1007 PCT Application PCT/GB00/04110 ("the '110 Appln." or "110")
- SAMSUNG-1008 United Kingdom Patent Application GB9925227.2 ("the '227.2 Appln." or "'227.2")
- SAMSUNG-1009 Transitional Program for Covered Business Method Pa-tents— Definitions of Covered Business Method Patent and Technological Invention, 77 Fed. Reg. 157 (Aug. 14, 2012)
- SAMSUNG-1010 A Guide to the Legislative History of the America Invents Act; Part II of II, 21 Fed. Cir. Bar J. No. 4
- SAMSUNG-1011 Interim Guidance for Determining Subject Matter Eligibility for Process Claims in View of Bilski v. Kappos (Jul. 27, 2010)
- SAMSUNG-1012 Apple Inc. v. Sightsound Technologies, LLC, CBM2013-00019 Paper No. 17 (entered Oct. 8, 2013) at 11-13
- SAMSUNG-1013 <u>Volusion, Inc. v. Versata Software, Inc. and Versata Development Group, Inc.,</u> CBM2013-00017 Paper No. 8 (entered Oct. 24, 2013)

SAMSUNG-1014 <u>Salesforce.com, Inc. v. VirtualAgility, Inc.</u>, CBM2013-00024 Paper No. 16 (entered Nov. 19, 2013)

SAMSUNG-1015 RESERVED

SAMSUNG-1016 RESERVED

SAMSUNG-1017 RESERVED

SAMSUNG-1018 RESERVED

SAMSUNG-1019 RESERVED

SAMSUNG-1020 RESERVED

SAMSUNG-1021 RESERVED

SAMSUNG-1022 RESERVED

SAMSUNG-1023 RESERVED

SAMSUNG-1024 RESERVED

SAMSUNG-1025 RESERVED

SAMSUNG-1026 RESERVED

SAMSUNG-1027 RESERVED

SAMSUNG-1028 Weinstein "MasterCard Plans Point-of-Sale Product for Merchants Leery of Bank Cards"

SAMSUNG-1029 <u>Mayo Collaborative Serv v. Prometheus Labs., Inc.</u>, 132 S. Ct. 1289 (2012)

SAMSUNG-1030 Gottschalk v. Benson, 409 U.S. 63 (1972)

- SAMSUNG-1031 Cybersource Corp. v. Retail Decisions, Inc., 654 F.3d 1366 (Fed. Cir. 2011)
- SAMSUNG-1032 <u>Bilski v. Kappos</u>, 130 S. Ct. 3218 (2010)
- SAMSUNG-1033 Alice Corp. v. CLS Bank International, 134 S.Ct. 2347 (2014)
- SAMSUNG-1034 <u>Bancorp Serv., L.L.C. v. Sun Life Assur. Co. (U.S.)</u>, 687 F.3d 1266 (Fed. Cir. 2012)
- SAMSUNG-1035 Dealertrack, Inc. v. Huber, 674 F.3d 1323 (Fed. Cir. 2012)
- SAMSUNG-1036 SiRF Tech., Inc. v. Int'l Trade Comm'n, 601 F.3d 1319 (Fed. Cir. 2010)
- SAMSUNG-1037 <u>In re Bilski</u>, 545 F.3d 943, 88 U.S.P.Q.2d 1385 (Fed. Cir. 2008)
- SAMSUNG-1038 <u>Accenture Global Services, GmbH v. Guidewire Software, Inc.,</u> 728 F.3d 1336 (Fed. Cir. 2013)
- SAMSUNG-1039 RESERVED
- SAMSUNG-1040 Stephanie Cook, <u>Audio revolution blasts record companies</u>, Christian Science Monitor April 29, 1999
- SAMSUNG-1041 Doug Bedell, <u>THE MP3 WAVE: As millions download music off the Net, piracy enforcement flounders</u>, Dallas Morning News July 27, 1999
- SAMSUNG-1042 <u>Internet gains higher ground</u>, Marketing Week January 20, 2000
- SAMSUNG-1043 <u>Napster Operates a Pirate Bazaar RIAA</u>, Newsbytes News Network December 10, 1999
- SAMSUNG-1044 Digital music recorders OK, Cincinnati Post June 16, 1999

- SAMSUNG-1045 <u>Microsoft and BMG Move Digital Music Into Mainstream</u>, PR Newswire November 15, 1999
- SAMSUNG-1046 Microsoft and Diamond Multimedia Showcase Rio player in live demonstration of Windows Media, M2 PressWIRE November 16, 1999
- SAMSUNG-1047 <u>About ASCAP Licensing</u>, American Society of Composers, Authors and Publishers (1999)
- SAMSUNG-1048 <u>Frequently Asked Questions About Licensing</u>, American Society of Composers, Authors and Publishers (2000)
- SAMSUNG-1049 <u>Music for Money</u>, American Society of Composers, Authors and Publishers (1999)
- SAMSUNG-1050 U.S. Patent No. 5,778,187 to Monteiro et al.
- SAMSUNG-1051 Keith, Michael C., <u>The Radio Station Broadcast</u>, <u>Satellite and Internet</u>, Eighth Edition, 2009
- SAMSUNG-1052 Digital Millenium Copyright Act of 1998

Proceeding No.: CBM2014-00190

Attorney Docket: 39843-0003CP1

Petitioner respectfully submits that Patent Owner's Objections to Evidence served on April 15, 2015 fail to establish a need for correction to the evidence filed and served with the Petition, which is properly before the Board. Because, however, such correction may eventually be deemed appropriate by the Board, Petitioner hereby serves, pursuant to 37 C.F.R. § 42.64, the Supplemental Evidence identified in this paper's updated exhibit list.

|           | Respectfully submitted, |
|-----------|-------------------------|
| 4/29/2015 | /Thomas Rozylowicz/     |
| Date:     |                         |
|           | Thomas Rozylowicz       |
|           | Reg. No. 50,620         |
|           |                         |
|           |                         |

Customer Number 26171 Fish & Richardson P.C.

T: 202-783-5070 F: 202-783-2331

Counsel for Petitioner

CERTIFICATE OF SERVICE

Pursuant to 37 CFR §§ 42.6(e)(4) and 42.205(b), the undersigned certifies

that on April 29, 2015, a complete and entire copy of this Response to Patent

Owner's Objections and Notice of Service of Supplemental Evidence, with the

corresponding Exhibits, were provided via email to the Patent Owner by serving

the correspondence email addresses of record as follows:

Michael R. Casey

J. Scott Davidson

Davidson Berquist Jackson & Gowdey, LLP

8300 Greensboro Dr., Suite 500 McLean, VA 22102

Email:

mcasey@dbig.com

isd@dbig.com

/Diana Bradley/

Diana Bradley

Fish & Richardson P.C.

60 South Sixth Street, Suite 3200


Minneapolis, MN 55402

(858) 678-5667

7

'To injure no man, but to bless all mankind'

**BOSTON** · THURSDAY APRIL 29, 1999



Black cocaine Drug traffickers have found a way to alter the drug so it eludes detection.

Statehood on hold? Arafat appears unlikely to declare a Palestinian state on May 4 deadline. Ideas Who owns a computer's operating system?

A young Finn, Linus Torvalds, thinks you do.

### AFTER APARTHEID

### South Africa's new black rich as new targets

By Corinna Schuler

JOHANNESBURG, SOUTH AFRICA ETER VUNDLA drives a flashy sports car, collects fine art, plays golf, and savors his success in the new South Africa at some of its most exclusive clubs. He is the very essence of a class the country desperately lacked during its apartheid past: the black bourgeoiste.

"I always intended to be a black fat cat," says Mr. Vundla, chuckling in a dapper designer shirt and tie. "I am one now. And I love it."

Five years of democratic rule opened the door to scores government-sponsored "black empowerment" investment deals. These, along with a push on corporate affirmative action, have produced a small cadre of affluent blacks.

Their emergence has provoked questions among some black leaders, paralleling ones that white societies elsewhere have long asked: Do the rich have a responsibility to uplift the impoverished masses? Are South Africa's new rich abandoning the apartheid-era "struggle" to create a better life for all blacks - in favor of enriching themselves?

See S. AFRICA page 8



NTOMBI MSIMANG: Pretoria restaurateur helps others.

|      | IN THIS ISSU  |    |
|------|---------------|----|
| USA  |               | 2  |
| WOR  | LD            | 6  |
| EDIT | ORIAL/CARTOON | 10 |
| IDE  | S             | 15 |
| THE  | HOME FORUM    | 22 |
| NEW  | S IN BRIEF.   | 24 |



LOADED WITH CONTROVERSY: Airmen prepared 30-mm depleted-uranium rounds for an A-10 'Warthog' plane this month in Aviano, Italy, a base used for strikes on Yugoslavia.

### AIL OF A BULLET

By Scott Peterson

AMERICAN antitank gunners in the The armor-piercing wonders of War raved Gulf about it. It was their "silver bullet," piercdepleted uranium helped win the Gulf War. As it is loaded for use ing the armor of Iraq's Soviet-made in Kosovo, questions about its tanks as if they were long-term dangers linger. soda cans. First of two parts.

Gunners became accustomed to firsttank-fired shots that ignited

Iraqi T-72s with such force and fire that the result was dubbed "Dante's Inferno." Fired from A-10 "tank-buster" planes in 30-mm form, this bullet stopped armored convoys in their tracks

This is the tale of a high-density bullet trail. made of depleted uranium (DU), a low-level

radioactive waste left over from the making of nuclear fuel and bombs. Because of its success, DU has already become a staple of the US military's arsenal. It has been sold by the US and Russia to other forces all over the world.

Staff writer of The Christian Science Monitor In the war over Kosovo todav, NATO has loaded DU rounds into the guns of Air Force A-10s. So far, the Air Force says, this

highly effective antitank ordnance has not yet been used. Wherever it is fired, it leaves a radioactive

See TRAIL page 12

### In paying for war, Congress criticizes

■GOP lawmakers use power of purse to signal disapproval with Clinton's wartime leadership.

By Ann Scott Tyson

washington - As Congress grapples this week with abstract questions of whether to authorize war against Yugoslavia, its only real grip on US policy in the Balkans takes a far more concrete form:

The GOP-led Congress is using its purse-string powers to assert its views not only on President Clinton's Kosovo strategy, but also on his commitment to military readiness and his performance as America's commander in chief.

Congressional tactics on Kosovo are clearly demonstrated in two emergency spending bills working their way through the House and Senate this week. The bills would roughly double the Clinton administration's request for \$6 billion to fund the US portion of the NATO airstrikes and provide relief for Kosovo's ethnic Albanian refugee

By hiking up the funding to as much as \$13 billion, far above the president's request. Republicans are trying to use the legislation to advance their own national-security priorities while firing off a strong statement about the inadequacies of Mr. Clinton's military leadership.

See COST page 9

### Young and male in America: It's hard being a boy

By Brad Knickerbocker Staff writer of The Christian Scien

Here's what it's like to be a boy in Amerca today.

Boys drop out of school, are considered emotionally disturbed, and commit suicide four times as often as girls; they get in twice as many fights; they murder 10 times more frequently; and become the victim of a crime 15 times more often. They are less likely

than girls to go to college (because they cially as they relate to extreme antisocial behaven't done as well in high school); are labeled "slow learners" and assigned to "special ed" classes twice as often; and far more boys than girls are diagnosed as having "at-tention deficit disorder" and placed on powerful prescription drugs.

This does not describe all, or even most boys in America. But the figures, and especially their pattern, are disturbing - espe-

And as the country sorts through the emotional debris of the Littleton, Colo., high school shooting last week, there has been a lot of talk about warning signs missed or ignored by parents, teachers, and religious leaders - responsible adults who could have prevented this tragedy, as well as the See BOYS page 4 MUSIC ON THE WEB

### Audio revolution blasts record companies

By Stephanie Cook Special to The Christian Science Monito

erry Sinay should be studying for finals next week. Instead, he's scouring the Internet for free music in his quintessential college pad, complete with a megasound system, mood lamp, and electric guitars draping down livingroom walls.

"I don't have to pay, and I can listen to it as often as I want." says the student at the Massachusetts Communications College in Boston. With a few clicks of a mouse, the Digable Planets surge from his computer-turned-tukebox.

He's one of the millions of Web-savvy teens and twentysomethings who are skipping trips to record stores and joining a digital-music revolution that has the music industry reexamining its business model.

Mr. Sinay has downloaded about 20 tracks – everything from the Stone Temple Pilots to the Doors – which he can also play by connecting his computer to his stereo or on a Walkmanlike device that costs about \$200. Using a digitally compressed format known as MP3 (MPEG-1 Layer 3), which offers near CD-quality sound, Sinay can e-mail songs to friends without a trace. Although there are other digital formats, MP3 is the most widely used (see related article).

### Bootleggers prefer MP3

It's become the format of choice for a new breed of bootleggers – digital ones, whose Web sites are proliferating daily.

But pirates aren't the only ones using the technology. Music buffs can legitimately download MP3 files for free or pay about \$1 per single from online retailers such as mp3.com or mjuice.com.

The technology has a \$12 billion music industry fired up over how it will tune down online lifting that's costing it millions of dollars a year in lost sales. Adding to that, retailers and record labels worry they might get cut out of the deal. They question whether consumers will continue shelling out \$16 for a CD, if digital songs are free or cost less. Artists may opt to go straight to the consumer by posting albums online instead of through a separate agent. Rock band Public Enemy, for example, dumped its record company recently, choosing instead to release an album on the Internet.

"We know that there are more than 2 million people each month downloading Winamp," the software to play MP3 tracks on computers, says Duncan Kennedy, vice president of Audio Explosion.

Piracy has gone up since MP3 became popular - although it's hard to calculate by exactly how much, says Steve Marks, a spokesman for the Recording Industry Association of America (RIAA), which represents major labels. As it gathers more converts, MP3 piracy could cut even deeper into profits, he adds. "On any given day, we can find thousands of [illegal] records and [go after] a [Web] site," but policing them online "is almost like playing a game of 'Whack-a-Mole.' As soon as we shut down one operation, another pops up," he says. Copyright penalties can cost up to \$100,000 per infringement, he

It's a different operation from making illegal cassette copies, Marks says. "MP3 allows anybody to become a worldwide publisher of virtually CD-quality music. It can be more easily done ... [and] quality isn't lost when copies are made." But the association has been cracking down, and industry executives agree that the answer combines encryption with digital-rights management.

Last year, the RIAA created the Secure Digital Music Initiative, seeking to come up with new industry standards for copyright protection and distribution of music in digital formats. It filled lawsuits against makers of MP3 hardware products, such as the Diamond Rio, a portable MP3 player, alleging violations of the 1992 Audio Home Recording Act. Artists don't receive royalties for music played on the device. While the case hasn't been decided, the association wasn't

granted a preliminary injunction to stop the Rio from hitting shelves, Marks says.

But as the industry tries to snuff out digital bootlegging, companies are recognizing the burgeoning influence of cyberspace in building an audience for musicians and selling music.

Microsoft Corp., for example, announced it will launch a software called MS Audio 4.0 to deliver secure music over the Web. And record companies BMG En-

Web sites to promote and sell music. The sites will feature artist profiles, live music broadcasts, and link users to Getmusic.com, a new Web music store. But while the Internet appears to be making record companies vulnerable, a 10 percent revenue increase last year for record labels may show that the damage isn't as bad as the industry fears, says Eric Scheirer, a research assistant at the Massachusetts Institute of Technology's Media Lab. "It could even be helping them," he adds.

tertainment and Universal Music

Group formed a joint venture

this month to create a series of

Artists – especially lesserknown ones – tend to agree, arguing there's tremendous value in using MP3 as a promotional tool. Garage bands can give fans a taste of what's coming, they say, and use it to test out new songs.

Since the band Furious IV started posting music on its Web site five months ago, concerticket sales have jumped and popularity has spread by word of mouth, says Ian Taylor, singer and guitar player of the two-year-old group from San Diego. "They come to our live show after they listen," he says. "A lot of friends say they download."



MELANIE STETSON FREEMAN - STAF

DROWNED OUT BY THE WEB? Bob Zimmerman, manager of Tower Records in Boston, says Web technology may force down CD prices.

### **Copying music from the Web**

What is MP3? It stands for MPEG-1 Layer 3 and was created in 1992, says Eric Scheirer, a research assistant at the Massachusetts Institute of Technology's Media Lab. It's a layered audio-compression format that has a small file size, offers near CD-quality sound, and transmits music easily over the Web. MP3 is an open standard – no one controls it. Technically, MP3 makes music more efficient because it trims excess data and only compresses the part you can hear, Mr. Scheirer says.

MP3 is legal, but it makes it easier to copy and transmit copyrighted songs without permission because not many MP3 tracks have watermarks or playback restrictions. Musicians and Web sites sell or give away songs legitimately, but most MP3 sites are illegal.

How does it work? To play an MP3 track, you need a player and, for better sound, a pair of speakers connected to your computer. You can download dozens of different players from mp3.com, such as Winamp, the most popular for PCs. On the same site or on others such as goodnoise.com, you click and legally download songs for free or for about \$1 each. It typically takes three-to-five times the length of the song to download it, Scheirer says. High-speed T-1 lines reduce download time to a few seconds. Then you drag the file onto your virtual player deck and click the play button. You can also take songs with you by transferring them to a portable player, like the Diamond Rio, which stores about 40 minutes of music.

- S.C.

### Web music will grow

There's no question that Web distribution will flourish in the next five to 10 years, says Randy Weiner, executive producer of new media for LOUD Records, whose artists include hip-hop bands. At a time when more people are shopping online for access and convenience, they'll turn to MP3 or something like it for the same reasons – especially as technology makes digital downloads easier, Scheirer says.

downloads easier, Scheirer says.

LOUD is taking the digital plunge by partnering with Audio Explosion, a company that just introduced Mjuice, an MP3-based music delivery service. "I don't feel threatened by MP3," Mr. Weiner says. "I'm not threatened by digital downloads either, because I think the music industry will change.... The idea of ownership will change.... There will be more of a radio model."

will be more of a radio model."

CD prices may drop as digital downloads take off, but don't expect, a utopia of free giveaways, says Bob Zimmerman, general manager of a Tower Records store in Boston. "We've been pushing labels forever to go down." he says. "I think we'd all like to see CDs cheaper, but the market will bear [MP3 piracy]. In the next year or two, labels will make sure it's something they, have control over."

### The Pallas lorning News

Texas' Leading Newspape

### Dallas tax base up 7.4%

Other cities also see property values surge

### A homecoming in Kosovo



### U.S. spy plane wreckage found in Colombia

5 Texas soldiers presumed dead



### EPA seeks to cut use of gasoline additive

Panel's report cites water pollution concern

### Jury can hear tapes of Cisneros, judge rules

### Prosecutors to use exemistress's recordings that followed his a

### Midwest bakes in deadly heat

23 fatalities thought to be linked to extended high temperatures

### Palestinian pays historic visit to Israeli parliament

### Person@l Technology

nday, July 27, 1999

The Pallas Morning News

As millions download music off the Net, piracy enforcement flounders

By Doug Bedell

ntil April, the hottest search term on the Internet was "sex." The new undisputed king is "MP3," a digital technology ared by record companies and embraced by millions

For about three years, computer users have been pulling down music — classical, foreign, new and old — in the MPEG-1, layer 3 format from a dizzying spectrum of Web sites, secret and public file servers, and unlicensed Web radio stations.

Thanks to word of mouth, recent court actions and a new array of free software, MP3 singles and whole albums are being copied, or "ripped," from commercial compact discs faster than laws and record companies can respond.

"It's important to remember these are just music fans doing this," says Siddiq Bello, publisher of the online magazine MP3 Impact (mp3impact.com). "They're people who buy CDs. And in many cases, they're running servers at a cost to themselves to exchange music."

The International Federation of Phonographic Industries estimated this year that about 3 million tracks are being downloaded from the Internet every day, many of them without permission of established stars.

The Recording Industry Association of America, or RIAA, says that it lost as much as \$10 billion through music piracy last year and that illegal Internet downloads of music are making a bad problem worse.

On the other hand, the exchanging of MP3 files on the Internet has provided a back door for artists who couldn't get a record company exec to Please see PIRACY on Page 6E






### Defying extinction

Typewriters tap out niche for filling out forms and labels despite predictions of their demise

INSIDE

TRENDS

### Cheating hearts



**ELECTRONIC ADVENTURES** 

Bonus points

Page 4



ALSO THIS WEEK

### Under construction

### A clear picture

Scan 35 mm slides using your flatt and a lamp. Help Desk, 5F.

Visit The Dallas Morning News on

### Piracy enforcement flounders with rise of MP3

regardless

Very few people are in favor of
MP2, per se, asys MF3 researcher and
consultant David Weekly
(david weekly org). They re in favor
of a free, open format. And they're
going to stake with MP2 until something better comes along."

thing.

A song in an MPI file is comA song in an MPI file is comand to about 3 megabytes, onecriticenth the size of the original CD
track. That makes downloading singiles onto a computer or other derive
fairly fast. With a good 56 kilobitaper-second moder, nose tume may
take 10 minutes or less to download.
Although the music is physically
changed, it retains a rich, full quality
in MPI.

Technological advances and free
programs for playing the files are
behind much of the MPI phenomeanon. Software developers such as
Nullsoft, maker of the immensely
popular Winstamp.
I waw winsamp.com, distribute MPI
phayers at no charge that feature
asphisicated mixing controls and
lively, customable electronic overings, known as 'akina', for those unserven players, we most popular downwere the new Megainton MPI players
Soundlam MPI and MacAMP.

Because downloading itself is not
a crime, mega-search engines have
cropped up to such the Web by artist,
track and album name. MPI Fiend
(www.myllend.com) and Sour Net
(www.acour.net), for example, provide antivare that helps locate all
aorts of files, legal and illegal.

Other sites — among them MPI
Now (www.mylnow.com) and
MPI Com (www.mylnow.com) and
MPI Com (www.mylnow.com) and
myl anthorized offerings from featured artists.

None of the Web search mechanisms can guarantee to return only
sites that offer legal, downloadable
tracks, however, Many have a great in
delist from their directories my site
to a suppose of the complete of the comple

common APPS after have legitimized the format with innovative approaches.

MP3.Com, which raised at least 5344 million in an initial public stock offering last week allows artists to post their songs and sells digital automatic music, or DAM—custom COs made up of tracks that the user selects. The site splits profits 59-59 with the artists.

MP3.Com also attempts to attract artist submissions by region, but selection is sponty at best. The heavy metal group Majik, for example, is the only Dallas band represented. Another site, Emissic (www.emusic.com), sells music tracks for 99 cents apiece.

Underground movement

Mr. Weekly says that only about 5 percent of the Internet traffic in MP3 is run through public areas on the Net.

People perceive it as being intrin.

### WHAT THE MP3 FUSS IS ALL ABOUT

MPS is technology that can compress sounds such as music into digital files and that can play back those sounds without a loss of audio quality. The term is short for MPEG-1, audio lause 2.

Some Sources for MP3 files are boulands of Web Siles room which MP3 lies are boulands of Web Siles room which MP3 lies are boulands of the Source Siles of Source Siles Siles Source Siles Siles Source Siles sources for MP3 files

CDUB — A database comprised of thousands of artists, albums and track titles. CD rippers included in programs such as Xing's Auctio-Catalyst and Musickhath, Justobow will call up your Web browser and connect you to this site, it will match the serial number of your CD with is record and report all titles, and connect you to this site, it will match the serial number of your CD with is record and report all titles, and connect you to this site, it will match the serial number of your CD with is record and report all titles, and connect you to this site, it will match the serial number of your CD with is record and report all titles, and connect you to this site, it will match the serial number of your CD with it is record and the record of the control of the CDDP recoves the necessary of the property of the control of the CDDP recoves the necessary of the property of the control of the CDDP recoves the necessary of the property of the control of the CDDP recoves the necessary of the serial number of your CD with serial serial number of your CD with serial serial number of your CD with serial number of your companies are of your country of your CD with serial number of your country o

Methods of down-loading

Hottine — This is an application suite that allows anyone on the interact to turn a personal computer into part of a virtual, Internethosed community. These communities are accessible wite the Web but are not a part of it, and they cannot be located using stratitional Web searches engines. Because setting up a Hottine server requires are special brownedge and the server resides on the user's PC, the seeings number of files on a Hottine server is greater than those on other online much distribution channels.

IRC — Short for Internet Raley Chet, IRC is one of the surviving technologies from the early, text-based days of the Internet. IRC remains one of the largest online chat networks, with an average of more than 20,000 simulatineous users apread across 15,000 of hat rooms or 42 servers. Users can create and administer their own chat rooms and, or some servers, can write small programs called bots. Bots can be used to automatically trade files 24 hours a day. As one of the earlier internet chat.

FTP — Short for File Transfer Protocol, a system developed before the World Wide Web, for copying files from one computer to another. As such, if has no book that lend themselves to manketing by promotions. The such control of the protocol of the protoco

Usenet — Also called Usenet News or simply newagroupe, it is a massive network of more than 40,000 discussion groups on topics ranging from cat grooming to Hindu metaphysiat. Userent can also be used to destribute MP38 directly by posting MP3 files in the appropriate music or ten-related newagroup. There is an application called fewer/lover that has been specifically enhanced to collect MP3 files from newagroups and download them overright to a user's computer.

### Radio MP3

Justice of the control of the contro

Send e-mail to Doug Bedell at doughs metronet com.

"It is simply not fair to take someone else's music and put it online for free distribution."

### "[MP3 is] a new way of doing things, and it's going to fundamentally change the way the Big Five record companies operate, whether they like it or not."

9 9

metal group Mails, for example, is the only Dallas band represented. Another site, Ensuic (www.ensuic.com), sells music tracks for 90 conf. paging spice.

Underground movement

M. Weekly says that only about 5 percent of the internet traffic in highly doubtful that — when you gave am MP3 file to memore else—provaled deleted your copy?—

Percent of the internet traffic in MP3 file to memore else—you also deleted your copy?—

On the Net.

The prolocal provide area on the Net.

Chesp or free MP3 conversion software site to the Web, he says. That's reason, MP3 has moved in the tech savey to turn typical with little tech savey to turn typical home computers into vertical studios.

The prolocal provide area with a new file from any consumer of the internet were federal law, has had three full time states on the Net.

Propole perceive it as being intrinsiste to the Web, he says. That's reason, MP3 has moved in the each say his provided as the second provided in the continues to proliferate.

The many cases and three full time states of the web, he says are some than 400 sites equipped with followers that have File frame on the second in the second provided in t

# Piracy enforcement flounders with rise of MP3

Continued from Page 1F.
return a phone call. Small, independent record labels have suddenly found the mass and encore that elided them in competition against the Big Pive—Sony Music. Universal, Ed., BMG and Warner.

And a mini-industry has arisen as tech companies rath to produce MP3 players for the home, pain, PC, Mac and, now, automobile.

MP3 is a case of technology outpac-ing an industry's efforts to protect its product. With the exception of a few artists such as Public Enemy. Alanis Morissette, Beartie Boys and Prank. Black, musicians and record labels haven't provided downloadable sin-gles for consumption via the inter-net. The technology is moving on,

regardless.

"Very few people are in favor of
MY2 per se, says MF3 researcher and
consultant David Weetig,
(david, weekly, org.) "They're in favor
of a free, open format, And they're
going to stick with MF3 until some thing better comes along."

As the recording industry grapples with policies and legalities, the public continues to endorse MP3 with mouse clicks. MP3 files played through a computer's speakers or headphones have captured the arten. tion of many.

'li changed the way I looked at my computer, 'Mr. Weekly recalls. 'I thought, 'Wow, I can play these files, they sound great and I can put them in any order.' ... It changed every-

pressed to about 3 megabytes, onesixteenth the size of the original CD
track. That makes downloading singles onto a computer or other device
fairly fast. With a good 56 kilobitsper-second modem, one tune may
take 10 minutes or less to download. Although the music is physically changed, it retains a rich, full quality A song in an MP3 file is com-

Technological advances and free programs for playing the files are behind much of the MP3 phenomenon. Software developers such as Nullsoft, maker of the immensely in MP3.

www.winamp.com), distribute MP3 players at no charge that feature sophisticated mixing controls and lively, customizable electronic even

## WHAT THE MP3 FUSS IS ALL ABOUT

files and that can play back those sounds without a MP3 is technology that can compress sounds such as music into digital loss of audio quality. The term is short for MPEG-1, audio jayer 3.

Home computers decorative on-screen facades, or skins, are b produced every day.

Free MP3 programs, or players, such as Winamp and MusiciAlastot, can be downloaded from multiple sless across the internet. New players and customized. Comparation of the comparation o

Portable players
Diamond Mullimeda's
hand-held Rio and
other small devices
are being sold in retail
silones and on the

more than 200,000 of its Walkman-like Rio MP3 players in the last year and is being joined by competitors after a recent legal victory over the RLAA.

A federal appeals court railed that Diamond was within its rights to develop and sell portable MP3 players. The court's action spurred the production of newer, larger-capacity units. Creative Labs entered the market last week with Nomed, which is an PM radio and MP3 player.

"With the legal path cleared, portable players could quickly become an even more Pernistant playback thorn than PCs," says a recent report by market researchers at ZDNer's info-

thing tool for all sorts of south Media Agent, which Mournel) — A meta-search Images, Includes the free Somet for MPS files.

Manufacturers, as cataloged at www.np3.com/hardware/car/listour.
htm. are taking orders and starting to ship our saido pinyers. Audio/lequest (www.audiorequest.com) and several other companies have now developed home stereo components that store and play more than 2,000 songs made with MP3 and other digital compres-

-- more than 500,000 MP3 files 3 Search (mp3.lycos.com) ble in a searchable detaba

Pure MP3 (www.puremp3.arg) — Software and more than 800 sile fettings, which are checked to keep X-rated bunners and sexually explict advertising from listings. Many MP3 sites accept pornographic advertising as a way to acquire income and drive traffic to their URLs.

■ MP3. Com (www.mp3.com) — By agreement with arists who share in online seles of CDs purithesed online. Music can be downloaded, listened to live in a stream or ordered in Digital Automatic Music, or DAM, form on CD for as low as \$5.99, as priced by the arists. SOURCE: Dailes Morning News res

MPB

CDDB — A database comprised of thousands of artists, albums and track titles. CD rippers included in programs such as Xing's AudioCatalyst and MusicMatch Jukebox will call up your Web browser and connect you to this site. Liw ill match the serial number of your CD with the records and import all title, artist and track data. CDDB removes the necessity of filling in all of the CD data manually.

CD ripper — A program used to grab audio tracks from compact disc and convert them to WAY life format.

Decoder — A program used to transform an MP3 life to a WAV flat. This is done by using a decompression algorithm. ansform WAV files to MP3 files. Encoder — A program that is used to tre This is done by using a compression nigh

MPEG — An acronym for the Moving Pictures Experts Group, which was established in 1988 to develop standards for the "coded representation of moving pictures, audio and their combination." The Moving Pictures Experts Group is an International Organization for Standards committee, made up of individuals representing octorate and academic interests, which meets to draft standards of audio and video coding. The Moving Pictures Experts Group has drafted several standards, which bear its name, including: 103-7 and the artist of the song.

SHOUTcat — A streaming sudio system for Windows and Unix platforms. MP3 is used by SHOUTcast to provide clear, crisp sound to internet listeners.

layers in the off usage. The Proposed standard for multimedia applications. for MPEG-1, audio layer 3. There are three to fand, each with different ments dependent on an between layers relater to its use with encolayers are more complex and can be more than layers also include all the functionality. content representation standard for an inf - The standard for digital television.

often receives no advertising revenue and is frequently limited to a couple dozen listeners at a time.
SHOUTCAST (www.hredd.com) and Livedd (www.livedd.com) are offering menus of these new Mr3-based stations. Hundreds are avail.

The industry is attempting to essess fees on those stations, although this breed of internet broadcaster

using MP3 files streamed live to any-

one who can find their Internet

Internet radio stations have begun

And some obscure, music-based

Radio MP3 ion formats.

A program that can be used to play back MP3 files. It is also a portable in activate device, smaller than a Sony Walform, that is expande of shorting music in MP3 format in special memory cards. Thus, the purposed of music is achieved without any moving parts.

Radio sites — Some MP3 download sites require users to upload one or more traces to the site's servers in exchange for making a selection from the radio site.

able daily Like regular radio, they run the gamut from punk to Puccini. The streaming rechnique allows. Inferred listeners to hear music as it is pushed out of the site, eliminating the wait while files download. Radio.

Secure Digital Music Initiative (SDMI) — An industry effort to develop technologies that will help curb MP3 music piracy and control desermination of MP3 files.

Under the provision, the nascent Net radio stations must pay a statu-tory license fee to the record compa-nies, something not required of tradi-tional broadcast radio stations.

Previoualy, Webcasters were also

play MP3 music under the recently passed Digital Millennium Copyright Act. year became the first site licensed to

moi (www.radiomoi.com) just this

lively, customizable electronic coverings, known as 'skins," for those on-

Because downloading itself is not a crime, negle-search engines have cropped up to soan the Web by artist, track and album name. MP3 Frend (www.mp3fiend.com) and Scour Net Last week, the most popular down-loads at Chet's www.download.com were the new Macintosh MF3 players Sound.tem MP and MacAMP.

(www acournet), for example, provide software that helps locate all sorts of files, legal and illegal.

Other sites — among them MP3

Now (www myslow com) and

MF3 Com (www myslom) — provide only authorized offerings from featured arrists.

nims can guarante to return only sites that offer legal, downloadable tracks, however. Many have agreed to delist from their directories any site that violates copyright laws. They include the old-line search engine Lycos, which estalogs more than S0,000 files Netwide with its Fast MP3 Search service (mpllycos.com). Still other MP3 sites have legitmated the formst with innovative None of the Web search mecha-

S34 million in an initial public stock offering lists week, allows artists to post their songs and sells digital sustainten matic or DAM—custom CDs made up of tracks that the user made up of tracks that the user selects. The site splits profits 30:30 approaches. MP3.Com, which raised at least with the artists.

MP3 Com also attempts to attract artist submissions by region, but selection is sporty at best. The beavy metal group Majik, for example, is the only Dallas band represented.
Another site, Emusic (www.emusic.com), sells music tracks for 99 cents spiece.

Mr. Weekly says that only about 5 percent of the internet traffic in MP3s is run through public areas on the Net.

For many reasons, MP3 has moved anderground, where it continues to proliferate. "People perceive it as being intrin-sic to the Web," he says. "That's really not the case anymore."

Copyright laws allow an owner of a CD to shift the formst of its content. In other words, they are permitted to use free MF3 encoding software on their computers to convert albums and save them as digital files on their and disks for private use.

To the music industry, though, the digital format remains an untamed

World Wide Web — Web sites are the best-known download channel for music distribution. However, the Web is often used simply to provide information and content in support of the actual download channel, which is usually File Transler Protocol. The Web continues to lead as the main distribution channel for music files, bootlegged or legal.

Methods of down. Hotline — This is an application suite that allows anyone on the internet to turn a personal computer into part of a virtual, internet-based community. These communities are accessible via the Web but are not a part of it, and they cannot be located using traditional fivet searches engines. Because setting up a Hotline server requires no special knowledge and the server resides on the user's PC, the average number of files on a Hotline server is greater than those on other online music

IRC — Short for internet Relay Chat, IRC is one of the surviving technologies from the early, tant-based days of the Infarmet. IRC remains one of the largest online chat networks, with an average of more than 20,000 simultaneous users spread across 15,000 chat rooms on 42 servers. Users can create and administer their own chat rooms and, on some servers, can write small programs called bots. Bots can be used to authomatically trade files 24 hours a day. As one of the earlier internet chat

SOUNCE: MP3 Impact online magazine (www.mpdlengelat.com)

systems, IRC is not perfectlerly user-thendy nor is it likely to gen mass market acceptance. However, as more sites are shut down by labels and schools, the number of IRC chat rooms will probably increase.

PTP — Short for File Transfer Protocol, a system developed before the World Wride Web, for copying files from one computer to another. As such, it has no loote that lend themselves to marketing or promotions. The seamless integration of FTP in Web trowvers allows MPS site operators to use a Whot side as the front-end of their FTP servers, where actual downloading takes place.

KCO — Pronourized 1 seek you," this peer-to-peer application informs you when a specific user is online and enables you to contact and chall with feet. It involves in much the same way as America Chiline's Instant Measurage and other. Net pagers. Users use this channel to directly trade MRP3 files from their private collections and/or to promote a Web, FTP- or Hottine-based server.

Usenet — Also called Usenet News or simply newsgroups, it is a massive network of more than 40,000 discussion groups on topics ranging from cat grooming to Hindu metaphysics. Usenet can also be used to distribute MP38 directly by ossting MP3 files in the appropriate music or flar-related revergous. There is an application called NewsBower that has been specifically enhanced to collect MP3 files from newsgroups and download them overnight to a user's computer.

The Dallas Mersing News. W. Mest Plabse;

# "It is simply not fair to take someone else's music and

Hillary Rosen, president, RIAA

### companies operate, whether they like it or not." "[MP3 is] a new way of doing things, and it's going to fundamentally chan

- Siddy Bello, publisher, online magazire MP3 Impact

"I can trade my CD or give it away," asys MP3 Impact's Mr. Bello.
"The problem is, in a digital world, it is highly doubtful that — when you gave an MP3 file to someone else—

Tou also deleted your copy.

Cheap or free MP3 conversion software such as Xing Tech's AndioCasayor (www.xingtech.com) and Soundlyn (www.xingtech.com) and Soundlyn computer such as Xing Tech's AndioCasayor (with little tech savyy to furn typical home computers nito verifible conversion studios.

The internet-proficient many of them high school squipment, have set up MP3 music exchange sites that hold massive quantities of copied collections.

The record industry has reacted strongly on several fronts. Over the past year, label representatives have threatened systems administrators

wherever, they found unauthorized
My3 file trading in large volume.
The Recording Industry Association of America, armed with a new
federal law, has had three full-time
staffers smiffing out pirates and largestaffers smiffing out pirates and largestaffers smiffing out pirates and largeten My3 sites that have File Transfer Protocol, or FTP, servera. More
than 250 sites were shut down as of

Will Komassa, a University of Wis-connin stradest forced to close his free FTF site bold the online service Wired News that the action by his university's network administrator was "akin to bliching at every eighth-grader who taped MMMEop off the radio."

differently?

Enforcement attempts have done
little to stop MPA, however, Mr. WeekIy, whose own music exchange site,
was forcibly shut down two years ago,
asys most of the traffic has gone "Wby should artists be treated any

underground.

Many tredees of APS files have moved to the fold interior Rolay Clark earthca, a technological hangever from the days when the interiors was text-based, to set up and administer chair rooms where file earthways are arranged. Some IRC servers would not be an allow both, mail programs that scan, copy and automatically trade files

Usenet groups are also being used to make contacts, and an application called Newslever has been devel-oped to collect MP3 files and down-

line, allows individual computers to be easily set up as servers away from the public portion of the haternet. Mr. Bello's MP3 Impact e-time reports that more than 400 aires equipped with Hotline currently distribute MP3 files. More than half of them boat high-speed linernet connections that eugent lightning-quick downloads of massive amounts of MP3 dath.

"MP3 down't have to there the that the that that the that had not the server of the server

Beyond that, the music industry is trying develop its own standards for distributing digital music while pro-

ers of the record

industry's products.

tecting copyrights.

The Secure Digital Music Initiative, or SDMI, was formed last year by 130 recording industry and technology companies to develop an architec-ture and specification for rights man-agement and licensing of digital Bot since its inception, splinter groups have formed, impatient that the process was taking too long.

The SDM divew strong reactions last week when it revealed that those specifications will limit how many times devices such as the Rio can

In a single downloading session, a consumer would be restricted to four digital copies of a single track off a CD. If a person needs to copy the MY3 file again, it must be recopied from the original CD.

SDMFs goal is to reduce piracy by requiring that portable digital atereo systems include mechanisms to limit rampant conversion of CD muste to MY3 and other digital forms.

That puts the original forms.

That puts the original stored training at odds with intellectual property laws establishing that content erry laws establishing that content creators give up control over that

### Fight them or join them

But experts predict that the free MP3 model of music distribution will become even more attractive as historiet on met connections become faster.

According to Info@eady Technology User Profile, more than 121 million PCs had been installed in the full distribution Ext. A death of the percent of those computers used a CD-ROM or DVD-ROM drive, and 36 percent of those 121 million PCs had percent of those 121 million PCs had

In theory, the infollowin report concludes, more than 67 million PCs are ready and waiting to download music — legally or illegally — from the Internet.

To here's the question for music executives Woold they rather have. 99 percent of a \$10 billion market to 10 percent of a \$40 billion market in the not a silly question," the infolloweds report states.

### 1 of 9 DOCUMENTS

Marketing Week

January 20, 2000

### Internet gains higher ground

SECTION: Factfile; Pg. 40

**LENGTH:** 657 words

No technology has had such a rapid impact on our lives and businesses as the **Internet**. To put it into perspective, radio took 38 years to acquire 50 million listeners worldwide, TV 13 years. Even the PC took 16 years to reach this number. The Net achieved the same figure in four years.

The Net continues to grow at an exponential rate. As many people as live in the UK **gain** Net access every six months. Businesses have been quick to use it as a delivery channel to sell everything from books and clothes to cars and houses - commonly referred to as e-commerce.

Companies are looking at ways to make the technology work harder by distributing goods digitally. Unlike e-commerce, digital commerce is immediate as the consumer can download a product at the click of a mouse.

Whether it is music in an MP3 format, the latest anti-virus software, a new edition of a computer game or the most recent Mintel report, the Net can be used to distribute content digitally.

According to new research carried out on behalf of NatWest' digital commerce service Magex, businesses are recognising the potential of being able to receive payment for their content and building their brands on the Web.

Investment bank JP Morgan believes the market for digital content and online intellectual property is worth \$ 185bn (£116bn) and is projected to rise to \$ 275bn (£172bn) by 2003.

Digital commerce is not without its challenges, such as the well-publicised fear that the copyright of digital content could be infringed.

Digital music piracy cost was about \$ 4.5bn (£2.8bn) in 1998 and software piracy was about \$ 11bn (£6.9bn) in 1999, according to the Business Software Alliance.

The Intellectual Property Mess report, by technology research company Forrester, says digital content, including images, business information and business reports worth \$ 300bn (£188bn), is under threat from online piracy.

Technology was introduced in 1999 to address the secure and cost-effective collection and distribution of small payments through the Net.

Well-known names such as Microsoft, Intel and IBM have developed technology which protects digital content to various degrees. New names, such as InterTrust Technologies, are extending protection to new portable devices, for example, the Rio MP3 player, Sony Music Clip and WAP mobile phones.

One of the first major companies to explore digital commerce seriously is Universal Music Group (UMG), which has a 25 per cent share of the worldwide music market, with artists such as Bryan Adams, Sting and The Cranberries.

UMG is looking to maximise the Net's potential by allowing consumers to download and purchase enhanced music tracks, alongside sleevenotes, video footage and Web links, digitally.

UMG uses Intertrust Digital Rights Management to protect the copyright of artists' tracks and a clearing solution from Magex which allows consumers to pay instantly using an electronic wallet.

Mark Taylor, former managing director of Creation Records and founder of the YoYo Partnership, says: Until now, the music industry has been wary of the Net because of the severe problems piracy has presented.

Now, with the development of effective encryption and viable payment solutions, the industry can at last embrace the Net and use its potential to distribute music in truly imaginative ways.

As Net use continues to spiral globally, companies will be competing to build brands and businesses online. Digital commerce presents businesses with a unique opportunity to distribute content securely and efficiently.

Moreover, the direct, information-rich and versatile interaction offers new, and more subtle, ways to build stronger relationships than some conventional channels.

Behind the Net hype, marketing and business professionals can see a way to build profitable relationships based on enduring customer franchises in a wider market.

**LANGUAGE:** English

LOAD-DATE: January 19, 2000

PUB-TYPE: Magazine

Copyright 2000 Centaur Communications Ltd.



| Napster Operates A Pirate Bazaar - RIAA | .2 |
|---|----|



### Napster Operates A Pirate Bazaar - RIAA

Sherman Fridman, Newsbytes 488 words 10 December 1999 Newsbytes News Network NBYT English (c) 1999 Newsbytes News Network

LOS ANGELES, CALIFORNIA, U.S.A., 1999 DEC 10 (NB). The Recording Industry Association of America (RIAA), claiming the support of the overwhelming majority of its members, filed a lawsuit earlier this week in a US District Court against San Mateo, Calif.-based Napster Inc., saying Napster committed copyright infringement and violated related state laws.

The complaint filed by RIAA said Napster "is similar to a giant online pirate bazaar."

The lawsuit also accuses Napster of creating and operating an Internet haven for music piracy on an unprecedented scale.

"Napster is about facilitating piracy, and trying to build a business on the backs of artists and copyright owners," said Cary Sherman, senior executive vice president and general counsel for RIAA.

The complaint claims that through Napster's software, which is available as a free download, users can log on to its servers and make their personal MP3-format music collections available for download by others who access the site.

Napster claims that it simply is trying to promote unknown artists, and that it puts a copyright violation warning on its Website.

No royalties are paid to the artists whose music is downloaded at the Napster site, and the company does not charge any fee to viewers or users of its Website.

Napster Chief Executive Eileen Richardson told Newsbytes that the company was not making any money. However, Richardson flatly refused to discuss the company's business model and plans for making money in the future.

However, Richardson did confirm that she was disappointed in the RIAA lawsuit because attorneys on both sides had been working to resolve the dispute. "We were working hard, and in good faith," Richardson said.

Page 2 of 3 © 2015 Factiva, Inc. All rights reserved.

Richardson said she was optimistic that the lawsuit would be resolved, but would not guarantee a resolution.

The RIAA, on the other hand, has alleged that the overwhelming majority of the millions of MP3 files being made available to users around the world by Napster were pirated.

Ron Stone, whose company represents many artists, including Bonnie Raitt, Tracy Chapman and Ziggy Marley, and supports the RIAA lawsuit, called the Napster Website, "(T)he most insidious Website I've ever seen... it's like a burglar's tool."

Sean "Puffy" Combs, CEO of Bad Boy Entertainment Inc., in a statement said that he couldn't believe that Napster was linking thousands of people to the new Notorious B.I.G. album, "Born Again," a week before it hit the streets.

Scott Stapp, lead singer and lyricist for "Creed," in the statement said that what Napster was doing was "... sneaking in the back door and robbing me blind."

Information about the RIAA is available at <a href="http://www.riaa.com">http://www.riaa.com</a>.

Napster Inc.'s Website is at <a href="http://www.napster.com">http://www.napster.com</a>.

Reported by Newsbytes.com, <a href="http://www.newsbytes.com">http://www.newsbytes.com</a>.

14:49 CST

Document nbyt000020010828dvca00c18

### **Search Summary**

| Text          | "Napster Operates a Pirate Bazaar" |
|---------------|------------------------------------|
| Date          | All Dates                          |
| Source        | All Sources                        |
| Author        | All Authors                        |
| Company       | All Companies                      |
| Subject       | All Subjects                       |
| Industry      | All Industries                     |
| Region        | All Regions                        |
| Language      | English                            |
| Results Found | 1                                  |
| Timestamp     | 23 April 2015 10:28                |

Page 3 of 3 © 2015 Factiva, Inc. All rights reserved.



Alife in Opera

Living, Section B



Manager for a day

Sports, Page 1C



### The Cincinnati Post

WEDNESDAY, JUNE 16, 1999

50 Cents

### 5/3 will be No. 3 in Ind.

The \$2.4 billion purchase is an ex-

CNB has \$7.2 billion in assets, 145 bank-ing offices and 200 automated teller ma-chines — mainly in Indiana with some pres-ence in Kentucky, Michigan and Illinois.

The CNB transaction will be a tax-free, stock-for-stock fixed exchange that is exper-

pending regulatory approval. It calls 0.825 shares of Pitth Third commo to be exchanged for each outstandir of CNB stock.

Pifth Third expects to achieve significar growth by pushing its larger portfolio of fi-nancial products through the Evansville

### A buying spree

South Florida Bank in Fort Myers, Pla. State Savings Co. of Cole

### **Bone drug** cuts risk of cancer

Estrogen sub shows promise

CHICAGO — Medical re-searchers have found a dramatic drop in the risk of breast cancer for women who take an estrogen substitute prescribed to prevent brittle bones.

American Medical Association.
"It's a very exciting beginning," said lead researcher Dr.
Steven Cummings, a professor of
medicine at the University of Calfornia at San Francisco. "But
we've only had 3½ to 4½ years of
experience with this. I think
women should be cautious about
any medications used for prevention."

### A chill in June

neat last week, Cincinnats may set a record cool temperature this week. The National Weather Service and AccuWeather both predict a low of 50 degrees Friday morning. The record low for that date was 51 in 1974. Story, Page 18A.



JOE MUNSON: wn trees in the adjacent UC Nature Preserve

### **Tornado victims** find aid abundant

Church sends money to Okla.

By Andrew Conte Pest surfragore:
The tornado that bounced across the Cinicinnal region in early April blew through the Montgomey Community Baptist Church, destroying a brand-new recreation center and causing \$1.75 million diamage.



### **TriHealth** is hit by big loss

Moody's changes its bond outlook

By Cliff Peale Post staff reporter

Post ust reporer

The partnership of Good Samarian and Bethesda hospitais lost nearly \$15 million for the eight months ended in Yebruary, officials continued Tuesday.

The partnership, calted TriHealth was budgeted to make shoul 35 million, but full far below expectations, spokesman Jeff Bunts said. Tax full fiscal year ends June 2016.

Like many U.S. hospital groups, focks of managed care and lower facts of managed care and lower Medicare reimbursements, Blunt said.

"It's very indicative of the hospi-"

Medicas withbursements, Blunt said.

"It's very indicative of the hospital market," Blunt said.

"Reimbursements are dropping quickly. You can work on cutting costs, but the problem is with a hospital said. The said of the

### INSIDE THE POST

| 3 sections. | 44 pages   | LocalNews  | 16A-11 |  |
|-------------|------------|------------|--------|--|
| Ann Lander  | T 28       | Lottery    | 18     |  |
| Business    | 6C,7C      | People     | 22     |  |
| Classified  | 19A.8C-13C | Races      | 4      |  |
| Comics      | 68         | Sports     | 1C-5   |  |
| Deaths      | 19A        | Stocks     | 7      |  |
| Editorial   | 20A.21A    | Television | 7      |  |
| Living      | 18-7B      | Weather    | . 2    |  |



At the offices of Baseball America magazine, managing editor Will Lingo has heard just about every conceivable minor-league horror story.

Every franchise in Major League Baseball has a second the Reds.

The Reds have an army of the dead.

The RedS have an array of the dead.
"Everything I've ever heard about the organization, I would classify as ... stormy." Lingo said.
"Stories that seem to sum up the organization always revolve around money one way or another.
Having to write on the back of sheets of paper so as not
Having to write on the back of sheets of organization in recent years." I stewardship of the organization in recent years."



The solution of the solution o

Reds farm system went to seed in late '80s

Mohey.

Specifically, money for scouting, the backbone of any player-development system. Owner Schott slashed staff, All they do is dit around and watch baseball games, she said. The Reds pulled scouts off the road for several months in 1994 and 1995.

After the 1887 draft, former scouting director

Please see REDS, 4A



Making young fans happy, Cincinnati Reds p Harnisch autographed baseballs Tuesday night.

### BRIEFLY

**BUSINESS REPORT** 

LOS ANGELES

### **Gas station owners** sue 3 major firms

Three major gasoline companies are trying to push independent service stations out of busi-ness by conspiring to fix prices, according to a lawsuit filed by a group of California station

owners.
The federal antitrust suit filed Tuesday contends shell Oil Co., Texaco Inc. and Saudi Refining Inc. have tried to use joint marketing
agreements to fit prices while raising rents and
the wholesale price dealers must pay for gas.
The goal, the owners contend, is to replace
small independents with bigger company-owned
stations. Company representatives denied the allegations.

SAN FRANCISCO

### Digital music recorders OK

Digital music recorders OK

Not long ago, digital copying of music from
the Internet was the province of high-tech pithe Internet was the province of high-tech picome to terms with a practice it once denounced
as a threat. And now a foderal appeals court has
given the process a legal stamp of approval. In a
3-0 ruling Tuesday, the 9th U.S. Circuit Court of
Appeals said a 1992 federal music pincy law
does not prohibit a palm-sized device called MP3
that can download high-quality digital music
that can download high-quality digital music
that can download high-quality digital music
that court uplead a federal hugher a retusal last
fall to issue an injunction sought by the Record
ing Industry Association of America. After losing
the earlier ruling, the industry has sought to develop a version of the device that would prevent
illicit copying.

PITTSBURGH

### ■ PITTSBURGH Heinz profit up 12 percent

Heinz profit up 12 percent

H.J. Heins (D.'s) profit before a restructuring
charge rose nearly 12 percent for its fourth quarter based on strong growth in its core products,
charge rose nearly 12 percent for its fourth quarter
based on strong growth in its core products,
because the season of division, which is based in
Newport, Ky. The company reported a profit becreated the profit percent of the three mouths ended april 28 comsame quarter a year ago. Heins said it sold 11
percent more ketchup in the fourth quarter, 6
percent more seafood and had higher sales at its
weight loss clinics. Per food sales, also based in
weight loss clinics. Per food sales, also based in
ported income of \$1.65 billion or \$2.40 a share before charges compared to \$1.50 billion or \$2.45 a
share a year earlier. With charges, Heinz cardia
\$474.3 million, or \$1.29 a share in the latest year.

\*\*NEW YORM\*\* ■ NEW YORK

### Reynolds Tobacco starts up

Reynolds Tobacco starts up
RLI Reynolds Tobacco. the nation's second-biggest cigaretic company, is especied to be a
part of a heavily indebted food and tobacco conglomerate. The maker of Winston, Camel and Salem
cigarettes began operating on its own Tuesday after being spun of from RIJN habiso Holdings
Corp. The tobacco company had been the foundation for RIP Rubisco and now trades on the
New York Stock Exchange. The spinnoff left RIP
Nubsco with an 0 percent stake in Nabisco
Camel and Description of the RIP Rubisco
Camel Camel Camel Camel Camel Camel Camel Camel
Planters nuts So it renamed tiself Nabisco
Croup Holdings Corp. and will also trade on the
NYSE.

SAN DIEGO

### Report: patch helps sex drive

Middle-aged women who said their sex drives were stuck in park after they underwent hyster-ectomies found that a teatosterone-laced skin patch increased their libidos, according to a new study. Women naturally produce the male sex hormone, which controls sexual desire, but that stops when the ovaries are removed. The study's primary author, Dr. Glenn Braunstein of Cedars-Stud Medical Center in Los Angeles, presented. Study and the study of the study's primary author, Dr. Glenn Braunstein of Cedars-Stud Medical Center in Los Angeles, presented nual meeting, Cincinnati-based Procter & Gamble, which makes a teatosterone patch for me experiencing sexual dysfunction, funded Braunstein's study to see whether similar patches would help women.

WASHINISTICIN

■ WASHINGTON

### Prices remain calm

Consumer prices held steady in May following a major jump in April and the good news today set off a buying spree on Wall Street, Falling ensemble of the Street of the St

NEW YORK

### Amazon.com, Sotheby's join

Internet superstore Amazon.com is investing about 345 million for a 1.7 percent stake in Sothe by A and they will cooperate in developing an on line auction service that will sell art and collectibles. The centerpiece of the alliance will be a jointly run Web site that will be called sothebys.amazon.com.

### **BOTTOM LINE**

BOIT DIM LINE

B Fifth Third Bancorp Tuesday declared a dividend of 20 cents per share on its common stock, 18 percent higher than the previous I7 cents per share. The dividend is payable on July 15, 1999, to shareholders of record as of June 30, 1999.


B Midwest Payment Systems, a subsidiary of near the state of th

### Readers' choice NYSE

| Section | Company | Comp

Jahn, The Couldes 11 at 3 phs. 4 phs. 5 phs.





### Dow invigorated by inflation news

Associated Press

NEW YORK — Stocks moved sharply higher today, drawing strength from a consumer price report that chained investor fears about inflation. The consumer price report that chained investor fears about inflation. The consumer price report that chained investor fears about inflation. Broader stock indicators also rose. The Standard & Poor's 500 index was up 12.00 at 12.52, and the Nasdaq composite index rose 7.18 to 2.401.85.

The stock market jumped after the Labor Department reported that May consumer prices, excrose a modest 0.1 percent. Clothing and auto prices declined, while medical and housing costs edged higher.

Technology stocks saw big gains. America Orline rose 9th to 164%, and Oracle rose 7th to 32%. Advancing issues outurnbered declining by a 2.00 percent of the consumer prices, the resulting of the New York Stock Exchange, where volume or the New York Stock Exchange, where well are on the New York Stock Exchange.

The NYSE composite index was up 7.85 at 680.13, and the American Stock Exchange composite index was up 5.62 at 769.52.

### Stocks of local interest

| 52 wi  | Lo Sa                    | ock/Div.   | nd           | a i      | PE 10  | 00 H  | igh Lov          | Las     | of Chg.                | 52 mm              |      | Stock                    | Div.  | 1  | 2 6            | FE         | Sale<br>100s | ligh L | DW La      | at Oq    |
|--------|--------------------------|--|--------------|----------|--------|-------|------------------|---------|------------------------|--------------------|------|--------------------------|-------|--|----------------|------------|--------------|--------|------------|----------|
| 14     | 13% AK Ster              | 1 .50  | 2.0 13       | 11       | 1774   | 25'%  | 25%              | 25%     | -5-                    | 61%                | 44%  | Heinz                    | 1.37  | 2.8  | 24 18          | 858        | 4 49%        | 49%    | 48%        | -14      |
| 100    | 2616 Allatina            |  |              |          | 1892   | 3434  |                  | 34%     | +74                    | 6299               |      | Hillenbd                 |       |  | 14 13          | 259        |              | diffe  |            | -Pha     |
| 24     | 35% Ameren               | 2.54   |              | 13       | 1771   | 40 hr | 399s             |         | +34                    | 3734               |      | HuntBnk.                 |       |  | 25 17          | 437        |              |        | 35%        | +14      |
| 514    | 1714 Amonic              |  | cc           |          | 299133 | 97%   |                  | 9434    | ±434                   | 107b               |      | Interlott                | -     |  | 10             | E LOUIS    | UIIIO-       |        | 614        | 300000   |
| 14     | 211/a AAnnuil            | y .10  | A 11         |          | 127    | 23%   | 230 <sub>a</sub> |         | +14                    | 591/2              |      | IntPap                   | 1.00  |  | 85 29          | 1917       | 0 5614       | SELA   | 557k       | +114     |
| Pk     | 30/s_AFriciG             |  |              | 11_      | 480    | _34h  |                  | 34      |                        | 103                |      | JohnJn                   |       |  | 41 28          | 1150       | 5 91%        |        | 90'N       | +14      |
| 1      | 291/2 Ashland            |  |              |          | 2007   | 41%   |                  | 40°%    | -14                    | 35                 |      | Kendle                   |       |  | 10 13          | 87         |              | 13     | 1396       |          |
| 10     | 25 Avon s                |  | 1,1 57       | 79       | 12388  | 55    | 537k             | 54      | +34                    | 391/2              |      | Keycorp                  | 1.04  |  | 14 12          | 910        |              |        |            | +24      |
| 14     | 7/e BeldPla              | 1000   | dd           |          | 9      |       | - 1              | 1_      | -10                    | 6970               |      | ,KrogerCo                | -     |  | 12 22          | 3.190      |              | 5434   |            | + 14     |
|        | 36/y Bank On             |  | 3.1 20       |          | 23847  | 55/2  |                  | 54h     | +14                    | 4136               |      | KrollOGar                |       |  | 40 17          | 95         |              |        | 23%        | -        |
| -      | 44 Bk of A               | m 1,80   |              |          | 42234  | 67%   |                  |         | +11/2                  | 14 <sup>3</sup> he | DE   | LCA Vis                  |       |  | dd 37          | 235        |              | 879    | 9          | -34      |
| M      | 18 CBS                   | -  | 78           |          | 14933  | 47%   | 40% d            |         | -10                    | 24                 | 1534 | LSI Inds                 | .27   |  | 14 12          |            |              |        | 21%        |          |
|        | 25'h, Chmplis            | .20  | A 54         |          | 2999   | 55/2  | 531h             |         | +124                   | 516                |      | LnVision                 | -     |  | dd             |            |              |        | 11/6       | -14      |
| 54     | 35h ChaseM               |  | 32 17        |          | 2626]  | 75'h  |                  |         | +179                   | 74%                |      | Litton                   |       |  | 17 14          | 249        |              |        |            | +34      |
| b      | 25% Chemes               |  |              |          | 89     | 221/2 |                  | 321/2   | +14                    | 9416               | 39   | MCI Wrid                 |       |  | dd 36          | 7657       |              |        |            | +34      |
| Ph.    | 7% Chiquta               | .20  | 2.4 dd       |          | 1409   | \$12  | 25%              | \$39    | 114                    | 2416               |      | MascoTch                 | .28   | 11.8   |                | 68         |              |        |            | -14      |
| -      | 81/2 Cinnitlet           |  |              |          | 1212   | 25    |                  | 26h.    | nation:                | 714                |      | MedPlus                  | -     |  | dd             | 28         |              | 110    |            | -1/4     |
| 76     | 301/2 CineFin            | 68   | 14 29        | 33       | 1669   | 40    |                  | 38h_    | -54                    | 8914               |      | Medirnic                 | .26   |  | 92 37          | 1323       |              |        |            | 174      |
| Victo  | 651/5 CinG pt            |  | 53           | 12/17/1  | 210    | 75/2  |                  | 751/2   | +11/4                  | 121%               |      | Merido                   | .20   |  | 77 15          | 15         |              | 736    | 7%         | -        |
| 30     | 27% Cinergy              | 1,80   | 53 19        |          | 4847   | 304   |                  | 32%     | +14                    | 261/2              |      | Meritor                  | 42    |  | 11 8           | 109        |              |        | 24%        | +24      |
| 3h     | 391v Cintes              | -,221  | A 47         |          | 7497   | 6214  |                  | 60      | -134                   | 30%                |      | Midland                  |       | 14   |                | 24         |              | d1914  | 7914       | -514     |
| Person | 13% Comair               |  |              | 14       | 2845   | 22%   |                  | 21%a    | +1                     | 261%               |      | Milacron                 | .48   |  | 12 10          | 130        |              | 2274   |            | -34      |
|        | 42 ConEd                 | 2.14   | 4.5 16       |          | 3339   | 45h   |                  | 471ha   | +14                    | E16                |      | MuttOr                   | .49   |  | 12 10          | 3          |              |        | 574        | +14      |
| 34     | 999 Chyrgyt              |  | . 24         |          | 3276   | 19%   |                  | Wh.     | - 19                   | 5574               |      | NCR CD                   |       |  | 38 16          | 345        |              |        | 45%        | +2%      |
| 34     | 221v Corning             |  | 1.2 25       |          | 14617  | 611hr |                  | 61%     |                        | 10%                |      | NS Grp                   | -     |  | dd in          | 406        |              | 8/2    | 19a        | + 54     |
|        | 20 DeliCptr              |  | 61           |          | 88902  | 34%   |                  | 34%     | +1%                    | 521/4              |      | NCentEn                  | 2.32  |  | 12 11          | 420        |              |        |            | +14      |
| 2      | 40% DeltaAls             |  | .2.8         | The same | 5021   |       |                  |         | +14                    | 477e               |      |                          |       |  |                | 54         |              |        |            |          |
| 79     | 1919 DukeRtt             | 1,36   | 6.0 20       | 20       | 1424   |       |                  | 2234    |                        |                    |      | OhioCas                  |       |  | 15_18          |            |              |        | 39%        | - 134    |
| -      | 21% Duntira<br>2% Durame |  | 2.1 22       | 12       | 2108   | 25%   | 30h              | 1314    | -14                    | 47%                |      | Omnore                   | 1.64  |  | 19 11          | 86E<br>422 |              |        | 167h.      |          |
|        | 51% Emrane               |  | 1,9 24       | -        | 6893   |       | 67°0 6           |         | -10                    |                    |      |                          | 1.04  |  | 15 14          |            |              |        |            | +24      |
| 0.111  | 21% FDX Cb               |  | 26           |          | 9082   | 50%   |                  | 50%     | +19                    | 1031au             |      | ProctG                   | 1.14  |  | 7 5            | 2478       |              | 85     | 8619       | -11/2    |
| 100    | 32% FedrDS               |  |              | 14 /     | 6594   | 511%  |                  | 50%     | -Iba                   | 50°h               |      | ProvEnd                  |       |  | 31 27<br>16 12 | 24/3       |              |        |            | +2%      |
| 24     | 111/2 FidFinO            | H .361   |              |          | 58     | 17    |                  | 12      |                        | 1934               |      |                          | .881  |  | 10             | 71         |              |        |            |          |
|        | 4914 FIMThr              |  | 1.2 37       |          | 4835   | 65%   |                  | 67%     | +34                    | 63%                |      | RH Donl s<br>Rockwl      | 1.02b | 17   |                | 442        |              |        | 38%<br>59% | -        |
| 200    | 2014 FFnciOl             |  | 2.7 18       |          | 33     | 221/2 |                  | 217h    |                        | 591h               |      |                          | 981   |  | 18<br>26 21    | 3066       |              | 58°N   |            | -104     |
| -      | 18 Firster               |  | 1.5 40       |          | 8004   | 27%   |                  | 26/94   | +19                    |                    |      | SBC Com                  | .981  |  |                |            |              |        | SI'h       | +14      |
| -      | 27% FirstEnc             |  | 4.0 16       |          | 3212   | 3134  | 3034             |         | +14                    | 2579               |      | Samsnite                 | 44    |  | dd             | 43         |              | 514    |            | +34      |
| No.    | 38% FordMo               |  |              |          | 23717  | 53%   | 52%              |         | -                      | 3014               |      | Saral.ee s               | .50   |  | 19 17          | 2120       |              | 23     | 27h        | +12      |
| 24     | 10 FIThom                |  | 2.3          | 14       | 17     | 11h   |                  | 11%     | -                      | 56                 |      | Scripps                  | .56   | 1.2  | 26 22          | 272        |              |        | 45%        | +14      |
| 19     | Six Princhs              | .28  | 2.7 16       |          | 23     | 10%   |                  | 1016    | -                      | 279a               |      | ShirePh                  | 100   | -  |                | 14         |              | 22N    | 22%        | -14      |
| 200    | 4714 Gennett             | .80  | 1.1 24       | 27       | 9949   | 721/2 |                  | 71      | 6.11150                | 3314               |      | SkyFncl                  | ,84b  |  | 48 13          | 29         |              |        | 24%        |          |
| -      | 81/4 GetCable            |  |              | 9        | 841    | 1676  |                  | 1416    | 1                      | 264                |      | StrucD                   | -     |  | 20 13          |            |              |        | 18%        | +34      |
| 7he    | 19 GenElec               |  | 1.3 36       |          | 43771  | 105%  |                  | 0474    | +%                     | 73%                | 30   | TriconG                  |       |  | 16 17          | 802        |              | 49%    | 50         | +14      |
| 100    | 5% GibsnG                | 1,00   | 15           |          | 485    | 67%   | 634              | 674     |                        | 53%                |      | US Foodsy                |       |  | 19 20          | 117        |              |        | 43%        | -34      |
| 000    | 934 GibeBus              | and the latest and th | 11           |          | 10     | 12    |                  | 1134    | -1/2                   | 221/2              |      | Unova                    |       |  | dd_14          |            |              | 175    |            | ±14.     |
|        | 18% Hasbro               |  | 9 27         |          | 6021   | 2914  |                  | 78h     | -1%                    | 41                 | 30   | VIVICED                  | .80   | 22   |                |            | 2715         | 37     | 37         | 1111-111 |
| W.     | 7,102010                 | 100  | TAX TO SE    | 100      | No.    | 10000 | 0.007            | C 100 H | 10000                  | 12%                | 2.8  | Westwork                 | 441   |  | 18             |            |              |        | 1114       | -        |
| -      | The second second        | THE REAL PROPERTY.   | and the last | 90.00    | NI SEC |       | Name and Post    |         | NAME OF TAXABLE PARTY. | Separate and       | -    | and the last of the last | -     | a de la constante de la consta | -              | PROPERTY.  | CALLED BY    | -      | O'CLUM     | -        |

| 4th, 300 Downless 2.02 20 20 40 + 11   | 15th 16 ETTOWN 224 22 10 27 10th 11th 17th 45<br>17th EN Friedrick 20 27 16 27 10th 11th 17th 45<br>17th Garnett 80 11 24 12 10th 970 27th 17th 15th 17th 45<br>17th 17th 17th 17th 17th 17th 17th 17th  | 99 - 3910 507000 - 12 9 72 2771 509 63 409 + 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1  |
|--|--|--|
| 30% 50% EUCOSM 1.76 17 70% +16<br>30% 27% Edwards 80 15 28% +16<br>56% 20% EUS 80 53 57% +16   | 52 week Stock Dir PE Leef Chg 52 week Stock Dir PE Leef Chg.   | 52 week Stock-Dw PE Last Chg. 52 week Stock-Dw PE Last Chg.  |
| 23% 28% Entrepy 1.20 11 22 + hs<br>47 29% Equita 3 2 2 34% + hs<br>47 27% Equita 3 2 2 34% + hs<br>77% 40 20 20 20 20 20 20 20 20 20 20 20 20 20   | 7 is in entries 1 2 7 is in 1 1 2 is in 1 2 is | 27th   71h   Piccer O   20   27   27th   + ha   37   1915   71K   187   22   28th   - ha   188   |
| AFI-W 35% FlaProg 2.38 13.41% +16.51 28% Fluor 80 30.40% -8.40% 19.70 fluor 80 30.40% -8.40% 19.70 fluor 80 50.40% -8.40% 19.70 fluor 80 50.40% 19.70 fluo | Trys (Pinh, Johnshore 24, 11 (2) to 1 ( | 27th, 11% 8,2 Reyno 0 02 27th, +h, 17% 57th, Tearen 0 01 13% 77 12 13% Radger 1 0.0 22 27th, -h, 17% 57th, Fearen 1 0.0 13% 77 12 13% Radger 1 0.0 22 27th, -h, 17% 67th, Fearen 1 0.0 13% 67th, -h, 17% 67th, Fearen 1 0.0 13% 67th, -h, 17% 67th, Fearen 1 0.0 130% 67th, -h, 18% 67th |
| 27% GAIN 487 0 31% 15 45% 17 17% 17 17% 17 17% 17 17 17 17 17 17 17 17 17 17 17 17 17  | 6079   2775   667946   180   66795   180   | 224 PM Styler 60 14 27% ** ** ** ** ** ** ** ** ** ** ** ** **   |
| 64% 35% GRettle 397 50 48 1%, The set of the Clean Will 137° 23 60 1 1%, The set of the Clean Will 137° 23 60 1 1%, The set of the s | Table 20th Comments 6 23 243% 47th 511 245% 10000 237 24 484% 47th 611 245% 47th 611 2 | 5.5 20 to Seagreen 64 CC 5010 - 1% CT 5010 - |
| 29th 17th Septemb  | 22bs 150b ACC 18gp 127 20 27bs   | 28th 28th Sould 10 03 50th + 10 12 12 12 12 12 12 12 12 12 12 12 12 12   |
| 50% 79% Hooghift 50 25 45 cia<br>12% 15% 647 647 647 647<br>12% 15% 457 647 647 647<br>12% 15% 457 647 647 647 647<br>14% 55% 15% 15% 647 647<br>14% 55% 15% 15% 15% 647<br>14% 55% 15% 15% 15% 15% 15%<br>15% 15% 15% 15% 15% 15% 15%<br>15% 15% 15% 15% 15% 15% 15%  | CPb 25th ACCOM35 20 2 2 41% +91 1079 85 Pfilor 88 2 27 Ffb 47 107 107 107 107 107 107 107 107 107 10   | 27th         II         Streete         Jr.         13 10 cm         4 10 cm         2 11 cm         1 10 cm </td  |

### NASDAQ

| 52 +        | Lo    | Stock On    |     | PE     | Last         | Chg  | 52 e   | Lo             | Stock C     | -      | P    | E Lay   | CN      |
|-------------|-------|-------------|-----|--------|--------------|--|--------|----------------|-------------|--------|------|---------|---------|
| 2214        |       | Actel       |     | 21     |              | +16  | 145 h  | 20%            | Lycos &     |        | dd   | 76'4    | +41     |
| 25          |       | Admotec     |     | ds:    |              | +14  |        | 10             | McCn        |        |      | 5%      | F 10 98 |
| 331h        |       | Afterm      |     | 00     |              |  | 34     |                | Meder       |        |      | 2%      |         |
| 794<br>1074 | 133   | AttaGld     |     |        | 170          | 1334   | 4764   |                | Messair     |        | 45   |         |         |
| 22114       |       | Amazon s    |     | 65     |              | +474   | 197e   | 10             | MethdA      | .20    | 11   | 理论      | *1      |
| 474         |       | Amriost     |     |        |              | Contract Con | 93%    |                | Microsff s  |        | #1   | 77%:    | (+)     |
| Elle.       | 29    | Armonn's    |     |        | 15%          | +119   | 3014   |                |             | .35    |      | 21%     | 169     |
|             |       | AppleC      | -   |        |              |  | A      | 34.5           | NABE        |        | .00  | 2       |         |
| 120%        |       | Diogen      |     |        | 46%<br>5115% | +30  | 2      | 110            | Matterna    |        | - 64 | 280     | - 2004  |
| 2013        |       |             | 129 |        | 2010         | +24  | 40%    | 15%            | NextelCm.   |        | dd   | 38%     | 41      |
| 76 lb       | 19    |             | M.  |        | 1916         | 1  | 26%    |                | Norshan     |        | - 66 | 1004    | 11754   |
| 1314        |       | CBWL Grp    |     |        | 1616         | 1100   | 78%    | 916            | Novel       |        | 60   | 23%     | +1      |
| 5776        |       | Centocor    | MS  |        | 26/2         | - 14   | 27     | 15%            | Quintill'in | -34    | - 11 | 1816    | (4)     |
| 414         |       | Chiron      |     |        | 19.          |  | 14     | 4%             | Olympi58    |        | dt   | 77a     |         |
| 2794        |       | Cisco s     |     |        | 0.0%         | +3%  | 411a   | Tra            | Oracle s    |        | 32   | 2514    | - 515   |
| 144         |       |             | 9   |        | 1            | 124  | 3814   | 1514           | OUTDASIA I  |        | 260  | 35%     |         |
| 199         | 200   | CHREKY A    |     |        | 1211         | 416  | 63     | 37             | Paccar      | 30     | Fig. | 2534    | +1      |
| Oh          |       | Comcast s   |     |        | 2216         | +119.  | 1994   |                | ParkOh      | 77     | 11   | 1414    | 175     |
| 25          | 96.5  | DefCalr s   |     |        | 341e         | +10+   | ritie  |                | PharMor     |        | 14   | 24      | - 44    |
| Mb.         |       | Dialogic    |     |        | 12/5         | + 14   | 11974  |                | Qualcies s  |        | 2    | 113754  | + 10    |
| 22.II       |       | Drest       |     |        | 15%          |  | 100000 |                |             |        |      |         |         |
| 400         |       | Duramed     |     |        | 12%          |  | 29%    |                | Qualiforn   |        |      | Z17a :- | +3      |
| 100         | 444   | Facilien.   |     | 15     | 12/34        | - 194  | 5      |                | Robbing     |        |      | 3%      | 5.4     |
| 1634        |       |             | 10  |        | 1476         |  | 6      |                | RobetVs     |        |      | 2Fb1 /  |         |
| 5           |       |             | 2   |        | 12           | +14  | 99     | #14            | Rockflott   | G159   | 14   | 9'te    | -+1     |
| 17%         |       |             | 5   |        | 17Pm         |  | 476    | 196            | Ross3v      | 150/29 | ez.  | Zer     | 44      |
| 900         |       |             | 624 |        | 5834         | 414  | 2374   | 234            | Skyffoct    | 845    | 100  | 26%     | -1      |
| 1534        |       | GentymGn.   |     |        | 1200         | 1000   | 45%    | 26%            | Southerst   | 36     | 14   | 37700   | 63      |
| 1931        |       | Ghebes      | 82  | 21     | 1114         | Links  | 715    | (3 <b>4</b> 73 | SpartMot    | Div    | 115  | \$      |         |
| ate.        |       |             | WS. |        | 20           | 0000   | 3214   | 814            | Sovers      |        | dd   | 2500    |         |
| No.         |       | Phatro      |     |        | 8115         | A by   | 1114   |                | StmetTith   | 329    | 10   | 97%     |         |
|             | P WIN | IntgDv      |     | rest 1 | Phy.         | + 124  | 7219   |                | SunMic s    |        | 121  | 58%     |         |
| 100         |       |             | ,   | 21     | 1516         | + 156  |        | 100            | TBC         |        |      | 77m     |         |
| tra -       |       | hit gen     | M:  |        | 11/4         | 111323   | dia    | 196            | Teleffica   | 294    |      | 2%      | 4.9     |
|             |       | Ketchyll    |     |        | rive :       | 115  | 200    |                | Wangl. #D   |        | 44   | 2914    | 100     |
| 244         |       | Kimballet I | 4   |        | 14.76        | 11111111   | 3436   |                | Worthoto    | 604    | 22   | 1256    | 3135    |
| 100         |       | Lithwite    |     |        | 120          | mu(62)   | 44%    |                | Milita S    | 3360   | 40   | 50%     | 411     |

### **AMEX**

| 0.5                 | Date: | Militario de la constante       |              |    |                    |       |  |
|---------------------|-------|---------------------------------|--------------|----|--------------------|-------|--|
| 52<br>Hi            | Lo    | Shock C                         | New .        | ×  | Last               | Chy   | STOCK  |
| 319<br>251/9<br>27% | 70 to | BethCp<br>CasFd<br>EchoBay      | 1.324        | p  | 1%<br>22%<br>d1%   | +10   | BellAtt<br>Cisco s<br>Compan<br>Disney   |
| 71%<br>52%          | 32    | FAUSPY<br>ForestLab<br>InterDig | 22           | 49 | 67%<br>44<br>470   | +16   | Gerdiec<br>intel s   |
| 37e<br>1214<br>138  | 810   | Kinark<br>LazKap                | T S          |    | 214<br>516         | +14   | Big  |
| 11hu<br>16hu        | 314   | SPDR<br>TWA<br>WintonFn         | 1.47e<br>30f | dd | 130%s<br>5%<br>12% | +10.4 | STOCK  |
| 4%<br>21%           |       | WirelessT<br>Ziegler            | 32           |    | 1715               | 4     | CMP Grp<br>YarkEnS<br>Emp pHSdd<br>Poteroid<br>Emp pHAcid<br>CTG Res<br>CynSem |

### Metals/dollar

Gold closed Tuesday in London: \$259.75, down \$1.15 an ounce. Silver closed on the New York Ma at \$5.04, down 5 cents.

# 1.3895 Canadian dollars, up fr 1.3873

### **Footnotes**

| stock dividend s-Liquidating dividend d-New      |
|--|
| 52 week low: dd-No P.E. company reported loss:   |
| in last 12 months, ec-PIE 100 or grater, e-Dis-  |
| clared or paid or preceding 12 morths, ec-for-   |
| merly listed on Emerging Company Market.         |
| place; does not meet current AMEX listing        |
| requirements francual rate: g-Dividend or        |
| earnings in Canadian money Shock trades in       |
| U.S. dollars. h-Temp. exception to NASDAG.       |
| qualifications. 4-Declared or paid after stock   |
| dividend or applying I-Paid this year, dividend  |
| omitted, deferred or action taken at light divi- |
| dond meeting. It-Declared or paid this year and  |
| accumulative insult with dividend in ameans."    |
| m-Arrival rate, reduced on last declaration.     |
| n-New result in the past 52 weeks. The high-line |
| targe begins with the sout of trades a trade     |

### Close Chg % STOCK 4115 -1216 -32.5 1416 -1116 -18.6 1516 -1117 -9.0 - 2016 -2 -4.7 40 -256 -7.6 1516 -176 -7.3

Most widely held stocks

**Biggest winners/losers** 

| 1481 | NetClip Direc | 1702 | 1702 | 1481 | NetClip Direc | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 1702 | 170

Addition or single-plan the year octoor of the plan to the plan to

since 1996 through joint refining and marketing ventures established by the companies. It seeks unspecified damages and to have the joint ventures dissolved.

### SAN FRANCISCO

### Digital music recorders OK

Not long ago, digital copying of music from the Internet was the province of high-tech pirates. Gradually, the recording industry has come to terms with a practice it once denounced as a threat. And now a federal appeals court has given the process a legal stamp of approval. In a 3-0 ruling Tuesday, the 9th U.S. Circuit Court of Appeals said a 1992 federal music piracy law does not prohibit a palm-sized device called MP3 that can download high-quality digital music files from the Internet and play them at home. The court upheld a federal judge's refusal last fall to issue an injunction sought by the Recording Industry Association of America. After losing the earlier ruling, the industry has sought to develop a version of the device that would prevent illicit copying.

### **■ PITTSBURGH**

### Heinz profit up 12 percent

H.J. Heinz Co.'s profit before a restructuring charge rose nearly 12 percent for its fourth quar

### **News**Room

### 11/15/99 PR Newswire 00:00:00

### PR Newswire Copyright (c) 1999 PR Newswire. All rights reserved.

November 15, 1999

Microsoft and BMG Move Digital Music Into Mainstream

REDMOND, Wash. and NEW YORK, Nov. 15 PRNewswire

Microsoft Corp.

(Nasdaq: MSFT) and BMG Entertainment today announced the launch of the BMG Artist Showcase program to promote BMG performers' use of Microsoft(R) Windows Media(TM) formats and the WindowsMedia.com media guide, part of the MSN(TM) network of Internet services. Downloadable digital music, streaming audio and music videos from two top BMG artists from around the world will be featured each month on the BMG Artist Showcase at WindowsMedia.com, exclusively in Windows Media formats.

The BMG Artist Showcase kicks off with The Artist (formerly Prince), who is currently making available a song for download as well as a streamed video and previews of songs from his new album, "Rave Un2 the Joy Fantastic." On Nov. 22, Foo Fighters will be featured in the showcase with music from their new album, "There Is Nothing Left to Lose."

Today's announcement builds on the recent collaboration between BMG and Microsoft to distribute music from 14 BMG artists on the Microsoft Windows(R) 98 Play Pack CD-ROM. The Play Pack CD-ROM is being distributed through nationwide retail locations this holiday season with Windows 98 Second Edition, the update to the popular Windows 98 operating system. This is the first time that popular music has been distributed with a Microsoft operating system.

"Together, the initiatives demonstrate an ongoing commitment by both BMG and Microsoft to bringing digital music to mainstream audiences around the world," said Will Poole, general manager of the Streaming Media Division at Microsoft. "BMG is a leader in the music industry in embracing new technologies to bring its artists and fans closer together. For the BMG Artist Showcase, BMG provides great artists and great content, and our superior Windows Media formats guarantee that fans will have the best-possible listening experience."

"The BMG Artist Showcase program and the Play Pack CD-ROM promotion

represent a significant expansion in efforts by BMG's worldwide marketing group to reach more music fans in a way that adds value to their music experience," said Kevin Conroy, senior vice president, Worldwide Marketing, BMG. "Our collaboration with Microsoft on efforts like the Artist Showcase and the Play Pack CD-ROM promotion brings important exposure to our artists and ensures that music fans benefit from the excellent audio and video quality of Microsoft Windows Media."

Technologies critical to the widespread adoption of digital music include high-fidelity compression, which makes it possible to stream music and videos across the Internet in real time, and content protection and rights management, which help artists and labels limit pass-around piracy. Windows Media offers both flexible digital rights management and state-of-the-art sound compression, providing CD-quality sound at half the file size of MP3, reducing disk space needs and doubling the speed of downloads.

Through the efforts of BMG's worldwide marketing team, BMG-distributed artists account for 14 of the 18 songs offered on Microsoft's Play Pack CD-ROM, which will be distributed to more than 8,000 retail outlets in North America. BMG artists on the CD-ROM include Brooks and Dunn, Puff Daddy, Dido, Eurythmics, Foo Fighters, Lit, Martina McBride, Sarah McLachlan, Beth Orton, Pink, The Verve Pipe and Barry White. The BMG Artist Showcase program will bring fresh content from two popular artists to consumers every month during the first half of 2000.

### About BMG Entertainment

BMG Entertainment is the \$4.6 billion worldwide music and entertainment division of Bertelsmann AG, one of the world's leading media companies, with annual revenues of \$16.4 billion. BMG owns more than 200 record labels in 53 countries, including Arista Records, RCA Records and Ariola Music. BMG also owns the world's largest music club, one of the world's largest music publishing companies, and has interests in television and compact disc and cassette manufacturing.

### About WindowsMedia.com

WindowsMedia.com (http://windowsmedia.com/), part of the MSN network of Internet services, is among the fastest-growing major audio and video guides on the Internet. WindowsMedia.com provides access to localized audio and video content worldwide, including major music and video events and entertainment from more than 1,000 radio stations and more than 1,000 content providers.

### About Windows Media Technologies

Windows Media Technologies is the leading digital media platform that provides consumers, content providers, solution providers, software developers and corporations with unmatched audio and video quality. Windows Media Technologies 4, which includes Windows Media Player, Windows Media Services, Windows Media Tools and the Windows Media SDK, is available for free\* download at http://www.microsoft.com/windows/windowsmedia/. More than 50 million copies of the free\* Windows Media Player have been downloaded to date -- growing by

more than one every second.

### About Microsoft

Founded in 1975, Microsoft is the worldwide leader in software for personal and business computing. The company offers a wide range of products and services designed to empower people through great software -- any time, any place and on any device.

NOTE: \* Connect-time charges may apply.

Microsoft, Windows Media, MSN and Windows are either registered trademarks or trademarks of Microsoft Corp. in the United States and/or other countries. Other product and company names herein may be trademarks of their respective owners.

SOURCE Microsoft Corp.

NOTE TO EDITORS: If you are interested in viewing additional information on Microsoft, please visit the Microsoft Web page at http://www.microsoft.com/presspass/ on Microsoft's corporate information pages.

CONTACT: press only, Bryan Taback, 503-443-7000, or bryant@wagged.com, Ryan James, 503-443-7000, or ryanj@wagged.com, or Rapid Response Team, 503-443-7000, or rrt@wagged.com, all of Waggener Edstrom, for Microsoft Corp.; or Dinnis Petroskey of BMG, 212-930-4961, or dennis.petroskey@bmg.com Web site: http://www.microsoft.com (MSFT)

### ---- Index References ----

Company: MICROSOFT CORP; BMG ENTERTAINMENT

News Subject: (Major Corporations (1MA93); Digital Rights (1DI36); Intellectual Property (1IN75); Economics & Trade (1EC26))

Industry: (Software (1SO30); Internet Service Providers Equipment (1IN52); Application Software (1AP32); Internet Service Providers (1IN56); Multimedia Peripherals (1MU17); Application Software Development (1AP78); Software Products (1SO56); I.T. Regulatory (1IT67); Internet Servers (1IN10); E-Commerce (1EC30); I.T. Multimedia (1IT53); Audio Technology (1AU01); Internet Regulatory (1IN49); I.T. (1IT96); Internet Services (1IN96); Entertainment (1EN08); Multimedia Production, Graphics & Publishing Software (1MU67); Music (1MU57); Multimedia Software Applications Development (1MU49); Video in Software (1VI78); Streaming Audio & Video (1ST18); Internet (1IN27); Advanced Digital Technologies (1AD50); Software O/S Platforms (1SO68); E-Commerce Industries (1EC99); Audio Recording (1AU32))

Region: (North America (1NO39); Americas (1AM92); USA (1US73))

Language: EN

Other Indexing: (ARTIST; ARTIST SHOWCASE; BMG; BMG ARTIST SHOWCASE; BMG ARTISTSHOWCASE BMG; BMG ENTERTAINMENT; BMG ENTERTAINMENT BMG ENTERTAINMENT; BMGAND MICROSOFT; BMGARTIST SHOWCASE; CD; CD ROM; DIDO; DINNIS PETROSKEY OF BMG; DUNN; EURYTHMICS; JOY FANTASTIC; MEDIA; MICROSOFT; MICROSOFT CORP; MICROSOFT FOUNDED; MICROSOFT WEB; MICROSOFT WINDOWS; MSN; NASDAQ: MSFT; PLAY PACK; PLAY PACKCD ROM; RAPID RESPONSE TEAM; RCA; ROM; STREAMING MEDIA DIVISION; VERVE PIPE; WINDOWS; WINDOWS MEDIA; WINDOWS MEDIA PLAYER; WINDOWS MEDIA SERVICES; WINDOWS MEDIA TECHNOLOGIES WINDOWS MEDIA TECHNOLOGIES; WINDOWS MEDIA TOOLS; WINDOWSMEDIA COM) (Ariola Music; Arista Records; Barry White; Beth Orton; Digital Music; Foo Fighters; Kevin Conroy; Martina McBride; Puff Daddy; Ryan James; Sarah McLachlan; Taback; Technologies; WindowsMedia; Worldwide Marketing)

Word Count: 1210

**End of Document** 

© 2015 Thomson Reuters. No claim to original U.S. Government Works.





MICROSOFT: Microsoft and Diamond Multimedia showcase Rio player in live demonstration of Windows Media ....... 2



MICROSOFT: Microsoft and Diamond Multimedia showcase Rio player in live demonstration of Windows Media

722 words
16 November 1999
M2 PRESSWIRE
MTPW
English
(c) 1999 M2 Communications, Ltd. All Rights Reserved.

\* Rio Player's Support for Windows Media and Digital Rights Management Technology Highlighted at Webnoize

LOS ANGELES -- Microsoft Corp. (Nasdaq "MSFT") and Diamond Multimedia Inc., a division of S3 Inc. (Nasdaq "SIII"), today showcased at Webnoize the first live demonstration of Microsoft Windows Media Technologies 4 on a Secure Digital Music Initiative (SDMI)-capable portable music device. The third-generation Rio players will support Windows Media and Windows Media Digital Rights Management (DRM). This marks a significant step toward the mainstream adoption of secure digital media devices and software by consumers.

The Rio player and Windows Media deliver CD-quality audio from music files half the size of MP3 files. As a result, Rio users will be able to store twice the amount of CD-quality music compared to MP3 without adding extra memory. For the music industry, Windows Media features DRM technology, which provides a secure format for protected distribution of music over the Internet or between PCs and portable devices.

"The success of our Rio players has helped fuel the growth of music online," said Mike Reed, director of marketing for Diamond Multimedia. "This rapid growth will continue with music from top artists once labels are able to protect digital music from piracy. Microsoft and Diamond Multimedia have taken a leadership role in enabling protected music with Windows Media format, Digital Rights Management technology and the third-generation Rio players."

The third-generation Rio player will include software with built-in support for Windows Media Device Manager technology. This new Windows Media technology, combined with Microsoft DRM technology, allows secure Windows Media-based music files downloaded from the Internet to be transferred to a Rio player while preventing replication of the music to other PCs and media storage. Once the customer obtains the rights to the music, the use and transfer of that music is limited to his or her personal use.

"The third-generation Rio player is the first SDMI-capable device using Windows Media ever demonstrated, setting it apart from other players of its kind," said Anthony Bay, vice president, Streaming Media Division at Microsoft. "Coupled with Diamond's proven history of developing wildly popular players such as the Rio PMP 300 and the Rio Page 2 of 4 © 2015 Factiva, Inc. All rights reserved.

500, the third-generation Rio players are an obvious choice for demonstrating the secure capabilities of Windows Media."

Microsoft and S3's Diamond Multimedia will continue to showcase this new functionality this week in Los Angeles at Webnoize and in Las Vegas at COMDEX/Fall '99.

About Windows Media Technologies

Windows Media Technologies is the leading digital media platform and provides consumers, content providers, solution providers, software developers and corporations with unmatched audio and video quality. Windows Media Technologies 4, which includes Windows Media Player, Windows Media Services, Windows Media Tools and the Windows Media SDK, is available for free\* download at <a href="http://www.microsoft.com/windows/windowsmedia/">http://www.microsoft.com/windows/windowsmedia/</a>. More than 50 million copies of the free\* Windows Media Player have been downloaded to date --growing by more than one every second.

About Diamond Multimedia

Recently acquired by S3 Incorporated, Diamond Multimedia has been the leader in digital music players and home networking since its introduction of the Rio player in November 1998 and the HomeFree product line in January 1999.

About S3

Building on the technology, distribution and brand strengths of its Communications, Multimedia and Professional Graphics divisions, S3 is committed to delivering targeted products for the personal computer and consumer/Internet appliance markets. Rounding out its PC silicon offerings, S3's recent acquisition of Diamond Multimedia adds consumer brands such as the Viper and Stealth series of graphics accelerators, Rio series of Internet audio appliances, the Supra series of modems and the HomeFree line of home networking products.

**About Microsoft** 

Founded in 1975, Microsoft is the worldwide leader in software for personal and business computing. The company offers a wide range of products and services designed to empower people through great software -any time, any place and on any device. Note to editors: If you are interested in viewing additional information on Microsoft, please visit the Microsoft Web page at

http://www.microsoft.com/presspass/

on

Microsoft's corporate information pages.

\*M2 COMMUNICATIONS DISCLAIMS ALL LIABILITY FOR INFORMATION PROVIDED WITHIN M2 PRESSWIRE. DATA SUPPLIED BY NAMED PARTY/PARTIES.\*


Document mtpw000020010828dvbg01cd9

Page 3 of 4 © 2015 Factiva, Inc. All rights reserved.

### **Search Summary**

| Text          | "Microsoft and Diamond Multimedia Showcase" |
|---------------|---|
| Date          | All Dates                                   |
| Source        | All Sources                                 |
| Author        | All Authors                                 |
| Company       | All Companies                               |
| Subject       | All Subjects                                |
| Industry      | All Industries                              |
| Region        | All Regions                                 |
| Language      | English                                     |
| Results Found | 1   |
| Timestamp     | 23 April 2015 10:23                         |

Page 4 of 4 © 2015 Factiva, Inc. All rights reserved.



### ASCAP Since 1914 the Leader in Music Licensing

ASCAP licenses the right to perform songs and musical works created and owned by songwriters, composers, lyricists and music publishers who are ASCAP members and members of foreign performing rights organizations who are represented by ASCAP in the United States. It is impossible for individual composers and publishers to monitor the hundreds of thousands of businesses that use music. It would be equally difficult, time consuming and expensive for business owners to locate and negotiate with all the owners of the music that might be used. There is a simple, fast and reasonably priced alternative. Through ASCAP, in one simple transaction. businesses can obtain the right to perform the millions of songs created or owned by more than 80,000 of America's and hundreds of thousands of the world's best songwriters, composers, lyricists and publishers. Founded in 1914, and still owned by and managed for its writer and publisher members, ASCAP grants businesses the permission they need to perform music publicly. The money collected is distributed, after deducting operating costs (approximately 16.5%), directly to ASCAP members and to affiliated foreign performing rights organizations for their members.

Music is a vital part of the total service businesses offer to customers. ASCAP's licensees recognize that using music benefits their businesses because music, like other amenities or products, pays off in heightened customer satisfaction, increased profits, and improved employee morale and productivity.

Tens of thousands of businesses find the ASCAP license the most convenient and economical way to gain access to the bulk of America's finest music. ASCAP's customers include major television networks, local television and, radio stations, cable and satellite networks and systems, public broadcasters, internet web sites colleges and universities, night clubs, taverns and restaurants, background music services, fitness and health clubs, private clubs, hotels, conventions and trade shows, concert presenters, dance halls, shopping centers and malls, theme and amusement parks, airlines, skating rinks, retail stores, and music users in a

wide variety of other industries. There are over one hundred different ASCAP rate schedules covering almost all businesses that perform music. **See the complete list of ASCAP license types** on this website. The fees for similar businesses with the same type of usage are the same, but the fees vary among the different industries. For example, a local radio station will pay a lower fee than a television network; a neighborhood tavern pays much less than a Las Vegas hotel.

### WHAT ASCAP LICENSES

You drive to work with the radio on, listening to music carefully chosen by a radio station to keep you tuned in for the ads it sells;

Theme music identifies your favorite television program and background music stimulates your reaction to car chases and love scenes, medical emergencies and family reconciliations;

The music tempo is used to influence your buying decisions at the supermarket, clothing or other store;

At a nightclub, music creates that party atmosphere;

Music on hold makes the time you are on hold pass more quickly and pleasantly;

Have you ever been at a restaurant and wondered why it was so uncomfortable only to later realize it was because you thought everyone could overhear your conversation? Music surrounds you, creating the privacy you desire.

Music sets the mood and helps emphasize a corporation's message at company events on or off premises such as management conferences, sales meetings and training seminars. Imagine a company picnic, holiday or retirement party without music.

Those are all public performances. Business owners recognize that because music so strongly affects people, it can also help make their business successful. And, like other products, music is not free.

Whenever music is performed publicly the songwriter and music publisher, who created and own that music, have the right to grant or deny permission to use their property and to receive compensation for that use.

### WHAT ASCAP DOES NOT LICENSE

ASCAP **does not** license **"dramatic"** rights, sometimes called "grand" rights. ASCAP members who write musical plays, operas or ballet scores deal directly with those who want to perform their works "dramatically." The ASCAP license **does** authorize non-dramatic performances of songs from dramatic productions. For example, our bar/nightclub license authorizes a piano-bar

performance of an individual song from a Broadway show.

ASCAP **does not** license the **right to record** music on a CD or tape or as part of a multi-media or an audio-visual work such as a motion picture, video or television program. Those rights, known in the music industry as mechanical and synchronization(or "synch") rights, are licensed by writers or publishers.

ASCAP **does not** license the **right to print** copies of musical works, nor does it license rights to make adaptations or arrangements.

ASCAP **does not** license rights for recording artists, musicians, singers or record labels. However, **artists or musicians who are songwriters can become ASCAP members.** ASCAP licenses the performance rights for the music of ASCAP members.

### **ASCAP Licensing**

ASCAP HOME | PLAYBACK MAGAZINE | ART & COMMERCE | MEMBERSHIP ASCAP'S ACE ON THE WEB | LICENSING | LEGISLATIVE | NEWS SEARCH ASCAP | SITE GUIDE

Copyright 1999-2000 ASCAP | Privacy Policy | http://www.ascap.com | info@ascap.com Reproduction or use of editorial or pictorial content in any manner is strictly prohibited without express written permission from ASCAP.



### Frequently Asked Questions About Licensing

ABOUT LICENSING ... BROADCAST ... RADIO ... TELEVISION ... GENERAL

### **QUESTIONS ABOUT LICENSING**

- 1. Why should I pay for playing music in public?
- 2.
- 3.
- 1. Music is property that belongs to those who create or publish it. We often use the expression "they're playing my song," not always remembering that while we may have emotionally adopted the song, it is still legally belongs to the songwriter who created it, and the music publisher who markets it. When you use other people's property, you need to ask permission.

Writers and publishers earn their living from commercial uses of their songs. Payment they receive from "**public performances**" is their primary source of income. If they were not paid, they would have to look for other work and the world would be deprived of great and new music.

### 2. What is a public performance?

- 3.
- 4.
- 5. A **public performance** is one that occurs either in a public place or any place where people gather (other than a small circle of a family or its social acquaintances.) A public performance is also one that is transmitted to the public by, for example, radio or television, music-onhold, cable television or over the Internet.

Generally, those who publicly perform music obtain permission from the owner of the music or his representative. However, there are a few limited exceptions, (called "exemptions") to this rule. Permission is not required for music played or sung as part of a worship service unless

that service is transmitted beyond where it takes place (for example, a radio or television broadcast). Performances as part of face to face teaching activity at a non-profit educational institutions are also exempt.

We recommend that you **contact your local ASCAP representative** who can discuss your needs and how ASCAP can help you.

### 6. I bought the record or sheet music. Why do I need permission to perform the music?

7.

8.

9. Copyright owners enjoy a number of different rights including performance rights, print rights and recording rights. Rental or purchase of sheet music or purchase of records does not authorize its public performance.

### 10. I want to record or videotape a song or record. Do I need permission, and how do I obtain it?

11.

12.

13. **ASCAP does not license recording rights.** If you want to make copies of, or re-record an existing record, tape or CD, you will probably need the permission of both the music publisher and the record label. A music publisher owns the song (that is, the words and music) and a record company owns the "sound recording" (that is, what you hear .. the artist singing, the musicians playing, the entire production).

If you plan to hire your own musicians and singers and create an original recording of a copyrighted song, then you need the permission of only the music publisher.

Recording rights for most publishers are represented by the Harry Fox Agency:

Harry Fox Agency, Inc. 711 Third Avenue New York, N.Y. 10017 Tel: (212) 370-5330 Fax: (212) 953-2384

http://www.nmpa.org/hfa.html

The name and address of the record company should appear on the record label. The Recording Industry Association of America, a trade organization for record labels, can provide you with more information on the rights of record labels.

Recording Industry Association of America (RIAA) 1020 19th St. NW, Suite 200 Washington, D.C. 20036 Tel: (202) 775-0101

Fax: (202) 775-7253 http://www.riaa.com

### 14. Where does the money go?

15.

16.

17. Quite simply, to our members. All the fees we collect are distributed as royalties, after deducting operating expenses (approximately 16.5%).

Information on the distribution systems is available in the Membership area.

18.

### 19. What songs are in the ASCAP repertory?

20.

21.

22. ASCAP represents works of all genres from all over the world. Check out **ACE (ASCAP Clearance Express)**, ASCAP's searchable database of performed works, and writer, publisher and recording artist information.

**TOP** 

### **ASCAP BROADCAST LICENSING**

1.

### 2. What does the ASCAP Radio or Television License give you?

3.

- 4. Access to every variety of music you need to attract and entertain your listeners.
  - The immediate right to perform great new music written or published by our members.
  - Access to perform music in the repertories of nearly 60 affiliated foreign societies.
  - The right to perform music in commercials and jingles.
  - An indemnity if a claim for infringement is made against you, your staff or your advertisers based on the performance of our member's works.
  - A fee that has not increased in 11 years, even though the ASCAP repertory has grown.

5.

## 6. What doesn't the ASCAP broadcast license do?

7.

8.

- The ASCAP license does not provide the right to authorize retransmissions of broadcasts of ASCAP music over loudspeakers in stores, restaurants or other locations open to the public, or by means of music-on-hold systems.
  - The ASCAP license does not provide the right to record copyrighted music, or change the lyric of a copyrighted work and use it in a commercial jingle or station promotion. These are known as "mechanical" and "synchronization" rights and you should deal directly with the copyright owners for permission to record music or change a song. You may also want to contact the Harry Fox Agency at (212) 370-5330.

**TOP** 

#### ASCAP RADIO LICENSING

1.

2. How are radio fees determined?

3.

- 4. ASCAP's license fees for radio are the product of negotiations between ASCAP and an industry-wide committee, the Radio Music License Committee (RMLC), which is appointed by the National Association of Broadcasters. All the of the Committee's members are broadcasters, and represent the entire spectrum of the radio industry. While a court is available to determine fees if necessary, over the years ASCAP and the committee have always been able to agree on license fees and terms.
- 5.
- 6. What is the term of the radio license?

7.

- 8. ASCAP and the current RMLC-negotiated license agreements cover the period January 1, 1996 through December 31, 2000.
- 9.
- 10. What is the cost of an ASCAP radio license?
- 11.
- 12. ASCAP offers two types of license agreements for **commercial radio stations**.

The **Blanket License** is intended for stations which broadcast music frequently. The annual fee is a percentage of the station's annual

revenues and is billed monthly. The rate for 1996 through 2000 is 1.615% for stations that have annual gross revenue over \$150,000 or a minimum of 1% of adjusted gross income. For stations that bill less than \$150,000 there is a flat fee schedule:

| > 50,000          | \$ 450 |
|-------------------|--------|
| 50,0001 - 75,000  | 800    |
| 75,001 - 100,000  | 1,150  |
| 100,001 - 125,000 | 1,450  |
| 125,001 - 150,000 | 1,800  |

The **Per Program License** is primarily used by stations that use less copyrighted music, such as those with News/Talk formats. Under this license a station pays a base fee which covers incidental uses of music (such as jingles, themes, background music or signatures), plus an additional fee for "feature" music uses.

The base fee is .24% of Adjusted Gross Revenue. (Adjusted Gross Revenue is gross revenue less certain deductions such as Advertising Agency Commissions, Bad Debts or Net Revenue for Political Broadcasts.) The additional fee for "feature" uses has two components: a rate of 4.22% applies to a station's first 10% of weighted hours subject to fee up to a maximum of 400 hours. (A weighted hour is the time of broadcast weighted for the time period. For example, programs broadcast during weekday mornings have a greater weight than programs broadcast during the weekends.) The rate for all additional hours that are subject to fee is 2.135%.

Overall, under the new terms, stations who use ASCAP music in up to 55% of their programs schedule will pay a lower fee on the per program license than on a blanket agreement.

**Noncommercial radio stations** pay an annual fee determined by the U.S. Copyright Office. Contact your ASCAP representative for this year's rate.

**TOP** 

### ASCAP TELEVISION LICENSING

- 1.
- 2. How does ASCAP license broadcast television?
- 3.
- 4. ASCAP licenses several elements of the broadcast TV industry including the three major networks (ABC, CBS, NBC), the approximately 1,000 local commercial television stations, the Public Broadcasting System (PBS) and will soon offer a license to low power television (LPTV)

stations.

5.

## 6. How are the networks and PBS licensed?

7.

8. Each of the networks have negotiated **blanket** license agreements with ASCAP.

9.

## 10. How are local television stations licensed?

11.

12. The local stations may choose between two license types -- Blanket or Per Program. Both licenses give the user full access to the ASCAP repertory. However, the Per Program License requires the licensee to report to us the music content of all of its local and syndicated programs (non-network) on a monthly basis, and the fee is based in part on that report.

**13.** 

## 14. How are fees calculated?

15.

An industry-wide flat dollar annual fee has been negotiated between ASCAP and the Television Music License Committee, which is made up of representatives from local television stations. The industry wide fee is adjusted annually based upon the number of licensed stations in the country and changes in the Consumer Price Index. The industry wide fee is then allocated among individual stations, in accordance with a methodology devised by the Committee (and approved by a federal court) to produce each station's annual blanket license fee.

There are two steps to the Committee's allocation formula. First, the industry wide fee is divided among all the television or "ADI" (Areas of Dominant Influence) markets across the country. For example, Omaha is a market; Dallas-Fort Worth is a market. The share of the total for each market is weighted according to size. The Dallas-Fort Worth market is weighted higher than Omaha, for instance, because Dallas-Fort Worth has more stations and more viewers. The result is that total fees paid by all of the stations in the Dallas market are greater than total fees paid by all of the stations in the Omaha market.

Once the total fee for a market has been calculated, it is allocated to the individual stations in that market. This allocation is based on verified household ratings: that is, how many people watch each station. A highly rated station in a market will therefore pay a greater fee than a station with a low rating. And, overall, a highly rated station in a large market will have a higher blanket fee than a highly rated station in a small market.

**17.** 

## 18. How is the Per Program fee different than the Blanket fee?

19.

20. All stations electing the Per Program license use their allocated **blanket fee** as a part of the calculation of their monthly Per Program fee. Each per program licensee reports the music content and the advertising revenue associated with each of its local and syndicated programs on a monthly basis. The station's monthly per program fee is determined in part by the amount of ASCAP music in those programs and the amount of revenue generated by those programs for the station. The per program fee also includes an "incidental use" component which is 15% of the station's allocated blanket fee. Monthly per program reports must be submitted electronically. No paper reports are accepted.

Can a station switch from one license to the other?

- Stations can switch license types twice in a calendar year, so the numbers vary from month to month. Generally, about 12 % of the local television industry has chosen the per program option.
- What reporting requirements are there for blanket licensees?
  - None. Stations operating under the blanket license do not have to submit reports to ASCAP in order to determine their fee because the fee is not based upon actual usage.
- How do I know which of the two licenses is right for my station?
  - Call an ASCAP broadcast licensing representative toll free at 1-800-99-ASCAP. We will be happy to explain in greater detail the options available to you. Each station should choose the license most advantageous for its needs.

**TOP** 

## **ASCAP GENERAL LICENSING**

3.

- 1. 2. I'm interested in playing music in my restaurant or other business. I know that I need permission for live performances. Do I need permission if I am using only CD's, records, tapes, videos?
- 4. Yes, you will need permission to play CD's, records, tapes or videos in your
- establishment.

A representative will get in touch with you.

**5**.

## 6. Do I need permission to use radio or TV in my establishment?

7.

8. ASCAP's licenses with radio and television stations and cable and satellite services do not cover their performances in public establishments. Whether you need permission for radio and television transmissions in your business usually depends on the size of your business, the number of speakers used, the number of televisions used (and their screen size), whether the reception is further transmitted, whether there is an admission or other charge and whether the original transmission is properly licensed.

Two types of music users do not require licenses for radio and TV reception: **a food service or drinking establishment** (defined as "a restaurant, inn, bar, tavern, or any other similar place of business in which the public or patrons assemble for the primary purpose of being served food or drink, in which the majority of the gross square feet of space that is nonresidential is used for that purpose, and in which non-dramatic musical works are performed publicly") and an **other establishment** (defined as "a store, shop, or any similar place of business open to the general public for the primary purpose of selling goods or services in which the majority of the gross square feet of space that is nonresidential is used for that purpose, and in which non-dramatic musical works are performed publicly").

A food service or drinking establishment is eligible for the exemption if it (1) has less than 3750 gross square feet of space (in measuring the space, the amount of space used for customer parking only is always excludable); or (2) has 3750 gross square feet of space or more and (a) uses no more than 6 loudspeakers of which not more than 4 loudspeakers are located in any 1 room or adjoining outdoor space; and (b) if television sets are used, there are no more than 4 televisions, of which not more than 1 is located in any 1 room and none has a diagonal screen size greater than 55 inches.

**An other establishment** is eligible for the exemption if it (1) has less than 2000 gross square feet of space; or (2) has 2000 or more gross square feet of space and satisfies the same loudspeaker and television set requirements as for food service or drinking establishments. Your ASCAP licensing manager can discuss your needs and advise how ASCAP can help you.

You may also wish to consult your own attorney if you have questions about this or other exemptions under the Copyright Law.

9.

## 10. How much will it cost to obtain an ASCAP license to perform music?

11.

12. The annual rate depends on the type of business. Generally, rates are based on the manner in which music is performed (live, recorded or audio/visual) and the size of the establishment or potential audience for the music. For example, rate factors for restaurants, nightclubs, bars and similar establishments include whether the music is live or recorded, audio only or audio visual, the seating capacity of the bar or restaurant, the number of nights per week music is offered, the number of musicians, whether admission is charged, etc.

Concert rates are based on the seating capacity of the facility and the highest ticket price. Rates for music used by corporations ("Music In Business") are based upon the number of employees. Retail store rates depend on the number of speakers; hotel rates are based on a percentage of entertainment expenses and an additional charge for recorded music .

Because ASCAP has over one hundred different licenses and rate schedules, one will likely fit your needs. ASCAP operates under the principle that similarly situated licensees should be treated similarly. This assures fairness and consistency in our licensing. For example, rates for restaurants of the same size, with the same use of music are the same regardless of whether the restaurant is in Oshkosh or New York City.

- **13.**
- 14. I want to use music-on-hold in my business. Do I need permission?
- 15.
- 16. Yes. When you place a caller on hold and transmit music via your telephone lines, that is a **public performance** of the music. It is your responsibility to obtain permission to perform ASCAP songs from ASCAP or directly from the copyright owner.
- **17.**
- 18. Do I need permission to perform music as part of a presentation in class or at a training seminar?
- 19.
- 20. If the performance is part of face to face teaching activity at a non-profit educational institution, permission is not required. Permission is required when music is used as part of training seminars, conventions, speeches or other commercial presentations.

**TOP** 

### **ASCAP Licensing**

ASCAP HOME | PLAYBACK MAGAZINE | ART & COMMERCE | MEMBERSHIP ASCAP'S ACE ON THE WEB | LICENSING | LEGISLATIVE | NEWS SEARCH ASCAP | SITE GUIDE

Copyright 1999-2000 ASCAP | Privacy Policy | http://www.ascap.com | info@ascap.com Reproduction or use of editorial or pictorial content in any manner is strictly prohibited without express written permission from ASCAP.







## **Performing-Right Payments**

One of the greatest sources of long- and short-term income for songwriters and publishers is the money in royalty payments received from performing rights societies around the world. Of the \$2-billion-plus generated worldwide each year, the U.S. organizations account for approximately \$900 million in collections, with writer- and publisher-owned ASCAP accounting for 55% of the total. These organizations negotiate license-fee agreements with the users of music (radio and TV stations, cable stations, concert halls, wired music services, airlines, etc.), which give the user the right to perform the music and lyrics of any member of these organizations. The license fees collected are then distributed to the writers and publishers whose works are performed in these various areas. This *performing right* is one of the most important rights granted by a country's copyright laws. It's based on the concept that a writer's creation is a *property right* and that a license must be acquired by *any* user of music in order for that user to perform a copyrighted musical work.

In the United States, the primary types of music use which generate performance royalties are feature performances (a visual vocal or visual instrumental on TV, a radio performance of a song, etc.), background music on television series, specials, movies of the week and feature films, theme songs to TV series, TV logos and promos, advertising jingles, and copyrighted arrangements of public-domain compositions. The value of each type of music use varies depending on which performing-right organization the writer and publisher belong to. Complicating matters further is the fact that two of the three organizations (ASCAP being the exception) change their payment rules without notice to their writers and publishers. Considering these numerous variables and nuances, it should be obvious that knowledge of the U.S. rules is absolutely essential for any creator, representative, or publisher.

The financial importance of the performing-rights area cannot be overemphasized -- the fact is, a fortune can be made from a single composition. For example, in just a few years, the #1 song of the year can generate a \$2-million writer and publisher payout, a successful TV series theme song can generate numbers in excess of \$1.5 million over a 10-year period, and the background score of a top box-office film can generate well over \$2 million in performance income during its copyright life. Although most writers never achieve this level of success, it's helpful to know what is possible at the top end.

...CD, Tape and Record Sales

... <u>Intro</u> | Performing-Right Payments | <u>CD, Tape and Record Sales</u> | <u>Controlled Composition Clauses</u>...
... <u>Television</u> | <u>Motion Pictures</u> | <u>Home Video</u> | <u>Commercials</u> | <u>Broadway Musicals</u> ...
... <u>Recording Artist Royalties</u> | <u>Foreign Country Royalties</u> | <u>Finally</u>...

## **Art and Commerce**

ASCAP HOME | PLAYBACK MAGAZINE | ART & COMMERCE | MEMBERSHIP ASCAP'S ACE ON THE WEB | LICENSING | LEGISLATIVE | NEWS SEARCH ASCAP | SITE GUIDE

Copyright 1999 ASCAP | http://www.ascap.com | info@ascap.com | Reproduction or use of editorial or pictorial content in any manner is strictly prohibited without express written permission from ASCAP.



## United States Patent 1191

#### Monteiro et al.

[11] Patent Number:

5,778,187

Date of Patent:

Jul. 7, 1998

| [54] | MULTICASTING | METHOD AND | , |
|------|--------------|------------|---|
|      | APPARATUS    |            |   |
|      |              |            |   |

[75] Inventors: Antonio M. Monteiro: James F. Butterworth, both of New York, N.Y.

[73] Assignee: Netcast Communications Corp., New York, N.Y.

[21] Appl. No.: 644,072

May 9, 1996 [22] Filed:

395/200.61; 348/7. 10. 12, 16, 17; 370/351.

[56] References Cited

#### U.S. PATENT DOCUMENTS

| 5,105,184 | 4/1992  | Pirani et al 345/115     |
|-----------|---------|--------------------------|
| 5,220,501 | 6/1993  | Lawlor et al             |
| 5,283,731 | 2/1994  | Lalonde et al            |
| 5,305,195 | 4/1994  | Murphy 364/401           |
| 5.319,455 | 6/1994  |                          |
| 5.347.632 | 9/1994  | Filepp et al 395/200     |
| 5.361.256 | 11/1994 | Doeringer et al 370/60   |
| 5,414,773 | 5/1995  | Handelman                |
| 5,446,919 | 8/1995  | Wilkins                  |
| 5.493.514 | 2/1996  | Keith et al              |
| 5.604.542 | 2/1997  | Dedrick                  |
| 5,617,565 | 4/1997  | Augenbraun et al 395/604 |
|           |         | 6.2 06 06                |

#### OTHER PUBLICATIONS

K. Savetz et al. MBONE Multicasting Tomorrow's Internet (IDG Books WorldWise Inc., 1996), Chapters 1-3; Appendixes A and B.

D.P. Brutzman et al., "MBONE Provides Audio and Video Across the Internet," IEEE Computer. vol. 27. No. 4, pp. 30-36 (Apr. 1994).


PCT International Search Report, International Application No. PCT/US97/07893.

Primary Examiner-Emanuel Todd Voeltz Assistant Examiner-Thomas Peeso Attorney, Agent, or Firm-Pennie & Edmonds LLP

#### ABSTRACT


A scalable architecture is disclosed for delivery of real-time information over a communications network. Embedded into the architecture is a control mechanism that provides for the management and administration of users who are to receive the real-time information. In the preferred embodiment, the information being delivered is high-quality audio. However, it could also be video, graphics, text or any other type of information that can be transmitted over a digital network. Preferably, there are multiple channels of information available simultaneously to be delivered to users, each channel consisting of an independent stream of information. A user chooses to tune in or tune out a particular channel, but does not choose the time at which the channel distributes its information. Advantageously, interactive (two-way) information can be incorporated into the system. multiple streams of information can be integrated for delivery to a user, and certain portions of the information being delivered can be tailored to the individual user.

#### 51 Claims, 23 Drawing Sheets



U.S. Patent


#### FIGURE 1



U.S. Patent

Sheet 2 of 23

#### FIGURE 2



Sheet 3 of 23

Jul. 7, 1998

FIGURE 3






FIGURE 4

Jul. 7, 1998



Sheet 5 of 23

FIGURE 5




|                       |  |                |                      |                      |  |                              |                        |                       | ·  |          |
|-----------------------|--|----------------|----------------------|----------------------|--|------------------------------|------------------------|-----------------------|--|----------|
| ADMINISTRATION SERVER |  | 3              | CHECK VERSION NUMBER |                      | VERIFY INFORMATION CHECK NAME IS UNIQUE GENERATE SECURITY TOKEN UPDATE USER DATABASE |                              | RETRIEVE CHANNEL GUIDE |                       |  |          |
|                       | OPEN TCP CONNECTION  | VERSION OBJECT | VERSION OBJECT       | USER OBJECT          | RESULT MESSAGE OBJECT  | CHANNEL GUIDE REQUEST OBJECT | CHANNEL GUIDE OBJECT   | CLOSE TCP CONNECTION  |  | FIGURE 6 |
| USER                  | INSTALL SOFTWARE FILL OUT FORM ENTER NAME & PASSWORD SELECT SUBMIT |                |                      | CHECK VERSION NUMBER |  | SAVE SECURITY TOKEN          |                        | DISPLAY CHANNEL GUIDE | ne ormanie versie v |          |

FIGURE 7

| ADMINISTRATION SERVER |                       |                | CHECK VERSION NUMBER |                      | QUERY USER DATABASE<br>RETRIEVE SECURITY TOKEN |                              | RETRIEVE CHANNEL GUIDE |                       |  |
|-----------------------|-----------------------|----------------|----------------------|----------------------|--|------------------------------|------------------------|-----------------------|--|
|                       | OPEN TCP CONNECTION   | VERSION OBJECT | VERSION OBJECT       | LOGIN INFO OBJECT    | RESULT MESSAGE OBJECT                          | CHANNEL GUIDE REQUEST OBJECT | CHANNEL GUIDE OBJECT   | CLOSE TCP CONNECTION  |  |
| USER                  | ENTER NAME & PASSWORD |                |                      | CHECK VERSION NUMBER |  | SAVE SECURITY TOKEN          |                        | DISPLAY CHANNEL GUIDE |  |


53

#### FIGURE BA



#### FIGURE 8B

Jul. 7, 1998







FIGURE 8C





## FIGURE 9B

(SHOWN ABOVE)

| REQUEST FROM   | REQUEST TO     | VALIDATION WITH          |
|----------------|----------------|--------------------------|
| USER           | CONTROL SERVER | ADMINISTRATION<br>SERVER |
| USER           | MEDIA SERVER   | CONTROL SERVER           |
| MEDIA SERVER   | MEDIA SERVER   | CONTROL SERVER           |
| MEDIA SERVER   | PRIMARY SERVER | ADMINISTRATION<br>SERVER |
| MEDIA SERVER   | CONTROL SERVER | ADMINISTRATION<br>SERVER |
| CONTROL SERVER | MEDIA SERVER   | ADMINISTRATION<br>SERVER |

FIGURE 10





60






FIGURE 12

#### FIGURE 13



Jul. 7, 1998







FIGURE 15






FIGURE 16B





FIGURE 17

FIG. 18

Jul. 7, 1998

MAIN USER SCREEN



5,778,187

Figure 19 Key Pull-Down Menus on Main User Screen

| File     | Edit       | Audio |
|----------|------------|-------|
| Login    | Сору       | Play  |
| Logout   |            | _     |
| <b>Y</b> | Properties | Stop  |
| Register |            | Mute  |
| Close    |            |       |
|          |            |       |
| Exit     |            |       |
|          |            |       |
|          |            |       |
|          |            |       |
|          |            |       |

View
Help
Tool Bar
Help Topics
Status Bar
About...

# MULTICASTING METHOD AND APPARATUS

#### FIELD OF THE INVENTION

This relates to a method and apparatus for providing audio and/or visual communication services, in real-time to a multiplicity of identifiable users on a communications network, such as the Internet. In a preferred embodiment, the invention monitors which users are receiving signals on which one of a plurality of channels and modifies the content of at least some signals in response thereto. A particular application is to provide services akin to multi-channel radio or television with commercial programming content adjusted in accordance with the identity of the individual user.

#### BACKGROUND OF THE INVENTION

Systems such as the Internet typically are pointto-point (or unicast) systems in which a message is converted into a series of addressed packets which are routed from a source node through a plurality of routers to a destination node. In most communication protocols the packet includes a header which contains the addresses of the source and the destination nodes as well as a sequence number which specifies the packet's order in the message.

In general, these systems do not have the capability of broadcasting a message from a source node to all the other nodes in the network because such a capability is rarely of much use and could easily overload the network. However, there are situations where it is desirable for one node to 30 communicate with some subset of all the nodes. For example, multi-party conferencing capability analogous to that found in the public telephone system and broadcasting to a limited number of nodes are of considerable interest to users of packet-switched networks. To satisfy such demands. 35 packets destined for several recipients have been encapsulated in a unicast packet and forwarded from a source to a point in a network where the packets have been replicated and forwarded on to all desired recipients. This technique is known as IP Multicasting and the network over which such 40 packets are routed is referred to as the Multicast Backbone or MBONE. More recently, routers have become available which can route the multicast addresses (class D addresses) provided for in communication protocols such as TCP/IP and UDP/IP. A multicast address is essentially an address for 45 a group of host computers who have indicated their desire to participate in that group. Thus, a multicast packet can be routed from a source node through a plurality of multicast routers (or mrouters) to one or more devices receiving the multicast packets. From there the packet is distributed to all 50 system of FIG. 1. the host computers that are members of the multicast group.

These techniques have been used to provide on the Internet audio and video conferencing as well as radio-like broadcasting to groups of interested parties. See, for example, K. Savetz et al. MBONE Multicasting Tomorrow's 55 Internet (IDG Books WorldWide Inc., 1996).

Further details concerning technical aspects of multicasting may be found in the Internet documents Request for Comments (RFC) 1112 and 1458 which are reproduced at Appendices A and B of the Savetz book and in D.P. 60 Brutaman et al., "MBONE provides Audio and Video Across the Internet," *IEEE Computer*, Vol. 27, No. 4, pp. 30–36 (April 1994), all of which are incorporated herein by reference.

Citation of the foregoing documents is not to be construed 65 as an admission that any of such documents is a prior art publication relative to the present invention.

#### 2

#### SUMMARY OF THE INVENTION

The present invention is a scalable architecture for delivery of real-time information over a communications network. Embedded into the architecture is a control mechanism that provides for the management and administration of users who are to receive the real-time information.

In the preferred embodiment, the information being delivered is high-quality audio. However, it could also be video, graphics, text or any other type of information that can be transmitted over a digital network. This information is delivered in real-time to any number of widely distributed users. It is real-time in that for a given channel of information, approximately the same information is being sent at approximately the same time to everyone who is enabled to receive the information.

Preferably, there are multiple channels of information available simultaneously to be delivered to users, each channel consisting of an independent stream of information.

20 A user chooses to tune in or tune out a particular channel, but does not choose the time at which the channel distributes its information. Advantageously, interactive (two-way) information can be incorporated into the system, multiple streams of information can be integrated for delivery to a user, and certain portions of the information being delivered can be tailored to the individual user.

#### BRIEF DESCRIPTION OF THE DRAWINGS

These and other objects, features and advantages of our invention will be more readily apparent from the following Detailed Description of a Preferred Embodiment of our invention in which

FIG. 1 is a schematic diagram depicting an overview of the system of the present invention;

FIG. 2 is a schematic diagram depicting the network control center for the system of FIG. 1;

FIG. 3 is a schematic diagram depicting a unicast distribution structure:

FIG. 4 is a schematic diagram depicting a multicast distribution structure;

FIG. 5 is a schematic diagram depicting the connection between the media server and the user in the system of FIG. 1:

FIGS. 6, 7, 8A-8C. 9A. 9B. 10-15, 16A. 16B, 17 are timing diagrams which depict various aspects of the operation of the system of FIG. 1; and

FIGS. 18 and 19 depict the user interface for control of the system of FIG. 1.

Where the same reference numerals appear in multiple drawings, the numerals refer to the same or corresponding structure in such drawings.

# DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

Referring to FIG. 1, the system of the present invention comprises a Network Control Center 10, a plurality of Primary Servers 20, Media Servers 30, Users 40 and Control Servers 50 and an Administration Server 60. The servers are interconnected by a communications network, which in the preferred embodiment is the global connected internetwork known as the Internet. The Network Control Center 10 is the source of the information being distributed. It receives audio feeds from satellite, over the air broadcast or in other ways and processes this information for delivery over the network on multiple channels of information. This processing con-

3

sists of optionally recording the information for future broadcast and dynamically inserting paid commercial advertisements

For each channel of information, there is a Primary Server 20 that receives the stream of information from the Network 5 Control Center 10 and compresses the information stream to allow for more efficient transmission. The Primary Servers 20 are directly connected to the network.

The Primary Servers forward information via the network to a number of Media Servers 30. There may be a large number of Media Servers and in fact there may be many levels of Media Servers. For example, a Media Server which receives a stream of information from a Primary Server may forward that stream via the network to another Media Server which then forwards it to a User 40. This multilevel hierarchical structure is described in more detail below.

The topology of the Internet dictates the ideal placement of Media Servers, the fan-out of each Media Server and the number of levels of Media Servers between the Primary Server and Users. For example, the Media Servers which feed from a Primary Server might be placed at a major points of presence (POPs) of each of the large Internet service providers. These Media Servers might also be placed near clouds which serve as high bandwidth exchange points between the major carriers. Similarly, Media Servers which feed to Users might be placed on or close to networks which have a large number of subscribers to minimize the distance and number of data streams being transmitted.

Control Servers 50 are responsible for keeping track of which Users are listening to which channels and for directing the Media Servers to start and stop streams of information to those Users. The Control Servers are also responsible for handling other interactions among the various components of the system as will be described in more detail below. Each Control Server is responsible for managing a cluster of Media Servers; and each Media Server is managed by a single Control Server at any given time. As a result, the Control Servers are distributed throughout the Internet, preferably located close to the Media Servers.

The Administration Server 60 is responsible for registering new Users, authenticating Users who want to log onto the system, and maintaining audit logs for how many Users are listening to which channels and at which times. Maintaining audit logs and gathering statistics are features critical to monitoring the delivery of paid commercial messages as well as for other purposes. For example, for purposes of assessing copyright royalties, the audit logs can record the number of listeners for each musical or video selection that is distributed by the system. Another application is to determine the percentage of listeners who are interested in listening to a particular musical selection by determining how many listen to the entire selection and how many turn it off.

The system of the present invention can be considered a distribution architecture integrated with a control architecture. The distribution architecture handles scalable real-time delivery of information to any number of Users on a packet switched network, such as the Internet.

The control architecture represents a second scalable 60 system integrated with the distribution architecture for managing and administering the delivery of that information.

The remainder of this description is divided into three sections. In the next section the distribution architecture will be described in more detail. Following that, the control 65 architecture will be described. In the third section the User interface will be illustrated.

4

#### I. Distribution Architecture

The distribution architecture provides for the delivery of real-time information to any number of Users distributed throughout a network. As will be described in detail below, the distribution architecture is scalable to allow for efficient delivery of multiple simultaneous information channels in real-time to a large number of Users.

In the preferred embodiment, the information which is being distributed consists of high-quality audio in addition to other information. It should be appreciated that the basic architecture and other general principles set forth herein would also apply to the delivery of video, graphics, text or any other type of information that can be delivered over a digital network. In addition, it should be appreciated that an information stream can consist of audio with supplemental information such as text and graphic images and commands to control software running on the User's computer.

The source of information in the preferred embodiment is the Network Control Center 16. depicted in the schematic diagram of FIG. 2. Control Centers of this type of design are available from Broadcast Electronics, Inc. and are similar to what would be found in a conventional radio station serving multiple frequencies.

Referring to FIG. 2. the incoming signal can be received in a variety of ways such as from a satellite, over-the-air broadcast, cable or hard disk. It is then processed by Receiver/Decoder 110, which decodes the signal and provides an incoming audio stream. Routing Switcher 120 is responsible for routing the incoming audio feed from the Receiver to either Delay Recording Workstation 140 or to one of the Playback/Control Workstations 130. Real-time insertion of paid commercial advertising takes place at the Playback/Control Workstations and the resulting integrated audio stream is delivered to the Primary Servers. The Delay Recording Workstation is responsible for recording an incoming broadcast so that it can be played back at a later time.

Supervisory Workstation 150 is responsible for managing and controlling the Playback/Control Workstations. Delay Recording Workstations and other computers as may be connected to the local area network within the Network Control Center. Production Workstation 160 and Audio-VAULTNFS Server 170 are used to manipulate audio samples, such as commercial messages for use by the Playback/Control Workstations. The audio being delivered can consist of syndicated TV or radio programs, such as would be received over satellite or cable and delivered as described above. These can be delivered live and/or played back at a later time. It is also possible for the delivery of information, such as music, to take place from information that is all stored locally such as on a hard disk. A new play list and its associated music data can then be downloaded periodically to update the channel. Additionally, it is possible to deliver commercial-free programming, for example public service announcements or label-specific music.

In the preferred embodiment the Primary Servers are responsible for compressing the audio stream using an advanced perceptual technique developed and licensed by AT&T Corp. and Lucent Technologies. Inc. This highly sophisticated algorithm is used to maximize the benefit of the bandwidth available. Advantageously, two bitrates are available, a first rate of approximately 20Kbps and a second rate of approximately 56Kbps. Using the perceptual technique, the quality of the first rate is similar to FM monaural (with a sampling rate of approximately 22,000 16-bit samples per second) and the second rate is close to

CD quality stereo (with a sampling rate of approximately 32.000 16-bit samples in stereo each second). The signals at the two different bitrates comprise two different audio channels and thus require two different compression processes.

The computational requirements of compressing an audio stream in real time using techniques such as the advanced perceptual technique are approximately 100% of a Pentium-Pro 200Mhz computer and the computational requirements of decompressing an audio stream in real time are approximately 30% of a Pentium 75Mhz computer. Future improvements and/or changes to the algorithm could significantly change these requirements. For the present, a dedicated computer is required within the Primary Server to compress the audio stream. The decompression process takes place on end Users' computers and preferably would use only a portion of the computers to be used for other tasks while they are processing the audio stream.

It is important to appreciate that the compression and decompression techniques employed by the present invention are not critical to the overall operation of the system and the advantages obtained therefrom could be obtained with other compression methodologies. Advantageously, the identity of the compression technique used can be encoded into the audio stream in the packet header. This makes it possible to identify to the receiver the nature of the decompression algorithm to use; and thereby make it possible for the computer within the Primary Server to select an optimum compression algorithm depending on the nature of the audio stream to be compressed.

The remainder of the distribution architecture comprises the multilevel hierarchy of data transmission originating at the Primary Server 20 and terminating at the Users 40 as shown in FIG. 3. In the preferred embodiment, the network is the global connected Internet. It can also include private networks which are connected to the Internet and it could be implemented on any packet switched network, cablemodem-based or satellite-based cable system. It is possible that certain links within the overall system, for example, the link between the Primary Server and the first level of Media Servers, are private data links which carry only data associated with this system. This could also be true of other data transmission paths in the distribution architecture. The User receiving the information preferably can be anyone who has access to the Internet with sufficient bandwidth to receive the resulting audio data.

It should be appreciated that the distribution architecture of the present invention provides for scalability. Using such a structure, any number of Users, and as widely distributed as necessary, can be accommodated. In the preferred embodiment, the fan-out at each level of Media Server (given the state of technology today) is on the order of ten, but the same structure could be applied with other fan-outs. The location and fan-out of the Media Servers is chosen to minimize overall network bandwidth consumed.

The flow of information from Primary Server 20 through network to User 40 is based on the delivery of a continuous sequence of individual pieces of information or packets. Thus the distribution architecture implements a form of multicast packet delivery to a group. The group in this case is the set of all Users who are listening to a given channel at a given time. Group membership is dynamic. Users can start and stop listening to a channel at any time.

Multicasting can be implemented in a variety of ways, any 65 or all of which can be used in the present invention. In the preferred embodiment, the Media Servers receive unicast

6

packet streams and they then duplicate these streams into more unicast streams to other Media Servers which are in the membership group for that stream. The lowest level Media Servers use hardware broadcast, multicast and/or unicast to reach all Users served by that Media Server.

If the Media Server is directly connected to the same physical network as the User, hardware broadcast or multicast can be used to transmit the packet stream to all Users listening at that time on that network. In this case the Media Servers can translate the incoming packets into broadcast or multicast packets for transmission on the local network. Only a single packet is transmitted at-a-time on the local network and any computer directly connected to the local network can receive that packet. Hardware multicast is built into most networks and it is lower in overall overhead than hardware broadcast since computers not interested in a transmission do not have to process the packets. In the case that a Media Server is serving a User who is not on the same physical network, a unicast transmission is used to reach that User, which requires a separate packet transmission for each User so connected. In the preferred embodiment, the assignment of Users to Media Servers is done using control transactions among the User 40, Control Servers 50, and Administration Server 60. This system will be described more fully in the following section. Multicasting can also be implemented within the Internet at the IP level using IP class D addresses and the IGMP group control protocol. FIG. 4 illustrates how the multilevel hierarchical distribution architecture would operate using IP multicast delivery. Under this system, a packet is transmitted with a multicast address for a destination and each router maintains group membership lists for each interface that it is connected to and will forward packets across the Internet to other routers such that all Users within the global group eventually receive a copy of the packet. Unless and until all routers within the Internet understand multicasting in this way, it is necessary to supplement it with IP tunneling in which multicast packets are encapsulated in unicast packets and routed by unicast routers to a multicast routers. The present invention can and will be able to take advantage of IP multicasting as it becomes widely available. Each channel of information would be given its own class D address and the Media Server would then simply transmit packets using the appropriate IP destination address. In this case no Media Servers would be used as this function would be accomplished by the routers in use to store and forward other IP packets. Thus it can be appreciated that the implementation of the multicast delivery structure can be implemented using a combination of IP unicast. IP multicast and hardware multicast or any other system which provides for distributed delivery of information to a specific group of destinations. It is expected that special relationships with Internet providers will be established so that delivery of the audio steams can take place with a guaranteed bandwidth and in the most efficient way possible.

In the preferred embodiment, packets of information for distribution use the UDP protocol under IP rather than the TCP protocol. TCP provides for reliable stream delivery but at the cost of retransmission and delays. For real-time information, it is usually more appropriate to use UDP since the information is time critical and low latency is more important that reliability. Since TCP is a point-to-point protocol, it is incompatible with IP multicasting. However, TCP could be used on the IP unicast links between Media Servers which are expected to have very low packet loss. In order to handle out of order, lost, duplicate and corrupted packets, the UDP packets are serialized.

In the preferred embodiment the size of the audio packets being transmitted is variable and can change on a packet by packet basis. It is expected that when using compression schemes that have a fixed bit rate, such as ADPCM, all packets for that stream would be the same size. Alternatively 5 when using a variable bit rate compression algorithm, it is expected that packet size would vary so as to establish approximately the same amount of time for each sample. For example, if each packet corresponds to a 20 millisecond segment of speech, this could correspond to 100 bytes 10 during one time period and 200 bytes during another.

Additionally, the Media Server may choose to dynamically vary the packet size to accommodate changes in network conditions.

Since the resulting playback of audio information is 15 sensitive to packet loss and network congestion, software running on the various computers which make up this system monitor the ongoing situation and adapt to it in the best possible way. This may involve using different Media Servers and/or lowering the data rate to the User. For example, similar to analog dynamic signal quality negotiation present in many analog radio receivers, the User software may request a lower bitrate until the situation is improved. Also, note that the audio information being delivered to the User is preferably interleaved so that a contiguous segment of the audiostream is distributed for transmission over several packets. As a result, the loss of one packet is spread out over multiple audio samples and causes minimal degradation in audio. Advantageously, a small degree of redundancy may be incorporated within the audio stream to further guard against packet loss.

Preferably, there are two bitrate options available to the User for audio delivery. These are approximately 20Kbps for standard audio and approximately 56Kbps for high quality audio. Thus, a 28.8Kbps modern connection over an analog phone line is sufficient to listen to standard audio broadcasts. To listen to high quality audio, an ISDN connection to the Internet is required, or some other connection with greater than 56Kbps bandwidth. It should be appreciated that higher bandwidths are currently becoming available to end Users. In particular the use of cable moderns and residential fiber networks are enhancing the bandwidths available to Users and thus making broadcasts of higher bitrates more practical. In addition to the content of the audio channel being delivered, it is also possible to deliver out of band of side-bar information such as graphics, images and text.

This side-bar information is synchronized with the audio channel. This may only involve small increases in bandwidth requirements, such as 1–2Kbps. For example a music program could deliver images of an album cover, the text of song lyrics, or URLs for use by a Web browser. The User can preferably choose to have the side-bar information show up automatically or be hidden. It is also possible to incorporate two-way interaction into the system, such that for example Users can participate in a global chat session during the audio broadcast. These and other details are explained in more detail below under the description of the User interface.

The delivery of paid commercial advertising information 60 is an important aspect of the present invention. Advertising may be incorporated into the audio stream within the Network Control Center as described above. It may also be incorporated into the audio stream at the User level, or at some intermediate point in the distribution architecture. In 65 addition, the side-bar information discussed above can also include advertising content. FIG. 5 illustrates the provision

8

to the User of two separate streams 32, 34 of packets, one of which may be used for advertising. In this case the insertion of the stream of commercial advertising into the non-commercial stream occurs on the User's computer. FIG. 5 also illustrates packet stream 36 which identifies the User to the system. This enables the system to monitor which Users are listening to which channels and also allows the system to vary, for example, the advertising content delivered to a User.

One advantage of this alternative is to allow targeted commercial delivery based on the individual User.

That is, an individual User would receive the main audio feed plus a particular advertising stream unique to his demographic group. Note that the advertising stream typically is lower in overall bitrate and generally does not require real-time delivery, thus lowering the overall load on the network. For example, the advertising stream could be delivered to the User in advance of the regular programming, stored in a buffer in the User's computer and inserted into the stream of regular programming upon receipt of a cueing signal embedded in the stream of regular programming. Thus, a substantial number of targeted groups, perhaps 10 or 100 or even more could be accommodated without an impractical increase in network load.

#### II. Control Architecture

The control architecture described in this section is responsible for managing and administering the Users who are receiving the information being delivered by the distribution architecture described in the previous section. The control architecture handles new User registration, User login, the starting and stopping of audio streams and the monitoring of ongoing transmissions. The control architecture is scalable just as is the distribution architecture so that any number of Users can be managed.

This section describes the control protocol, which consists of the format and sequence of control messages that are exchanged among Users. Control Servers. Media Servers. Primary Servers and the Administration Server. These messages are in the form of objects, which have specific data formats. Objects are exchanged preferably using the TCP protocol although other options are possible. Below we describe the sequence of objects passed among the various computers and detail the internal structure of each object.

The major objects used in the present embodiment of the invention are set forth in Table 1. For each object. Table 1 provides a brief description of its function, identification of the names of the fields in the object, their types and a brief description of their function.

TABLE I

|    |                           | A.P. KAPLUL | / 1     |  |  |
|----|---------------------------|-------------|---------|--|--|
|    | Field Name                | Field Type  | Remarks |  |  |
| 55 | Channel Activation Object |             |         |  |  |

Contains information used for channel activation/deactivation. It is sent to Media and Primary Servers to tell them to carry or stop carrying a specific channel. Media Servers get the channel from another server in the system hierarchy and Primary Servers get and encode the feed from the actual input source.

| Token        | Security Token Object |                                       |
|--------------|-----------------------|---------------------------------------|
| Moniker      | Moniker Object        | unique channel identifier             |
| Activate     | Int                   | action flag (activate/<br>deactivate) |
| CompressType | Int                   | type of compression to<br>use         |
| Host         | Host Object           | host carrying the channel             |
|              |                       |                                       |

10

|  | TABLE 1-contin   | nued  |
|--|--|---|
| Field Name   | Field Type   | Remarks   |
| Channel Guide C  |  |   |
|  | al and descriptive informatic<br>dentified by a moniker. It is   |   |
| Token  | Security Token Object  |   |
| Type   | Int  | type of content   |
| Result   |  | the content data itself   |
| Channel Guide R  | equest Object  |   |
|  | st for analytical and descript<br>entified by the contained more   |   |
| Token  | Security Token Object  | inherited from base class   |
| Туре   | Int  | type of content   |
| Moniker<br>Host Object   | Moniker Object   | unique identifier   |
| ^  |  |   |
|  | attributes of a networked co<br>ices it offers or requests.  | imputer related to the  |
| Token  | Security Token Object  |   |
| HostName   | String   | computer name and<br>domain   |
| PortNumber   | Int  | port number for service   |
| DisplayName  | String   | descriptive computer  |
| ogin Informatio  | α Object   | 1341110   |
| system.  | name and password by which   | th a User is known to the   |
| Token  | Security Token Object  |   |
| Login  | String   | User's system login<br>name   |
| Password   | String   | User's system password  |
| Media Control In   | iterface (MCI) Request Obje  | (possibly encrypted)  |
|  | ultimedia control command,<br>ation that may be necessary  |   |
| Foken<br>Command<br>String   | Security Token Object<br>Int<br>String   | multimedia command<br>command-specific extra  |
| Token<br>Command   | Trat   |   |
| Token Command String Moniker Object A moniker encap intelligence neces provides naming the system for ur   | Trat   | command-specific extra<br>info  t or process with the . In other words, it coniter Object is used in s components, parts or   |
| Token Command String Moniker Object A moniker encap intelligence neces the system for ur features, such as Token ID  | Int String  sulates the name of an object ssary to work with that name and binding services. The M ique identification of variou a channel, a directory, or a Security Token Object String   | command-specific extra<br>info  t or process with the  . In other words, it louiker Object is used in s components, parts or computer list.  unique string identifier   |
| Token Command String Moniker Object A moniker encap intelligence neces provides naming the system for ur features, such as Token ID DisplayName Ping Object  | Int String  sulates the name of an object ssary to work with that name and binding services. The M ique identification of variou a channel, a directory, or a Security Token Object String   | command-specific extra<br>info  t or process with the b. In other words, it coniter Object is used in s components, parts or computer list.  unique string identifier User-readable name  |
| Token Command String Moniker Object A moniker encap intelligence neces provides naming the system for ur foatures, such as Token ID DisplayName Ping Object Ping is the name determining if a: used in the systes status. It can also  | Int String  sulates the name of an object ssary to work with that name and binding services. The h sique identification of variou a channel, a directory, or a c Security Token Object String String given to the "Are-You-Alivy specific computer is up and a m when a server has to be q provide tinning information   | command-specific extra info  t or process with the . In other words, it louiter Object is used in s components, parts or computer list.  unique string identifier User-readable name  27' operation useful in cunning. This object is usefied for its operational   |
| Token Command Command String Moniker Object A moniker encap Intelligence neces revides naming the system for ur features, such as Token ID DisplayName Ping Object Ping is the name determining if a sized in the system status. It can also und quality of ser  | Int String  sulates the name of an object ssary to work with that name and binding services. The N ique identification of variou a channel, a directory, or a c Security Token Object String String given to the "Are-You-Alive specific computer is up and in when a server has to be q   | command-specific extra info  t or process with the . In other words, it louiter Object is used in s components, parts or computer list.  unique string identifier User-readable name  27' operation useful in running. This object is usefied for its operational   |
| Foken Command Command String Moniker Object A moniker encap ntelligence neces crovides naming the system for ur features, such as Token D DisplayName Ping Object Ping is the name lettermining if a: seed in the system status. It can also used quality of set Token Date  | Int String  sulates the name of an object ssary to work with that name and binding services. The N sique identification of variou a channel, a directory, or a c Security Token Object String String given to the "Are-You-Alivy specific computer is up and in when a server has to be q provide timing information rvice evaluations. Security Token Object Date   | command-specific extra info  t or process with the c. In other words, it louiter Object is used in s components, parts or computer list.  unique string identifier User-readable name  2.7" operation useful in running. This object is ueried for its operational for statistical purposes  system date  |
| Token Command Command String Moniker Object A moniker encap ntelligence neces revides naming the system for ur features, such as Token D DisplayName Ping Object Ping is the name letermining if a a used in the syster status. It can also usit quality of ser Token Date Time  | Int String  sulates the name of an object ssary to work with that name and binding services. The M inque identification of variou a channel, a directory, or a c Security Token Object String String  given to the "Are-You-Alive specific computer is up and in when a server has to be q provide timing information rvice evaluations.  Security Token Object Date Time  | command-specific extra info  t or process with the . In other words, it louiter Object is used in s components, parts or computer list.  unique string identifier User-readable name  e?" operation useful in numing. This object is ueried for its operational for statistical purposes  |
| Foken Command String Moniker Object A moniker encap intelligence neces provides naming the system for ur features, such as foken ID DisplayName Ping Object Ping is the name teletermining if a s used in the system status. It can also and quality of set foken Date lime Protocol List Obj  | Int String  sulates the name of an object ssary to work with that name and binding services. The N ique identification of variou a channel, a directory, or a Security Token Object String String given to the "Are-You-Alive specific computer is up and in when a server has to be q provide timing information rvice evaluations. Security Token Object Date Time eject   | command-specific extra info  t or process with the c. In other words, it louiter Object is used in s components, parts or computer list.  unique string identifier User-readable name  27" operation useful in running. This object is ueried for its operational for statistical purposes  system date system time   |
| Token Command String Moniker Object A moniker encap intelligence neces provides naming the system for ur features, such as Token ID DisplayName Ping Object Ping is the name determining if a : used in the system status. It can also and quality of ser Token Date Time Protocol List Obj Encapsulates a get   | Int String  sulates the name of an object stary to work with that name and binding services. The Majore identification of various a channel, a directory, for a Security Token Object String String  given to the "Are-You-Alive specific computer is up and in when a server has to be query provide timing information revice evaluations.  Security Token Object Date  Time identification object content of the purpose collection object on the string information review.  | command-specific extra info  t or process with the b. In other words, it louiter Object is used in s components, parts or computer list.  unique string identifier User-readable name  27" operation useful in running. This object is ueried for its operational for statistical purposes  system date system time   |
| Token Command String Moniker Object A moniker encap intelligence neces provides naming the system for ur features, such as Token ID DisplayName Ping Object Ping is the name determining if a s used in the system status. It can also and quality of set Token Date Time Protocol List Obj Encapsulates a ge Token Token  | Int String  sulates the name of an object ssary to work with that name and binding services. The N ique identification of variou a channel, a directory, or a c Security Token Object String given to the "Are-You-Alive specific computer is up and in when a server has to be q provide timing information rvice evaluations. Security Token Object Date Time sect eneral purpose collection obj Security Token Object Int   | command-specific extra info  t or process with the c. In other words, it louiter Object is used in s components, parts or computer list.  unique string identifier User-readable name  27" operation useful in running. This object is ueried for its operational for statistical purposes  system date system time   |
| Token Command String Moniker Object A moniker encap intelligence neces provides naming the system for ur features, such as Token ID DisplayName Ping Object Ping is the name determining if a s used in the system status. It can also and quality of set Token Date Time Protocol List Obj Encapsulates a ge Token Token  | Int String  sulates the name of an object ssary to work with that name and binding services. The N ique identification of variou a channel, a directory, or a c Security Token Object String given to the "Are-You-Alive specific computer is up and in when a server has to be q provide timing information rvice evaluations. Security Token Object Date Time sect eneral purpose collection obj Security Token Object Int   | command-specific extra info  t or process with the . In other words, it toulter Object is used in s components, parts or computer list.  unique string identifier User-readable name  et operation useful in numing. This object is useried for its operational for statistical purposes  system date system time  ect.   |
| Foken Command Command String Moniker Object A moniker encap melligence neces provides naming the system for ur features, such as Token D DisplayName Ping Object Ping is the name letermining if a: used in the system status. It can also and quality of set Token Date Time Protocol List Obj Encapsulates a ge Token Date Result Message ( Acts as the acknow that out or report                | Int String  sulates the name of an object ssary to work with that name and binding services. The N ique identification of variou a channel, a directory, or a c Security Token Object String given to the "Are-You-Alive specific computer is up and in when a server has to be q provide timing information rvice evaluations. Security Token Object Date Time sect eneral purpose collection obj Security Token Object Int   | command-specific extra info  t or process with the to In other words, it louiter Object is used in s components, parts or computer list.  unique string identifier User-readable name  "?" operation useful in running. This object is useried for its operational for statistical purposes  system date system time  ect.  type of object list  service successfully carried |
| Foken Command Command String Moniker Object A moniker encap intelligence neces provides naming the system for ur features, such as Token ID DisplayName Ping Object Ping is the name determining if a s used in the system status. It can also and quality of ser Token Lime Protocol List Obj Encapsulates a ge Token Type Acts as the acknowled of the component that out or report transaction. | Int String  sulates the name of an object ssary to work with that name and binding services. The N rique identification of variou a channel, a directory, or a c Security Token Object String String  given to the "Are-You-Alive specific computer is up and in when a server has to be q provide timing information rice evaluations. Security Token Object Date Time iect emeral purpose collection obj Security Token Object Int Object  owledgment for a requested  | command-specific extra info  t or process with the to In other words, it coniter Object is used in s components, parts or computer list.  unique string identifier User-readable name  "?" operation useful in running. This object is usefied for its operational for statistical purposes  system date system time  ect.  type of object list  service successfully carried |
| Token Command Command String Moniker Object A moniker encap intelligence neces provides naming the system for ur features, such as Token ID DisplayName Ping Object Ping is the name determining if a s used in the systes status. It can also and quality of set Token Date Time Protocol List Obj Encapsulates a ge Token Type Result Message ( Acts as the ackix                                | Int String  sulates the name of an object start to work with that name and binding services. The Minque identification of various a channel, a directory, or a case of the Minque identification of various a channel, a directory, or a case of the Minque identification of various a channel, a directory, or a case of the Minque identification of the Minque identific | command-specific extra info  t or process with the to In other words, it coniter Object is used in s components, parts or computer list.  unique string identifier User-readable name  "?" operation useful in running. This object is usefied for its operational for statistical purposes  system date system time  ect.  type of object list  service successfully carried |

|   | 10  |   |  |  |
|---|---|---|--|--|
| TABLE 1-continued   |   |   |  |  |
| Field Name  | Field Type  | Remarks   |  |  |
| Security Token Object   | ot  | to code   |  |  |
|   | ation key for a transaction<br>service is performed.<br>String                              | . The key must be authorization key!                        |  |  |
|   | *   | transaction ID.   |  |  |
| Server Activation Ob  | ject  |   |  |  |
| Used for announcementify the administration be instructed to manual Token | Security Token Object   | arposes (e.g., a server can<br>ctivated or a server can     |  |  |
| Active  | Int   | action flag (activate/<br>deactivate)                       |  |  |
| Manage  | Int   | control flag (manage/<br>associate)                         |  |  |
| Туре  | Int   | server type   |  |  |
| Host<br>Server List Request   | Host Object<br>Object   | host to be controlled                                       |  |  |
|   | st for a list of available set<br>a., a request for a list of Co                            |   |  |  |
| Token   | Security Token Object   |   |  |  |
| Type<br>Moniker   | Int<br>Moniker Object   | type of service<br>content/channel unique                   |  |  |
|   | E 1020 19800  | identifier  |  |  |
| Host<br>Statistics Object   | Host Object   | local host information                                      |  |  |
| balancing algorithms<br>Token   | ted information that can be<br>and for statistical purpose<br>Security Token Object         | 5.  |  |  |
| Load<br>Threads   | Int<br>Int  | load on the system number of threads                        |  |  |
| Threads   | ш   | running   |  |  |
| Users   | Int   | number of Users being                                       |  |  |
| Uptime<br>NumberManaged   | Int<br>Int  | serviced<br>amount of time running                          |  |  |
| NumberAssociated  | Int   | number of managed<br>servers                                |  |  |
|   |   | number of associated  |  |  |
| Statistics Request Ob   | ject  | servers   |  |  |
| Encapsulates a reque  | st for system-related inform<br>corithms and statistical pur<br>Security Token Object       |   |  |  |
| Load  | Int   | request flag (on/off)                                       |  |  |
| Threads   | Int   | request flag (en/off)                                       |  |  |
| Users<br>Uptime   | Int.<br>Int   | request flag (on/off)<br>request flag (on/off)              |  |  |
| NumberManaged   | Int   | request flag (on/off)                                       |  |  |
| NumberAssociated<br>User Object   | Int   | request flag (on/off)                                       |  |  |
| administration databa   | e this object to register the<br>ise. They provide the infor<br>ord) and other system-relat | mation for subsequent                                       |  |  |
|   | nographic, and system rela  | ted information.  |  |  |
| Token<br>Login  | Security Token Object<br>Login Information Object   | login information/name                                      |  |  |
| FirstName   | String  | password) User's first name                                 |  |  |
| LastName  | String  | User's last name  |  |  |
| Title   | String  | User's job title  |  |  |
| Company<br>Address1   | String<br>String  | User's employer User's home street address                  |  |  |
| Address2  | String  | User's address extra  |  |  |
| City  | String  | city, village   |  |  |
| State ZipCode   | String<br>String  | state, province or foreign<br>country<br>zip or postal code |  |  |
| Age   | String  | User's age  |  |  |

65 ZipCode

TABLE 1-continued

| Field Name     | Field Type | Remarks                |
|----------------|------------|------------------------|
| Gender         | String     | User's gender          |
| PhoneNumber    | String     | telephone number       |
| FaxNumber      | String     | fax number             |
| Email          | String     | email address          |
| Demographics   | Dictionary | market-targeting extru |
|                |            | User info              |
| SystemInfo     | Dictionary | system-related         |
| •              | •          | information            |
| Version Object |            |                        |

All components of the system use this object to report their versioning information to the party they transact with in order to use a protocol they both understand. They are also given the chance to update themselves if a newer version exists.

| Token  | Security Token Obj | ect .                            |
|--------|--------------------|----------------------------------|
| Major  | Int                | major protocol version<br>number |
| Minor  | Int                | minor protocol version<br>mamber |
| Type   | Int                | sender type                      |
| Client | Version            | client version<br>information    |

Unlike traditional protocols based on state computers, the control protocol of the present invention is a light-weight, stateless protocol comprising simple sequences of objects. It is light-weight in that in most sequences only two objects are involved in the transaction and after a sequence is completed the connection can be reused. It is also stateless in that the server maintains no information about the client. Every transaction is handled independently of the previous ones. States exist in the lower levels, for example within the TCP layer, to express logical states of a network connection but they are not actually part of the control protocol.

In the preferred embodiment, the software running on the Control Servers. Media Servers and Primary Servers is programmed for Windows NT and UNIX environment using the OLE environment, In addition, COM interfaces are used between components. The Rogue Wave system is used to transfer objects between the applications running on the various computers. The software running on the User computer is preferably programmed for a Windows 32-bit environment, so it will run on a Windows 95 or Windows NT computer. Alternatively, Macintosh and UNIX environments can be accommodated by other User software.

The basic process of a control transaction consists of a version sequence followed by one or more protocol sequences. The version sequence starts after the computer initiating the transaction, the client, has established a connection with the computer completing the transaction, the server. The client sends a Version Object (defined in Table 1) and in response the server then sends back its own Version Object. This version sequence is used so that both client and server are aware of the version numbers of the software they are using. If a version number is older than expected, either client or server can choose to conform to the previous version or abort the transaction, depending on its needs and capabilities. If a version number is newer than expected, in most cases the current transaction can be completed since the software systems are designed to be fully backward compatible with previous versions. Additionally, in the case that the server of the transaction is the Administration Server, the client receives information about what the latest version number is and thus the client can be informed that a software update is needed. The process of handling auto- 65 matic updating of User software is described more fully below.

12

After the version sequence, one or more protocol sequences occur in which other objects are exchanged between client and server. When a particular protocol sequence is completed, another independent protocol sequence can be serviced. The protocol sequences that are part of the control architecture of the present invention are summarized in Table 2 and described below in conjunction with FIGS, 6-17.

TABLE 2

|    | Summary of Protocol Sequences                        |                                   |                              |   |  |
|----|--|-----------------------------------|------------------------------|---|--|
|    | Control Sequence                                     | Client                            | Server                       | Main Objects<br>Exchanged   |  |
| 15 | User Registration<br>and Login<br>(see Fig. 6)       | User                              | Administration               | Version Object<br>User Object<br>Channel Guide<br>Object  |  |
| 20 | User Login<br>(see Fig. 7)                           | User                              | Administration               | Version Object<br>Login Information<br>Object<br>Channel Guide<br>Object                            |  |
|    | Channel Play<br>(see Figs 8a, 8B,<br>8C)             | User                              | Administration<br>Control    | Version Object<br>Server List Object<br>Version Object  |  |
| 25 |  |                                   | Media                        | Server List Object<br>Version Object<br>MCI Objects ·<br>OPEN/PLAY/<br>STOP/CLOSE<br>Ping Objects   |  |
| 30 | m1 = 101 = 2   |                                   |                              | (TCP connection<br>stays open)  |  |
|    | Token Validation<br>(see Figs. 9A,<br>9B)            | Control or<br>Media or<br>Primary | Administration<br>or Control | Version Object<br>Security Token<br>Object  |  |
| 35 | Server<br>Registration and<br>Login<br>(see Fig. 10) | Media or<br>Control               | Administration               | Version Object<br>User Object<br>Server Activation<br>Object  |  |
|    | Server Login<br>(see Fig. 11)                        | Media or<br>Control               | Administration               | Version Object<br>Login Object<br>Server Activation   |  |
| 40 | Control Server<br>Activation<br>(see Fig. 12)        | Administration                    | Control                      | Object<br>Version Object<br>Server Activation<br>Object   |  |
| 45 | Media Server<br>Activation<br>(see Fig. 13)          | Control                           | Media                        | Version Object<br>Server Activation<br>Object<br>Ping Objects<br>(TCP connection                    |  |
|    | Control Channel Activation                           | Administration                    | Control                      | stays open) Version Object Channel Activation Object  |  |
| 50 | (see Fig. 14) Media Channel Activation (see Fig. 15) | Control                           | Media                        | (open TCP<br>connection)<br>Channel Activation  |  |
| 55 | Distribution<br>Activation<br>(see Fig. 16)          | Media                             | Media or<br>Primary          | Objects Version Object MCI Objects - OPEN/PLAY/ STOP/CLOSE Ping Objects (TCP connection stays open) |  |
| 60 | Statistics Request (see Fig. 17)                     | Administration                    | Control or<br>Media          | Version Object<br>Statistics Object   |  |

The User registration and login sequences are the processes by which a new User registers with the system, logs in and retrieves programming information. The channel play sequence takes place when a User asks to listen to a particular channel. The token validation sequence is used to verify that a computer requesting a service is authorized to

do so. The Server registration, login and activation sequences are used by Control and Media Servers when they become active. The Control Server and Media Server activation sequences are used to manage the Control and Media Servers. The control channel media channel and distribution sequences are used to cause a channel to be distributed to a Media Server. Finally, the statistics request is used for administrative purposes.

FIG. 6 illustrates the User registration and login sequence in more detail. This sequence takes place after the User has installed the User software on his/her computer. It is expected that the User will download the software from the Internet and then invoke it which in the preferred embodiment will use the Windows Wizard interface. This will guide the User through the installation process including filling out the registration form, which we will describe more fully in the next section. After the User has selected a name and password and selected the option to register, the User computer opens a TCP connection to the Administration Server. Advantageously, the full domain name of the Admin- 20 istration Server is embedded into the User software. although it could be discovered in other ways. The User and Administration Server then exchange version objects with the Administration Server as described above. If the version numbers meet expectations, the User sends a User Object to 25 the Administration Server. The format of the User Object is shown in Table 1. Once the Administration Server receives the User Object, it verifies that the information is filled in properly and that the selected User name is unique. If the User Object is invalid for any reason, the Administration 30 Server returns a Result Message Object with a code indicating the reason. The format of the Result Message Object is shown in Table 1. If the User information is valid, the Administration Server updates the global database of User names and passwords and then generates a security token for 35 that User. This security token is then returned to the User in a Result Message Object. Upon receiving the Result Message Object, the User saves the security token for future use. This token is an identifier that allows the User to request services from the Administration Server and other computers within the overall system. The security token is not saved permanently or registered on the User computer. Normally, the User software then immediately sends a Channel Guide Request Object to the Administration Server and a Channel Guide Object is returned.

The format of these objects is also shown in Table 1. Note that in principle, this is a separate transaction and could take place in a separate TCP connection to the Administration Server. In particular, once the User has registered and logged in, he/she can request the Channel Guide Object again since it may have been updated since the previous request.

At this point the TCP connection to the Administration server is closed.

The process of User registration only needs to take place once for each User. However anyone can re-register at any time, even after the software has been installed. In particular, it is expected that if multiple persons use a computer, each person will register and obtain his/her own User name and password. If the registration process is not completed successfully, the User software saves the registration information and ask the User if they would like to try again the next time the software is invoked.

Since the security token is not permanently saved by the User software, it is lost when the User software is closed, 65 and the security token must again be retrieved from the Administration Server the next time the User wants to use

the system. This process is the purpose of the login sequence illustrated in FIG. 7. This sequence is used if a User has already registered and needs only to retrieve a valid security token. In this case the sequence consists of the User's sending a Login Information Object to the Administration Server. The Administration Server then queries the User database to validate the login name and password. If the login name and password are correct, then a security token is returned to the User. Normally the receipt of the security token will immediately be followed by a channel information request sequence, just as in the registration sequence described previously.

The control sequence that takes place when a User initiates a channel play operation is illustrated in FIGS. 8A. 8B and 8C. First the User software requests a Control Server List from the Administration Server. Note that the Server List Request Object. illustrated in Table 1 contains a channel identifier. The Administration Server generates a sorted list of Control Servers based on overall system load and the location of the User on the network and returns this list to the User using a Protocol List Object. Once the Control Server List is returned to the User. the Administration Server is no longer needed and the TCP connection is closed.

The User software then searches the list of Control Servers and opens a TCP connection to the first host listed.

If that host computer does not respond, then the next Control Server on the list is tested and so forth in succession.

Upon obtaining a response from a Control Server, the User software uses a Server List Request Object to requests a Media Server List from the Control Server. If the Control Server is too busy to service the User, it returns a Result Message Object so indicating and the User software tries the next Control Server on the list. However, in the likely scenario that the Control Server is able to handle the User's request, a sorted list of Media Servers is generated and returned to the User computer using a Protocol List Object. The TCP connection to the Control Server is then closed by the User software.

At this point the User software initiates a TCP connection to the first Media Server on the list provided by the Control Server. As in the previous case, it attempts to connect to the first host on the list and if unsuccessful tries the next hosts in succession. Once the Version Objects are exchanged, the User software sends an MCI Request Object to the Media Server. An MCI Request Object can be used for four basic commands: OPEN, PLAY, STOP and CLOSE. The User software must first send an OPEN command for the desired channel. If the returned Result Message Object indicates success, the User software then sends a PLAY command. When the Media Server receives a valid PLAY command, it initiates the delivery of audio information to the User as described in the previous section. Note that this could be in the form of broadcast, multicast or unicast packets to a specific UDP port. The TCP connection through which the MCI Request Objects were sent stays open during the audio play operation. In addition, Ping Objects are sent to the User on a periodic basis to verify that the computer is still working and active. When the User software receives a Ping Object, it simply returns it. The Media Server uses the Ping Objects to measure round trip time and also to determine when a User's computer has terminated abnormally. In that case the audio stream is terminated.

In the case of normal termination of the audio stream, the User makes an explicit selection to stop and this causes a STOP command to be sent to the Media Server in an MCT Request Object. The Media Server then terminates the audio

stream to that User. When the User closes the application software or selects another channel to play, the User software will send a CLOSE command to the Media Server in an MCI Request Object and the TCP connection is closed.

15

The initiation of the audio stream by the Media Server 5 causes a log entry to be generated and sent to the Administration Server. This information is important so that the Administration Server can update its database to indicate which Users are listening to which channels. The security token is used to identify the User initiating the audio stream. 10 Additionally, when the audio stream is terminated to any User, another log message is generated and sent to the Administration Server.

FIG. 9A illustrates the process by which security tokens are validated. The Administration Server is the only server that can validate a security token. Thus, when a User requests services from a Control Server or from a Media Server, that server must go back to the Administration Server with a token validation sequence. However, Control Servers and Media Servers are allowed to cache validations of security tokens so that they do not have to validate tokens repeatedly once they have validated it the first time. In the case where a Media Server receives a request, the token will be validated with the Control Server that is managing that Media Server. FIG. 9B identifies the various token validation scenarios.

FIG. 10 illustrates the process by which a new Server is registered. This process is similar to new User registration. It is expected, however, that the server installation will be 30 through a Web interface rather than a Wizard. The Administration Server, upon receiving a User Object from a Media Server or Control Server validates the User name and password and generate a security token just as in the case of User registration. Normally the Server then immediately sends back a Server Activation Object indicating that it is ready to be used as a system resource. Once this process has been completed, the TCP connection to the Administration Server is closed.

If a Media Server or Control Server that has sent a Server 40 Activation Object to the Administration Server becomes inactive, it will send another Server Activation Object indicating this condition. In the case of a Media Server, this object is sent to the managing Control Server. In the case of a Control Server. this object sent to the Administration 45 Server. As in the case of User registration, Media Server and Control Server registration needs only take place once per computer. However, if the computer is restarted, the server must login and again retrieve a security token. This is the server login and activation sequence shown in FIG. 11.

Once a Control Server has indicated to the Administration Server that it is ready, the Administration Server can activate that Control Server by sending the Control Server a Server Activation Object as illustrated in FIG. 12. This is a separate transaction and is used to tell the Control Server which 55 Media Servers it is supposed to manage. Recall that a Control Server and a number of Media Servers form a cluster of Media Servers. The single Control Server that manages that cluster must be given a list of host computers corresponding to the Media Servers in that cluster.

The process by which a Control Server activates the Media Servers that it manages is illustrated in FIG. 13. The Control Server sends a Server Activation Object to the Media Server indicating that it is responsible for channel Server and the Media Server stays open during the time that both servers are active. The Control Server periodically

16 sends Ping Objects to the Media Server across this open TCP connection to verify that the Media Server is still running.

FIG. 14 illustrates the process by which a given channel is activated by the Administration Server. The Administration Server opens a connection to a Control Server that its wishes to have carry a given channel and provide a Channel Activation Object. This object indicates to the Control Server which Media or Primary Server the Control Server should direct its Media Servers to get the feed from. At this point the Control Server is said to be carrying that channel and it will be a valid host on a list of Control Servers requested by a Channel Play sequence.

FIG. 15 illustrates what happens when a Control Server needs to provide a channel. First it sends a Channel Activation Object to one of the Media Servers that it manages across the open TCP connection described previously. This object indicates to the Media Server that it should start receiving the channel identified and from where it should receive it.

In FIGS. 16A and 16B depict how the Media Server requests distribution of an audio channel from another Media Server or from a Primary Server. This sequence is much the same as that in which a User requests the distribution of audio information from a Media Server. Note that a Media Server receives a single incoming stream for each channel that it is carrying and will then redistributes this stream to all Users or other Media Servers that request it.

Finally, FIG. 17 illustrates the statistics request sequence. This sequence is used by the Administration Server to gather information from the Media Servers and Control Servers in order to manage the overall system. It can use this information to detect failures and to balance load as the dynamic conditions change. As indicated above, it can also use this information to monitor which Users are listening to which channel or whether Users stop listening to a channel at any time, such as during the play of a particular song. It can also use this information to control the advertising content that is downloaded to a particular User in advance of receipt of regular audio programming and/or monitor the delivery of advertising to the Users.

The control architecture described in this section is scalable to handle any number of Users. Note that the User registration process only happens once for each subscriber and the login process only happens once per session. These interactions, which require the Administration Server are expected to constitute a very small percentage of the overall system bandwidth. If the Administration Server were to become a bottleneck, however, it would be possible to duplicate it and to have the database it maintains distributed and automatically updated to guarantee consistency.

The Control Servers are distributed throughout the network and can handle the lower level interactions with the Users and the Media Servers. A single Control Server can handle preferably on the order of ten Media Servers up to several hundred Users. The bitrate among the Users, the Control Servers and the Media Servers is expected to be small in comparison to the audio transmission bitrate. The Ping Objects normally only involve the User and the nearest Media Server. They are also low in overhead since they are small and only get transmitted infrequently.

#### III. User Interface

The User interface is provided by the client application management. This TCP connection between the Control 65 running on an individual computer and its associated graphical interface. In the preferred embodiment the User interface is available for 32-bit Windows (95 and NT). Macintosh and

UNIX platforms. Preferably anyone on the Internet can freely download a copy of the client software and install it in their computer.

FIG. 18 illustrates the main User screen in the preferred embodiment. The screen is composed of three sections: channel guide (upper left frame), program guide (upper right frame), and multimedia frame (lower half of screen). The channel guide lists, as a tree hierarchy, the channels that are available from the system. The User selects a channel from the list of those displayed on the channel guide. The program guide provides information pertaining to the channel selected. This information can be a detailed schedule of the programming that has played or will be playing on the channel selected. Additionally, other relevant information will be displayed in this frame, for example, a notice regarding an upcoming special event on another channel. The multimedia frame provides an integrated web browser that displays information via a series of tabbed sections.

The information contained in the channel guide, program guide, and the tabs of the multimedia frame is dynamically transmitted to the client. For example, if a new channel begins operation, the client application can immediately display it as being available. Furthermore, the tabs displayed can be specifically relevant depending on what song is playing. For example, tabs displaying the album cover, information on the artist, song lyrics, tour dates can be displayed. Additionally, as shown in the example in FIG. 18, a tab can be available allowing the User to place an order for the CD or allowing the User to participate in a chat session related to the channel.

FIG. 19 illustrates the key pull-down menus available in the main User screen in the preferred embodiment. Table 3 provides a description of each of the functions available through the pull down menus, as shown in FIG. 19.

As will be apparent to those skilled in the art, numerous modifications may be made within the spirit and scope of the invention.

TABLE 3

| Pull-Down Menu Functions |                 |   |  |
|--------------------------|-----------------|---|--|
| Menu<br>Choice           | Menu Sub-Choice | Description   |  |
| File                     | Login           | Allows the User to login to<br>the system.  |  |
|                          | Logout          | Allows the User to logous<br>from the system.   |  |
|                          | Register        | Brings up a dialog so that<br>the User can register with<br>the system for the first<br>time. |  |
|                          | Close           | Minimizes the screen.   |  |
| Edit                     | Сору            | Allows the User to copy the<br>selection on to the<br>clipboard.                              |  |
|                          | Properties      | Allows the User to set<br>various properties.   |  |
| Audio                    | Play            | Begins playing the selected channel.  |  |
|                          | Stop            | Stops playing the selected charmel.   |  |
|                          | Mute            | Stops the playing of audio  |  |
| View                     | Tool Bar        | Display or hide the tool bar<br>(providing access to pull-<br>down menu functions).           |  |
|                          | Status Bar      | Display or hide the status<br>bar normally situated at<br>bottom of the screen.               |  |
|                          | Web Bar         | Display or hide the tool bar  |  |

TABLE 3-continued

| Pull-Down Menu Functions |                 |  |  |
|--------------------------|-----------------|--|--|
| Menu<br>Choice           | Menu Sub-Choice | Description  |  |
|                          |                 | section that provides access<br>to the web browser functions.  |  |
| Help                     | Help Topics     | Brings up a list of available online help topics.  |  |
|                          | About           | Displays summary infirmation<br>regarding this application,<br>such as version number,<br>copyright information, and so<br>on. |  |

What is claimed is:

1. A method for transmitting message packets over a communications network comprising the steps of:

converting a plurality of streams of audio and/or visual information into a plurality of streams of addressed digital packets complying with the specifications of a network communication protocol.

for each stream, routing such stream to one or more users, controlling the routing of the stream of packets in response to selection signals received from the users, and

monitoring the reception of packets by the users and accumulating records that indicate which streams of packets were received by which users, wherein at least one stream of Rackets comprises an audio and/or visual selection and the records that are accumulated indicate the time that a user starts receiving the audio and/or visual selection and the time that the user stops receiving the audio and/or visual selection.

- 2. The method of claim 1 further comprising the step of including in at least one stream of packets at least some advertising information.
- 3. The method of claim 2 further comprising the step of varying the content of the advertising information with the identity of the user to whom the advertising information is provided.
- 4. The method of claim 2 wherein the advertising information is inserted into the stream of audio and/or visual information before such stream is converted into a stream of rackets.
- 5. The method of claim 2 wherein the records that are accumulated indicate how many users received specific advertising information.
- 6. The method of claim 2 wherein the records that are so accumulated indicate which users received specific advertising information.
  - 7. The method of claim 1 further comprising the step of generating an audio output and/or a visual display from the stream of packets received by the user.
  - 8. The method of claim 1 further comprising the steps of: storing a first stream of packets received by the user at a first time and at a later time, inserting the first stream of packets into a second stream of packets received at the user.
  - 9. The method of claim 8 further comprising the step of converting the combined first and second streams of packets into an audio output and/or visual display.
  - 10. The method of claim 8 wherein the first stream of packets contains advertising information.
- 11. The method of claim 8 wherein the content of the advertising information is varied depending on the identity of the user.

- 12. The method of claim 1 wherein at least one stream of packets comprises copyrighted music selections and the records that are accumulated indicate how many users received specific music selections.
- 13. The method of claim 1 wherein at least one stream of 5 packets comprises music selections and the records that are accumulated indicate how many users did or did not listen to the entire selection.
  - 14. The method of claim 1 further comprising the steps of: compressing the stream of packets in their passage from source to user, and

decompressing the stream of packets near the user.

15. The method of claim 14 wherein the compressing step uses a compression algorithm that is selected in accordance 15 with the content of the information being communicated in the stream of packets.

16. The method of claim 15 wherein the compressing step inserts into each packet an identification of the compression algorithm used and the decompressing step monitors each packet to read such identification and to vary its decompression algorithm in response thereto.

17. The method of claim 1 wherein at least one stream of packets comprises copyrighted music selections and the records that are accumulated indicate which users received specific music selections.

18. The method of claim 1 further comprising the steps of: storing a first stream of packets received by the user at a first time and

inserting the first stream of packets into a plurality of streams of packets received at the user at a plurality of later times

19. A method for transmitting at least one stream of audio and/or visual information over a communications network to a plurality of users comprising the steps of:

controlling the routing of the stream of information through the network in response to selection signals received from the users, and

monitoring the reception of the stream of information by
the users and accumulating records relating to the
reception of the stream of information by the users
wherein at least one stream of information comprises
an audio and/or visual selection and the records that are
accumulated indicate the time that a user starts receiving the audio and/or visual selection and the time that
the user stops receiving the audio and/or visual selection.

20. The method of claim 19 further comprising the step of 50 including in at least one stream of information at least some advertising information.

21. The method of claim 20 further comprising the step of varying the content of the advertising information with the identity of the user to whom the advertising information is 55 provided.

22. The method of claim 20 wherein the records that are accumulated indicate how many users received specific advertising information.

23. The method of claim 20 wherein at least one stream 60 of information comprises copyrighted music selections and the records that are accumulated indicate how many users received specific music selections.

24. The method of claim 20 wherein at least one stream of information comprises music selections and the records 65 that are accumulated indicate how many users did or did not listen to be entire selection.

20

25. The method of claim 20 further comprising the steps of:

compressing the stream of information in its passage from source to user, and

decompressing the stream of information near the user.

26. The method of claim 25 wherein the compressing step uses a compression algorithm that is selected in accordance with the content of the information being communicated in the stream of information.

27. The method of claim 20 wherein the records that are accumulated indicate which users received specific advertising information.

28. The method of claim 19 further comprising the steps of:

storing a first stream of information received by the user at a first time and

at a later time, inserting the first stream of information into a second stream of information received by the user.

29. The method of claim 28 wherein the first stream of information contains advertising information.

30. The method of claim 19 wherein multiple streams of audio and/or visual information are transmitted over the communications network and the user can select which stream to receive.

31. The method of claim 19 wherein at least one stream of information comprises copyrighted music selections and the records that are accumulated indicate which users received specific music selections.

32. The method of claim 19 further comprising the steps of:

storing a first stream of information received by the user at a first time and

inserting the first stream of information into a plurality of streams of information received at the user at a plurality of later times.

33. A communication system comprising:

means for converting at least one stream of audio and/or visual information into a stream of addressed digital packets complying with the specifications of a network communication protocol.

means for routing such stream via a communication network to selected users,

means for controlling the routing of the stream of packets in response to selection signals received from the users. and means for monitoring the reception of packets by the user and for accumulating records that indicate which streams of packets were received by which users, wherein at least one stream of Rackets comprises an audio and/or visual selection, and the means for monitoring further includes means for accumulating records that indicate the time that a user starts receiving the audio and/or visual selection and the time that the user stops receiving the audio and/or visual selection.

34. The communication system of claim 33 further comprising means for including in the stream of packets at least some advertising information.

35. The communication system of claim 34 further comprising means for varying the content of the advertising information with the identity of the user to whom the advertising information is provided.

36. The communication system of claim 34 wherein the means for monitoring further accumulates records that indicate which users received specific advertising information.

37. The communication system of claim 33 wherein at least one stream of packets comprises copyrighted music

selections and the means for monitoring further accumulates records that indicate which users received specific music

38. The method of claim 33 further comprising means for storing packets received at the user during a first time period 5 and means for inserting such packets into other packets received at the user at a plurality of later time periods.

39. The communication system of claim 33 further comreceived at the user an audio output and/or a visual display. 10 communications network comprising the steps of:

40. The communication system of claim 33 further comprising means for storing packets received at the user during a first time period and means for inserting such packets into other packets received at the user at a later time period.

41. The communication system of claim 40 wherein the 15 stream of packets received during the first time period contains advertising information.

42. The communication system of claim 41 wherein the entent of the advertising information is varied depending on the identity of the user.

43. The communication system of claim 33 further com-

means for compressing the stream of packets in their passage from source to user, and

downstream of the compressing means, means for decompressing the stream of packets.

44. The communication system of claim 43 wherein the compressing means is located near the converting means and the decompressing means is located at the user.

45. The communication system of claim 43 wherein the compressing means uses a compression algorithm that is selected in accordance with the content of the information being communicated in the stream of packets.

46. The communication system of claim 43 wherein the compressing means inserts into each packet an identification of the compression algorithm used and the decompressing means monitors each packet to read such identification and to vary its decompression algorithm in response thereto.

47. A method for transmitting message packets over a communications network comprising the steps of:

converting a plurality of streams of audio and/or visual information into a plurality of streams of addressed digital packets complying with the specifications of a network communication protocol.

for each stream, routing such stream to one or more users. controlling the routing of the stream of packets in response to selection signals received from the users, and

monitoring the reception of packets by the users and 50 accumulating records that indicate which streams of packets were received by which users, wherein at least one stream of packets comprises music selections and the records that are accumulated indicate how many users did or did not listen to the entire selection.

48. A method for transmitting at least one stream of audio and/or visual information over a communications network to a plurality of users comprising the steps of:

controlling the routing of the stream of information through the network in response to selection signals 60 received from the users, and

monitoring the reception of the stream of information by the users and accumulating records relating to the reception of the stream of information by the users, wherein at least one stream of information comprises music selections and the records that are accumulated indicate how many users did or did not listen to the entire selection.

49. A method for transmitting message packets over a

converting a plurality of streams of audio and/or visual information into a plurality of streams of addressed digital packets complying with the specifications of a network communication protocol.

for each stream, routing such stream to one or more users, controlling the routing of the stream of packets in response to selection signals received from the users, and

monitoring the reception of packets by the users and accumulating records that indicate which streams of packets were received by which users, wherein at least one stream of packets comprises an audio and/or visual selection and the records that are accumulated indicate the elapsed time that a user received the audio and/or visual selection.

50. A method for transmitting at least one stream of audio and/or visual information over a communications network to a plurality of users comprising the steps of:

controlling the routing of the stream of information through the network in response to selection signals received from the users, and

monitoring the reception of the stream of information by the users and accumulating records relating to the reception of the stream of information by the users, wherein at least one stream of information comprises an audio and/or visual selection and the records that are accumulated indicate the elapsed time that a user received the audio and/or visual selection.

A communication system comprising:

means for converting at least one stream of audio and/or visual information into a stream of addressed digital packets complying with the specifications of a network communication protocol.

means for routing such stream via a communication network to selected users,

means for controlling the routing of the stream of packets in response to selection signals received from the users,

means for monitoring the reception of packets by the user and for accumulating records that indicate which streams of packets were received by which users. wherein at least one stream of packets comprises an audio and/or visual selection, and the means for monitoring further includes means for accumulating records that indicate the elapsed time that a user received the audio and/or visual selection.

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. :

5,778,187

DATED

July 7, 1998

INVENTOR(S) :

Monteiro et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1, line 18: change "pointto-point" to --point-to-point--.

Column 4, line 44: change "VAULTNFS" to --VAULT-NFS--.

Claim 1, line 30: change "Rackets" to -packets-.

Claim 24, line 67: change "he" to -the-.

Claim 33, line 50: change "Rackets" to -packets-.

Claim 42, line 19: "cntent" to -content-.

Signed and Sealed this

Eighteenth Day of May, 1999

Attest:

Q. TODO DICKINSON

Attesting Officer

Acting Commissioner of Parents and Trademarks

## UNITED STATES PATENT AND TRADEMARK OFFICE

### CERTIFICATE OF CORRECTION

PATENT NO. : 5,778,187 Page 1 of 2

DATED : July 7, 1998 INVENTOR(S) : Monteiro et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

#### Column 1,

Lines 20, 23, 24 and 43, "which", each occurrence, should read -- that --;

Line 32, "capability analogous" should read -- capability, analogous --;

Line 34, "nodes are" should read -- nodes, is --;

Line 59, "1458 which" should read - 1458, which -.

### Column 2,

Lines 32 and 47, "which", each occurrence, should read -- which: --

#### Column 3.

Lines 12, 15, 20, 24, 25 and 26, "which", each occurrence, should read -- that --; Line 21, "at a major points" should read -- at major points --.

#### Column 4,

Line 8, "which" should read -- that --.

#### Column 5,

Lines 36 and 41, "which", each occurrence, should read -- that --; Line 63, change "dynamic, Users" to -- dynamic; Users --.

#### Column 6,

Line 2, "which" should read -- that --.

Line 25, begin new paragraph at the sentence beginning with "Multicasting".

Line 39, "to a multicast" should read -- to multicast --.

Line 46, begin new paragraph at the sentence beginning with "Thus".

Lines 50 and 65, "which", each occurrence, should read -- that --.

#### Column 7,

Line 17, "which" should read -- that --;

Line 18, "monitor" should read -- monitors --;

Line 26, "audiostream" should read -- audio stream --.

#### Column 8,

Line 5, "36 which" should read -- 36, which --.

#### Column 13,

Line 13, "invoke it which" should read – invoke it, which –;

Line 62, "ask" should read -- asks --.

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 5,778,187 Page 2 of 2

DATED : July 7, 1998 INVENTOR(S) : Monteiro et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

#### Column 15,

Line 33, "Server validates" should read -- Server, validates --; Line 34, "generate" should read -- generates --.

#### Column 16,

Line 26, "and will then" should read — and then —; Line 46, "Server are" should read — Server, are —.

#### Column 18,

Line 11, Table 3, "infirmation" should read -- information --.

Signed and Sealed this

Sixth Day of May, 2003

JAMES E. ROGAN
Director of the United States Patent and Trademark Office



## (12) EX PARTE REEXAMINATION CERTIFICATE (5425th)

## **United States Patent**

Monteiro et al.

(10) Number: US 5,778,187 C1

(45) Certificate Issued: Jun. 27, 2006

#### (54) MULTICASTING METHOD AND APPARATUS

(75) Inventors: Antonio M. Monteiro, New York, NY (US); James F. Butterworth, New

York, NY (US)

(73) Assignee: Neteast Innovations Ltd., Boulder, CO (US)

#### Reexamination Request:

No. 90/007,054, May 28, 2004 No. 90/007,445, Mar. 4, 2005

#### Reexamination Certificate for:

Patent No.: 5,778,187 Issued: Jul. 7, 1998 08/644,072 Appl. No.: Filed: May 9, 1996

Certificate of Correction issued May 18, 1999.

Certificate of Correction issued May 6, 2003.

(51) Int. Cl. G06F 15/16 (2006.01)

(58) Field of Classification Search ...... 709/204, 709/206, 231

See application file for complete search history.

#### (56)References Cited

#### U.S. PATENT DOCUMENTS

| 2,674,512 | A | 4/1954  | Bogert et al.    |
|-----------|---|---------|------------------|
| 2,957,046 | A | 10/1960 | Freeman et al.   |
| 3,126,513 | A | 3/1964  | Kamen            |
| 3,230,302 | A | 1/1966  | Bruck et al.     |
| 3,368,031 | A | 2/1968  | Eisele et al.    |
| 3,733,430 | A | 5/1973  | Thompson et al.  |
| 4,245,245 | A | 1/1981  | Matsumoto et al. |
| 4,264,924 | A | 4/1981  | Freeman          |
| RE31,639  | E | 7/1984  | Nicholson        |
| 4,546,382 | A | 10/1985 | McKenna et al.   |
| 4,558,358 | A | 12/1985 | Onda             |
|           |   |         |                  |

| 4,602,279 | A | 7/1986 | Freeman           |
|-----------|---|--------|-------------------|
| 4,816,904 | A | 3/1989 | McKenna et al.    |
| 4,829,569 | Α | 5/1989 | Seth-Smith et al. |
| 4,850,007 | Α | 7/1989 | Marino et al.     |
| 5,027,400 | A | 6/1991 | Baji et al.       |
| 5,081,680 | A | 1/1992 | Bennett           |

#### (Continued)

#### FOREIGN PATENT DOCUMENTS

| EP | 97 92 4648  | 6/2004 |  |
|----|-------------|--------|--|
| WO | WO 95/15658 | 8/1994 |  |

#### OTHER PUBLICATIONS

Vashaspathi et al., "Multicast Routing for Multimedia Communication", IEEE/ACM Transactions on Networking vol. 1. No. 3 Jun., 1993, pp. 286-292.\*


Almeroth et al., "Collecting and Modeling the Join/Leave Behavior of Multicast Group Members in the MBONE", 1EEE Preceedings of HPDC-5'96, May 1996, pp. 209-216.\*

#### (Continued)

Primary Examiner-Bunjob Jaroenchonwanit

#### ABSTRACT (57)

A scalable architecture is disclosed for delivery of real-time information over a communications network. Embedded into the architecture is a control mechanism that provides for the management and administration of users who are to receive the real-time information. In the preferred embodiment, the information being delivered is high-quality audio. However, it could also be video, graphics, text or any other type of information that can be transmitted over a digital network. Preferably, there are multiple channels of information available simultaneously to be delivered to users, each channel consisting of an independent stream of information. A user chooses to tune in or tune out a particular channel, but does not choose the time at which the channel distributes its information. Advantageously, interactive (two-way) information can be incorporated into the system, multiple streams of information can be integrated for delivery to a user, and certain portions of the information being delivered can be tailored to the individual user.



## US 5,778,187 C1

Page 2

| U.S. PATE          | NT DOCUMENTS                            | 5,673,254 A * 9/1997 Crayford 370/231  |
|--------------------|---|--|
| 5,105,184 A 4/19   | 02 Dirani et al                         | 5,675,510 A 10/1997 Coffey et al.  |
|                    | 92. Pirani et al.<br>92. Yunt et al.    | 5,694,334 A 12/1997 Donahue et al.   |
|                    | 92 Wachob                               | 5,706,290 A 1/1998 Shaw et al.   |
|                    | 92 Croquet et al.                       | 5,715,336 A * 2/1998 Tanaka  |
|                    | 93 Baumgartner et al.                   | 5,717,923 A 2/1998 Dedrick   |
|                    | 93 Hoarty et al.                        | 5,727,002 A * 3/1998 Miller et al  |
|                    | 93 Lawlor et al.                        | 5,734,719 A 3/1998 Tsevdos et al.<br>5,745,837 A * 4/1998 Fuhrmann                         |
|                    | 93 Wachob                               |  |
|                    | 93 Virginio et al.                      | 5,751,336 A 5/1998 Aggarwal et al.<br>5,760,838 A * 6/1998 Adams et al                     |
|                    | 93 McMullan, Jr.                        | 5,771,073 A * 6/1998 Lim   |
|                    | 93 Van Cang                             | 5,774,664 A * 6/1998 Hidary et al  |
|                    | 94 Esch et al.                          | 5,778,182 A 7/1998 Cathey et al.   |
| 5,283,731 A 2/19   | 94 Lalonde et al.                       | 5,778,187 A 7/1998 Monteiro et al.   |
| 5,289,271 A 2/19   | 94 Watson                               | 5,790,541 A * 8/1998 Patrick et al   |
| 5,305,195 A 4/19   | 94 Murphy                               | 5,793,980 A 8/1998 Glaser et al.   |
| 5,309,433 A 5/19   | 94 Cidon et al.                         | 5,812,545 A * 9/1998 Liebowitz et al 370/337   |
| 5,319,455 A 6/19   | 94 Hoarty et al.                        | 5,838,683 A * 11/1998 Corley et al   |
|                    | 94 Moura et al.                         | 5,848,396 A 12/1998 Gerace   |
|                    | 94 Filepp et al.                        | 5,862,329 A 1/1999 Aras et al.   |
|                    | 94 De Lapa et al.                       | 5,872,588 A 2/1999 Aras et al.   |
|                    | 94 Auerback et al.                      | 5,878,384 A 3/1999 Johnson et al.  |
|                    | 94 Hoarty et al.                        | 5,892,535 A * 4/1999 Allen et al   |
|                    | 94 Doeringer et al.<br>94 Gelman et al. | 5,894,480 A * 4/1999 Hoffert et al   |
|                    | 95 Look et al.                          | 5,923,853 A * 7/1999 Danneels  |
|                    | 95 Danneels et al.                      | 5,928,331 A 7/1999 Bushmitch   |
|                    | 95 Nemirofsky                           | 5,930,254 A 7/1999 Liron et al.  |
|                    | 95 Handelman                            | 5,930,493 A 7/1999 Ottesen et al.  |
|                    | 95 Blahut                               | 5,931,961 A 8/1999 Ranganathan et al.<br>5,936,940 A 8/1999 Marin et al.                   |
|                    | 95 Faulk, Jr. et al.                    | 5,953,350 A * 9/1999 Higgins   |
|                    | 95 Hooper et al 375/240.15              | 5,960,006 A * 9/1999 Maturi et al  |
| 5,424,770 A 6/19   | 95 Schmelzer et al.                     | 5,983,005 A 11/1999 Monteiro et al.  |
| 5,426,637 A 6/19   | 95 Derby et al.                         | 6,002,393 A 12/1999 Hite et al.  |
| 5,428,606 A 6/19   | 95 Moskowitz                            | 6.005,560 A * 12/1999 Gill et al   |
| 5,430,716 A 7/19   | 95 Pawelski                             | 6,009,096 A * 12/1999 Jaisingh et al 370/310.1   |
|                    | 95 Thibadeau et al.                     | 6,115,750 A * 9/2000 Dillon et al  |
|                    | 95 Denissen                             | 6,119,163 A 9/2000 Monteiro et al.   |
|                    | 95 Hooper et al 725/90                  | 6,122,668 A * 9/2000 Teng et al  |
| 5,446,489 A 8/19   |   | 6,208,656 B1 * 3/2001 Hrastar et al  |
|                    | 95 Blahut et al.<br>95 Wilkins          | 6,434,622 B1 8/2002 Monteiro et al.  |
|                    | 95 Dan et al 725/88                     | 6,539,022 B1 * 3/2003 Virgile  |
|                    | 95 Truckenmiller et al.                 | 6,560,707 B1 * 5/2003 Curtis et al   |
|                    | 95 Bodner et al.                        | 2003/0140159 A1 * 7/2003 Campbell et al 709/231<br>2004/0255148 A1 12/2004 Monteiro et al. |
|                    | 96 Cash et al 348/14.12                 | ZODEVZDINO DE EZZONE PROMETO ELA.  |
|                    | 96 Strodtbeck et al.                    | OTHER PUBLICATIONS   |
| 5,488,408 A 1/19   | 96 Maduzia et al.                       |  |
| 5,493,514 A 2/19   | 96 Keith et al.                         | Park et al., "Fault-tolerant Real-Time Synchronous collabo-                                |
| 5,497,502 A 3/19   | 96 Castille                             | ration environment using WWW*", IEEE, 1996, pp.  |
|                    | 96 Bottomley et al 725/93               | 226-231.*  |
| 5,515,098 A 5/19   | 96 Carles                               | Pullen, "Synchronous Distance Education Via the Internat",                                 |
| 5,517,494 A * 5/19 | 96 Green 370/408                        | FIE'96 Preceedings, IEEE, 1996, pp. 285-288.*  |
|                    | 96 Kim et al 370/474                    | Munzner, "Visualizing the Global Topology of the   |
|                    | 96 Gupta et al                          | MBONE", IEEE, 1996, pp. 85–92 and 129.*  |
|                    | 96 Hendricks et al                      |  |
|                    | 96 Maturi et al                         | Shin, "Internet Multimedia Application Technologies Cur-                                   |
|                    | 97 Lo et al                             | rent Practice and Future Directions", IEEE 1996, p. 225.*                                  |
| 5,594,732 A * 1/19 |   | Chaddha et al., "A Frame-work for Live Multicast of Video                                  |
| 5,600,364 A 2/19   |   | Streams OVer the Internet", IEEE 1996, pp. 1–4.*   |
|                    | 97 Dedrick                              | Macedonia et al., "MBone Provides Audio and Video Across                                   |
| 5,610,920 A * 3/19 | 97 Doll et al 370/389                   | the Internet", computer, Apr. 1994, pp. 30-35.*  |
| 5,617,565 A 4/19   | 97 Augenbraum et al.                    | Two-Way Media LLC v. America Online, Inc., Civil Action                                    |
| 5,634,334 A * 6/19 | 97 Hehl 60/328                          | No. C-04-089, S.D. Texas, Complaint, Mar. 9, 2004.   |
| 5,636,346 A 6/19   |   | Two-Way Media LLC v America Online, Inc., America  |
| 5,649,013 A 7/19   |   | Online, Inc.'s Answer to the Complaint and Counterclaim,                                   |
| 5,652,615 A * 7/19 |   | Civil Action No. C-04-089, S.D. Texas, May 20, 2004.                                       |
| 5,652,749 A * 7/19 |   |  |
|                    | 97 Goodman et al 709/246                | Two-Way Media LLC v America Online, Inc., Order, Civil                                     |
| 5,671,226 A * 9/19 | 97 Murakami et al 370/474               | Action No. C-04-089, S.D. Texas, Jun. 9, 2004.   |