



HTML 4.0 Specification

W3C Recommendation *18-Dec-1997*

This version:

<http://www.w3.org/TR/REC-html40-971218>

Latest version:

<http://www.w3.org/TR/REC-html40>

Previous version:

<http://www.w3.org/TR/PR-html40-971107>

Editors:

Dave Raggett <dsr@w3.org>

Arnaud Le Hors <lehors@w3.org>

Ian Jacobs <ij@w3.org>

Abstract

This specification defines the HyperText Markup Language (HTML), version 4.0, the publishing language of the World Wide Web. In addition to the text, multimedia, and hyperlink features of the previous versions of HTML, HTML 4.0 supports more multimedia options, scripting languages, style sheets, better printing facilities, and documents that are more accessible to users with disabilities. HTML 4.0 also takes great strides towards the internationalization of documents, with the goal of making the Web truly World Wide.

HTML 4.0 is an SGML application conforming to International Standard ISO 8879 -- Standard Generalized Markup Language [ISO8879] [p.323] .

Status of this document

This document has been reviewed by W3C Members and other interested parties and has been endorsed by the Director as a W3C Recommendation. It is a stable document and may be used as reference material or cited as a normative reference from another document. W3C's role in making the Recommendation is to draw attention to the specification and to promote its widespread deployment. This enhances the functionality and interoperability of the Web.

W3C recommends that user agents and authors (and in particular, authoring tools) produce HTML 4.0 documents rather than HTML 3.2 documents (see [HTML32] [p.325]). For reasons of backwards compatibility, W3C also recommends that tools interpreting HTML 4.0 continue to support HTML 3.2 and HTML 2.0 as well.

A list of current W3C Recommendations and other technical documents can be found at <http://www.w3.org/TR>.

Public discussion on HTML features takes place on www-html@w3.org.

Available formats

The HTML 4.0 W3C Recommendation is also available in the following formats:

A plain text file:

<http://www.w3.org/TR/REC-html40-971218/html40.txt> (723Kb),

A gzipped tar file containing HTML documents:

<http://www.w3.org/TR/REC-html40-971218/html40.tgz> (339Kb),

A zip file containing HTML documents (this is a '.zip' file not an '.exe'):

<http://www.w3.org/TR/REC-html40-971218/html40.zip> (372Kb),

A Postscript file:

<http://www.w3.org/TR/REC-html40-971218/html40.ps> (4.4Mb, 363 pages),

A PDF file:

<http://www.w3.org/TR/REC-html40-971218/html40.pdf> (2.1Mb) file.

In case of a discrepancy between electronic and printed forms of the specification, the electronic version is the definitive version.

Available languages

The English version of this specification is the only normative version. However, for translations of this document, see <http://www.w3.org/MarkUp/html40-updates/translations.html>.

Errata

The list of known errors in this specification is available at <http://www.w3.org/MarkUp/html40-updates/html40-errata.html>

Please report errors in this document to www-html-editor@w3.org.

Table of Contents

1. About the HTML 4.0 Specification [p.13]
 1. How the specification is organized [p.13]
 2. Document conventions [p.14]
 1. Elements and attributes [p.14]
 2. Notes and examples [p.15]
 3. Acknowledgments [p.15]
 4. Copyright Notice [p.16]
2. Introduction to HTML 4.0 [p.17]
 1. What is the World Wide Web? [p.17]
 1. Introduction to URIs [p.17]
 2. Fragment identifiers [p.18]
 3. Relative URIs [p.18]
 2. What is HTML? [p.19]
 1. A brief history of HTML [p.19]
 3. HTML 4.0 [p.20]
 1. Internationalization [p.20]
 2. Accessibility [p.20]
 3. Tables [p.21]
 4. Compound documents [p.21]
 5. Style sheets [p.21]
 6. Scripting [p.22]
 7. Printing [p.22]
 4. Authoring documents with HTML 4.0 [p.22]
 1. Separate structure and presentation [p.22]
 2. Consider universal accessibility to the Web [p.22]
 3. Help user agents with incremental rendering [p.22]
3. On SGML and HTML [p.23]
 1. Introduction to SGML [p.23]
 2. SGML constructs used in HTML [p.24]
 1. Elements [p.24]
 2. Attributes [p.25]
 3. Character references [p.26]
 4. Comments [p.26]
 3. How to read the HTML DTD [p.27]
 1. DTD Comments [p.27]
 2. Parameter entity definitions [p.27]
 3. Element declarations [p.28]
 - Content model definitions [p.28]
 4. Attribute declarations [p.30]
 - DTD entities in attribute definitions [p.30]
 - *Boolean attributes* [p.31]

4. Conformance: requirements and recommendations [p.33]
 1. Definitions [p.33]
 2. SGML [p.34]
 3. The text/html content type [p.35]
5. HTML Document Representation [p.37] - *Character sets, character encodings, and entities*
 1. The Document Character Set [p.37]
 2. Character encodings [p.38]
 1. Choosing an encoding [p.38]
 - Notes on specific encodings [p.39]
 2. Specifying the character encoding [p.39]
 3. Character references [p.40]
 1. Numeric character references [p.41]
 2. Character entity references [p.41]
 4. Undisplayable characters [p.42]
6. Basic HTML data types [p.43] - *Character data, colors, lengths, URIs, content types, etc.*
 1. Case information [p.43]
 2. SGML basic types [p.44]
 3. Text strings [p.44]
 4. URIs [p.44]
 5. Colors [p.45]
 1. Notes on using colors [p.45]
 6. Lengths [p.46]
 7. Content types (MIME types) [p.46]
 8. Language codes [p.47]
 9. Character encodings [p.47]
 10. Single characters [p.47]
 11. Dates and times [p.47]
 12. Link types [p.48]
 13. Media descriptors [p.49]
 14. Script data [p.50]
 15. Style sheet data [p.51]
 16. Frame target names [p.51]
7. The global structure of an HTML document [p.53] - *The HEAD and BODY of a document*
 1. Introduction to the structure of an HTML document [p.53]
 2. HTML version information [p.54]
 3. The HTML element [p.55]
 4. The document head [p.55]
 1. HEAD element [p.55]
 2. The TITLE element [p.56]
 3. The title attribute [p.57]
 4. Meta data [p.57]
 - Specifying meta data [p.58]
 - The META element [p.58]

- Meta data profiles [p.61]
- 5. The document body [p.62]
 1. The BODY element [p.62]
 2. Element identifiers: the `id` and `class` attributes [p.65]
 3. Block-level and inline elements [p.66]
 4. Grouping elements: the `DIV` and `SPAN` elements [p.67]
 5. Headings: The `H1`, `H2`, `H3`, `H4`, `H5`, `H6` elements [p.68]
 6. The `ADDRESS` element [p.70]
- 8. Language information and text direction [p.71] - *International considerations for text*
 1. Specifying the language of content: the `lang` attribute [p.71]
 1. Language codes [p.72]
 2. Inheritance of language codes [p.72]
 3. Interpretation of language codes [p.73]
 2. Specifying the direction of text and tables: the `dir` attribute [p.73]
 1. Introduction to the bidirectional algorithm [p.74]
 2. Inheritance of text direction information [p.75]
 3. Setting the direction of embedded text [p.75]
 4. Overriding the bidirectional algorithm: the `BDO` element [p.76]
 5. Character references for directionality and joining control [p.78]
 6. The effect of style sheets on bidirectionality [p.79]
- 9. Text [p.81] - *Paragraphs, Lines, and Phrases*
 1. White space [p.81]
 2. Structured text [p.82]
 1. Phrase elements: `EM`, `STRONG`, `DFN`, `CODE`, `SAMP`, `KBD`, `VAR`, `CITE`, `ABBR`, and `ACRONYM` [p.82]
 2. Quotations: The `BLOCKQUOTE` and `Q` elements [p.84]
 - Rendering quotations [p.85]
 3. Subscripts and superscripts: the `SUB` and `SUP` elements [p.86]
 3. Lines and Paragraphs [p.86]
 1. Paragraphs: the `P` element [p.87]
 2. Controlling line breaks [p.87]
 - Forcing a line break: the `BR` element [p.87]
 - Prohibiting a line break [p.88]
 3. Hyphenation [p.88]
 4. Preformatted text: The `PRE` element [p.88]
 5. Visual rendering of paragraphs [p.90]
 4. Marking document changes: The `INS` and `DEL` elements [p.91]
- 10. Lists [p.93] - *Unordered, Ordered, and Definition Lists*
 1. Introduction to lists [p.93]
 2. Unordered lists (`UL`), ordered lists (`OL`), and list items (`LI`) [p.94]
 3. Definition lists: the `DL`, `DT`, and `DD` elements [p.96]
 1. Visual rendering of lists [p.97]
 4. The `DIR` and `MENU` elements [p.99]

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.