


INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification ⁶ : G06F 13/00</p>	<p>A1</p>	<p>(11) International Publication Number: WO 97/36241 (43) International Publication Date: 2 October 1997 (02.10.97)</p>
<p>(21) International Application Number: PCT/US97/03569 (22) International Filing Date: 11 March 1997 (11.03.97) (30) Priority Data: 08/623,930 28 March 1996 (28.03.96) US (71) Applicant (for all designated States except US): INTEL CORPORATION [US/US]; 2200 Mission College Boulevard, Santa Clara, CA 95052 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): SHIPMAN, Mark, S. [US/US]; 3616 S.E. Willow Street, Hillsboro, OR 97123 (US). CHRISTESON, Orville, H. [US/US]; 2930 N.W. Whitman Court, Portland, OR 97229 (US). LABATTE, Timothy, E., W. [US/US]; 10605 N.W. Harding Court, Portland, OR 97229 (US). (74) Agents: TAYLOR, Edwin, H. et al.; Blakely, Sokoloff, Taylor & Zafman L.L.P., 1279 Oakmead Parkway, Sunnyvale, CA 94086 (US).</p>		<p>(81) Designated States: AL, AM, AT, AT (Utility model), AU (Petty patent), AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), EE, EE (Utility model), ES, FI, FI (Utility model), GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (Utility model), TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).</p> <p>Published With international search report.</p>

(54) Title: METHOD AND APPARATUS FOR PROTECTING DATA USING LOCK VALUES IN A COMPUTER SYSTEM



(57) Abstract

A method and apparatus for protecting data using lock values in a computer system includes indicating that the computer system does not support locked accesses to the data. However, upon receipt of a request (310) to write to a storage area where the data is contained, the present invention checks (320) whether a lock value corresponding to the request matches a predetermined lock value. If the lock value matches the predetermined lock value, then the data is written to the storage area (330); otherwise, the storage area is left unmodified (340).

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

METHOD AND APPARATUS FOR PROTECTING DATA USING LOCK VALUES IN A COMPUTER SYSTEM

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention pertains to the field of data storage in a computer system. More particularly, this invention relates to protecting data stored in a computer system using lock values.

Background

Computer technology is continuously advancing, resulting in modern computer systems which provide ever-increasing performance. One result of this improved performance is an increased use of computer systems by individuals in a wide variety of business, academic and personal applications. With the increased use of and demand for computer systems, a large number of manufacturers, developers, and suppliers of computer systems, components, and software have come into existence to service the demand.

The large number of manufacturers, developers, and suppliers, combined with the flexibility afforded them due to the advances in technology, has resulted in a wide range of methods in which computer systems operate. Typically, in order for different components within a computer system to work together effectively, each must agree on certain specific operating parameters. Often, standards or specifications are adopted or agreed upon by various industries or groups of companies which define certain operating parameters. Thus, if two components comply with the same standard(s) or specification(s), then the

two components should be able to work together effectively in the same system.

For example, one such standard is the Plug and Play Specification. A component which conforms to the Plug and Play Specification should work properly in a system which also complies with the Plug and Play Specification by simply connecting the component to the system. Components which do not comply with the Plug and Play Specification may require additional configuration steps to be taken by the user before they function properly.

Another current specification is the Desktop Management Interface (DMI) Specification. The DMI Specification provides, among other advantages, general purpose nonvolatile data areas which can be accessed to store various data by applications executing on the system. The DMI Specification, however, does not provide a mechanism to prevent an application from updating data stored in one of these general purpose nonvolatile data areas by another application. Thus, it would be beneficial to provide a mechanism for preventing unwanted updates to these general purpose nonvolatile data areas.

Additionally, in order to maintain compliance with the DMI Specification, any protection against unwanted updates to general purpose nonvolatile data areas must not violate the DMI Specification. Thus, it would be advantageous to provide a mechanism for preventing unwanted updates to the general purpose nonvolatile data areas which maintains compliance with the Desktop Management Interface Specification.

As will be described in more detail below, the present invention provides a mechanism for protecting data using lock values in a computer system that achieves these and other

desired results which will be apparent to those skilled in the art from the description to follow.

SUMMARY OF THE INVENTION

A method and apparatus for protecting data using lock values in a computer system is described herein. The present invention includes indicating that the computer system does not support locked accesses to the data. However, upon receipt of a request to write to the storage area where the data is contained, the present invention checks whether a lock value corresponding to the request matches a predetermined lock value. If the lock value matches the predetermined lock value, then the data is written to the storage area; otherwise, the storage area is left unmodified.

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention is illustrated by way of example and not limitation in the figures of the accompanying drawings, in which like references indicate similar elements and in which:

Figure 1 is a block diagram showing a portion of a computer system in accordance with one embodiment of the present invention;

Figure 2 is a flowchart showing the steps used to read data from a storage area according to one embodiment of the present invention;

Figure 3 is a flowchart showing the steps used to write data to a storage area according to one embodiment of the present invention; and

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.