



Date Mailed: 06/30/2015

Receipt is acknowledged of this provisional patent application. It will not be examined for patentability and will become abandoned not later than twelve months after its filing date. Any correspondence concerning the application must include the following identification information: the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. **If an error is noted on this Filing Receipt, please submit a written request for a Filing Receipt Correction. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections**

Inventor(s)

Linda Faye Nazar, Waterloo, CANADA;
Dipan Kundu, Kitchener, CANADA;
Brian Adams, Mitchell, CANADA;

Applicant(s)

Linda Faye Nazar, Waterloo, CANADA;
Dipan Kundu, Kitchener, CANADA;
Brian Adams, Mitchell, CANADA;

Power of Attorney: None

Permission to Access - A proper **Authorization to Permit Access to Application by Participating Offices** (PTO/SB/39 or its equivalent) has been received by the USPTO.

If Required, Foreign Filing License Granted: 06/29/2015

The country code and number of your priority application, to be used for filing abroad under the Paris Convention, is **US 62/230,502**

Projected Publication Date: None, application is not eligible for pre-grant publication

Non-Publication Request: No

Early Publication Request: No

**** SMALL ENTITY ****

Title

Aqueous Zn-Ion batteries using a metallic zinc negative electrode and vanadate positive electrodes

Statement under 37 CFR 1.55 or 1.78 for AIA (First Inventor to File) Transition Applications: No

page 1 of 3

application under the Patent Cooperation Treaty (PCT). An international (PCT) application generally has the same effect as a regular national patent application in each PCT-member country. The PCT process **simplifies** the filing of patent applications on the same invention in member countries, but **does not result** in a grant of "an international patent" and does not eliminate the need of applicants to file additional documents and fees in countries where patent protection is desired.

Almost every country has its own patent law, and a person desiring a patent in a particular country must make an application for patent in that country in accordance with its particular laws. Since the laws of many countries differ in various respects from the patent law of the United States, applicants are advised to seek guidance from specific foreign countries to ensure that patent rights are not lost prematurely.

Applicants also are advised that in the case of inventions made in the United States, the Director of the USPTO must issue a license before applicants can apply for a patent in a foreign country. The filing of a U.S. patent application serves as a request for a foreign filing license. The application's filing receipt contains further information and guidance as to the status of applicant's license for foreign filing.

Applicants may wish to consult the USPTO booklet, "General Information Concerning Patents" (specifically, the section entitled "Treaties and Foreign Patents") for more information on timeframes and deadlines for filing foreign patent applications. The guide is available either by contacting the USPTO Contact Center at 800-786-9199, or it can be viewed on the USPTO website at <http://www.uspto.gov/web/offices/pac/doc/general/index.html>.

For information on preventing theft of your intellectual property (patents, trademarks and copyrights), you may wish to consult the U.S. Government website, <http://www.stopfakes.gov>. Part of a Department of Commerce initiative, this website includes self-help "toolkits" giving innovators guidance on how to protect intellectual property in specific countries such as China, Korea and Mexico. For questions regarding patent enforcement issues, applicants may call the U.S. Government hotline at 1-866-999-HALT (1-866-999-4258).

**LICENSE FOR FOREIGN FILING UNDER
Title 35, United States Code, Section 184
Title 37, Code of Federal Regulations, 5.11 & 5.15**

GRANTED

The applicant has been granted a license under 35 U.S.C. 184, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" followed by a date appears on this form. Such licenses are issued in all applications where the conditions for issuance of a license have been met, regardless of whether or not a license may be required as set forth in 37 CFR 5.15. The scope and limitations of this license are set forth in 37 CFR 5.15(a) unless an earlier license has been issued under 37 CFR 5.15(b). The license is subject to revocation upon written notification. The date indicated is the effective date of the license, unless an earlier license of similar scope has been granted under 37 CFR 5.13 or 5.14.

as imposed by any Government contract or the provisions of existing laws relating to espionage and the national security or the export of technical data. Licensees should apprise themselves of current regulations especially with respect to certain countries, of other agencies, particularly the Office of Defense Trade Controls, Department of State (with respect to Arms, Munitions and Implements of War (22 CFR 121-128)); the Bureau of Industry and Security, Department of Commerce (15 CFR parts 730-774); the Office of Foreign Assets Control, Department of Treasury (31 CFR Parts 500+) and the Department of Energy.

NOT GRANTED

No license under 35 U.S.C. 184 has been granted at this time, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" DOES NOT appear on this form. Applicant may still petition for a license under 37 CFR 5.12, if a license is desired before the expiration of 6 months from the filing date of the application. If 6 months has lapsed from the filing date of this application and the licensee has not received any indication of a secrecy order under 35 U.S.C. 181, the licensee may foreign file the application pursuant to 37 CFR 5.15(b).

SelectUSA

The United States represents the largest, most dynamic marketplace in the world and is an unparalleled location for business investment, innovation, and commercialization of new technologies. The U.S. offers tremendous resources and advantages for those who invest and manufacture goods here. Through SelectUSA, our nation works to promote and facilitate business investment. SelectUSA provides information assistance to the international investor community; serves as an ombudsman for existing and potential investors; advocates on behalf of U.S. cities, states, and regions competing for global investment; and counsels U.S. economic development organizations on investment attraction best practices. To learn more about why the United States is the best country in the world to develop technology, manufacture products, deliver services, and grow your business, visit <http://www.SelectUSA.gov> or call +1-202-482-6800.

Aqueous Zn-Ion Batteries Using a Metallic Zinc Negative Electrode and Vanadate Positive Electrodes

Inventors:

Dr. Linda Faye Nazar, (Professor, University of Waterloo), 225-45 Benjamin Rd. Waterloo, Ontario, N2V 1Z3 (Canadian Citizen)

Dr. Dipan Kundu, (Researcher, University of Waterloo), 11 Overlea Dr, # 1012, Kitchener ON N2M 5C8 (Indian Citizen)

Brian David Garnett Adams, (Researcher, University of Waterloo), 228 Morenz Dr., Mitchell ON N0K 1N0 (Canadian Citizen)

The United States Government has rights in this invention pursuant to DOE-FOA-0000559, Energy Innovation Hub — Batteries and Energy Storage, and [ANL Subcontract No. 3F-32281], issued under DOE Prime Contract No. DE-AC02-06CH11357 between the United States Government and UChicago Argonne, LLC representing Argonne National Laboratory.

What is claimed here are material composition and method of synthesis for Aqueous Zn-Ion Batteries Using a Metallic Zinc Negative Electrode and Vanadate Positive Electrodes, related to the field of rechargeable Zinc-Ion batteries and their applications in power storage, as generally and as specifically described herein;

Abstract

The present invention pertains to claims related to a low cost rechargeable Zn battery based on a cathode comprised of nanostructured hydrated vanadium oxides as robust materials for high rate and long term reversible Zn^{2+} ion intercalation storage at the cathode, that are coupled with a metallic Zn anode, and an aqueous electrolyte. Vanadium possesses a range of oxidation states (+2 to +5), which allows for multiple redox and hence large specific capacities. Layered $M_xV_nO_m$ oxides (M = metal ion) of compositions such as V_2O_5 , V_3O_8 , V_4O_{11} - that are made of two dimensional sheet structures - have been the subject of intense investigation for both non-aqueous and aqueous alkali (Li and Na) ion batteries. The additional presence of interlayer metal ions and/or water of hydration in such layered oxides act as pillars, providing structural stability during long term charge discharge cycling. Two vanadates that embody such qualities are $H_2V_3O_8$ and $Zn_xV_2O_5$, which we have synthesized in nanofiber morphology by a simple and rapid microwave hydrothermal method, without using any toxic or corrosive chemical. These are converted to freestanding film electrodes by adopting a low-cost and green, water based electrode fabrication process. The nanomorphology of the product and compact film structure allows for facile release of strain resulting upon Zn^{2+} cycling, short ion diffusion paths, good interaction with carbon additives with the active material and robust conductive wiring at the cathode. An additional contribution to the technology is the use of a titanium or titanium coated

current collector for Zn deposition at the negative electrode. This material has a substantial overpotential for hydrogen evolution, which is comparable to Zn itself. This combination facilitates high specific capacities of up to 350 mAh g⁻¹ and long term cyclabilities up to 1000 cycles at 100% coulombic efficiency using fast current rates. It thus gives rise to predicted gravimetric energy densities up to 280 Wh/kg for the cathode alone, and between 200 – 250 Wh/kg including the mass of the zinc anode.

Introduction

The energy driven technological revolution of the past century has made our lives easy in many ways. However, in doing so, we have relied solely on the combustion of fossil fuels that has led to severe environmental damage and now we are on the verge of a global climate change. This has raised the call for an environmentally responsible energy economy relying on cheap and sustainable energy generation and storage. In this backdrop, renewable energy resources (solar, wind, etc.) along with electrochemical energy storage devices based on batteries have gained prominence as a result of considerable breakthroughs in the last two decades. Primary batteries have been replaced with rechargeable (secondary) types for all uses, with the exception of small consumer portable electronics. Four main types of secondary batteries currently dominate the commercial market: lead-acid, nickel-cadmium, nickel metal-hydride, and lithium-ion. Lead-acid batteries have remained as the leader (for the past century) for certain applications where their low gravimetric energy density is not a major concern; specifically automotive starter sources and backup power supplies. Nickel-cadmium cells made their way into markets of portable power tools in the 1980s and 1990s, but have been since replaced by nickel metal-hydride cells due to the toxicity of cadmium. Nickel metal-hydride are still used today for certain applications, but are being replaced by lithium ion batteries (LIBs) which have become the frontrunner by revolutionizing the portable electronics market and raising the stake of electrified transportation. Unfortunately, despite the high energy and high power of some LIBs, concerns over the future cost of lithium and the sustainability of the resources, and safety hazards of using highly flammable and toxic organic electrolyte limit their application to some extent. In this context, rechargeable aqueous batteries which utilize cheap and safe water based electrolytes, and do not involve the dry atmospheric assembly conditions of non-aqueous batteries, are attracting tremendous attention. In addition, the high ionic conductivities of aqueous electrolytes (1 S cm⁻¹) compared to non-aqueous electrolytes (1-10 mS cm⁻¹) favor high rate capabilities suitable for emerging applications.

The use of metallic negative electrodes in either primary or secondary type batteries is also quite attractive as a means to achieve high energy densities and for ease of battery assembly (and ultimately lowering costs). In general, the most reducing metals (**Table 1**) happen to be the lightest weight, and thus, have the highest theoretical gravimetric capacities. On the other hand, the heavier metals have greater densities, which in turn lead to higher volumetric capacities. There is a trade-off between the reduction potential of a metal – low values giving higher cell

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.