



# Iam-Choon Khoo

Pennsylvánia State Univ.

# Shin-Tson Wu

Hùghes Research Lab.



Find authenticated court documents without watermarks at docketalarm.com.

#### Published by

World Scientific Publishing Co. Pte. Ltd.
P O Box 128, Farrer Road, Singapore 9128
USA office: Suite 1B, 1060 Main Street, River Edge, NJ 07661
UK office: 73 Lynton Mead, Totteridge, London N20 8DH



#### OPTICS AND NONLINEAR OPTICS OF LIQUID CRYSTALS

Copyright © 1993 by World Scientific Publishing Co. Pte. Ltd.

All rights reserved. This book, or parts thereof, may not be reproduced in any form or by any means, electronic or mechanical, including photocopying, recording or any information storage and retrieval system now known or to be invented, without written permission from the Publisher.

ISBN 981-02-0934-7 981-02-0935-5 (pbk)

For copying of articles in this volume, please pay a copying fee through the Copyright Clearance Centre, Inc., 27 Congress Street, Salem, MA 01970.

Printed in Singapore by Utopia Press.

### CONTENTS

### Preface

DOCKET

## CHAPTER 1. OPTICAL PROPERTIES OF LIQUID CRYSTALS

v

1.1.	Introduction		
1.2.	Thermotropic Liquid Crystals		
	1.2.1. Nematic phase	3	
	1.2.2. Cholesteric phase	4	
	1.2.3. Smectic phases	4	
1.3.	Building Blocks of Liquid Crystals		
	1.3.1. Basic molecular structures	6	
	1.3.2. Phase transition temperatures	10	
1.4.	Eutectic Mixtures		
	1.4.1. Schroder–Van Laar equation	12	
	1.4.2. Example	13	
1.5.	Electronic Structures		
	1.5.1. $\sigma \rightarrow \sigma^*$ transitions	14	
	1.5.2. $n \rightarrow \pi^*$ transitions	16	
	1.5.3. $\pi \to \pi^*$ transitions	17	
1.6.	Experimental Methods for UV Measurement		
	1.6.1. Solvent method	18	
	1.6.2. Guest-host method	20	
1.7.	Polarized Absorption Spectrum	22	
	171 Single nhanyl ring	22	

**A L A R M** Find authenticated court documents without watermarks at <u>docketalarm.com</u>.

	1.7.2.	Biphenyls	28
	1.7.3.	Terphenyls	31
	1.7.4.	Tolanes	36
	1.7.5.	Diphenyl-diacetylenes	42
	1.7.6.	Other highly conjugated LCs	48
1.8.	Off-Resonance Absorption and Light Scattering		
	1.8.1.	Impact of absorption	51
	1.8.2.	Principles of measurement	52
	1.8.3.	Experimental method	55
	1.8.4.	Results	56
1.9.	IR Absorption		
	1.9.1.	Experimental method	61
	1.9.2.	Vibrational absorption spectra	62
	1.9.3.	Order parameter determination	66
	1.9.4.	Microwave region	70
1.10.	Refractive Index Dispersions		
	1.10.1.	Generalized Lorentz–Lorenz formula	72
	1.10.2.	Semi-empirical models	73
	1.10.3.	Experimental methods for refractive indices	78
	1.10.4.	Comparison of model with experiment	80
	1.10.5.	Temperature dependence	87
	1.10.6.	Birefringence	90

### CHAPTER 2. ELECTRO-OPTICAL PROPERTIES OF LIQUID CRYSTALS

2.1.	Introduction		100
	2.1.1.	Dynamic scattering	100
	2.1.2.	Guest-host effect	101
	2.1.3.	Field-induced nematic-cholestric phase change	102
	2.1.4.	Field-induced director-axis reorientation	103
	2.1.5.	Laser-induced phase change	105
	2.1.6.	Light scattering by micron-sized droplets	105
Part 1	. Elect	ro-Optics of Nematics	
2.2. Liquid Crystal Alignment			

DOCKET

2.2.1.       Perpendicular (or homeotropic) alignment       113         2.2.2.       Perpendicular (or homeotropic) alignment       116         2.3.3.       Twist alignment       116         2.3.1.       Generalized geometrical-optics approximation (GGOA)       125         2.3.1.       Generalized geometrical-optics approximation (GGOA)       128         2.3.2.       4 × 4 matrix method       128         2.3.3.       Extended Jones matrix       131         2.4       Phase Compensation Methods for Widening       138         Viewing Angle       138         2.4.1.       Double parallel-aligned cells       139         2.4.2.       Double perpendicular-aligned (or ECB) cells       145         2.4.3.       Double TN cells       146         2.5.1.       Directors distribution       149         2.5.2.       Erickson-Leslie equation       159         2.5.3.       Measurement of response times       163         2.6.4.1.       Dielectric constant       176         2.6.2.       Elastic constant       176         2.6.3.       Viscosities       179         2.7.4.       Transient nematic effect       193         2.7.5.       Fabry-Pérot effect       197 <th></th> <th>091</th> <th>Parallel alignment</th> <th>106</th>		091	Parallel alignment	106
2.2.3. Twist alignment       116         2.2.3. Twist alignment       116         2.3. Optical Transmission of Liquid Crystal Cells       125         2.3.1. Generalized geometrical-optics approximation (GGOA)       125         2.3.2. 4 × 4 matrix method       128         2.3.3. Extended Jones matrix       131         2.4. Phase Compensation Methods for Widening       138         2.4.1. Double parallel-aligned cells       139         2.4.2. Double perpendicular-aligned (or ECB) cells       145         2.4.3. Double TN cells       146         2.5. Dynamic Response       148         2.5.1. Directors distribution       149         2.5.2. Erickson-Leslie equation       159         2.5.3. Measurement of response times       163         2.6.1. Dielectric constant       168         2.6.2. Elastic constant       176         2.6.3. Viscosities       179         2.7. Methods for Improving Response Times       193         2.7.1. Dual frequency effect       197         2.7.3. Bias voltage effect       207         2.7.4. Transient nematic effect (undershoot effect)       201         2.7.5. Fabry-Pérot effect       208         2.7.6. Temperature effect       208         2.7.7. Molecular engineering		2.2.1. 0.0.0	Perpendicular (or homeotropic) alignment	113
<ul> <li>2.2.3. Twist animiston of Liquid Crystal Cells</li> <li>2.3. Optical Transmission of Liquid Crystal Cells</li> <li>2.3.1. Generalized geometrical-optics approximation (GGOA)</li> <li>2.3.2. 4 × 4 matrix method</li> <li>2.3.3. Extended Jones matrix</li> <li>2.4. Phase Compensation Methods for Widening</li> <li>Viewing Angle</li> <li>2.4.1. Double parallel-aligned cells</li> <li>2.4.2. Double perpendicular-aligned (or ECB) cells</li> <li>2.4.3. Double TN cells</li> <li>2.5.1. Directors distribution</li> <li>2.6.3. Measurement of response times</li> <li>2.6.4. Viscosities</li> <li>2.6.5. Viscosities</li> <li>2.6.6. Viscosities</li> <li>2.7.1. Dual frequency effect</li> <li>2.7.2. Crossed electric field effect</li> <li>2.7.3. Bias voltage effect</li> <li>2.7.4. Transient nematic effect (undershoot effect)</li> <li>2.7.5. Fabry-Pérot effect</li> <li>2.7.6. Temperature effect</li> <li>2.7.7. Molecular engineering</li> <li>2.7.8. Diver-Dispersed Liquid Crystals</li> <li>2.8. Polymer-Dispersed LC (PDLC)</li> <li>2.8.1. Material preparation</li> <li>2.8.2. Theories on light scattering</li> <li>2.8.2. Theories on light scattering</li> <li>2.8.4. Dynamic response</li> <li>2.8.4. Dynamic response</li> </ul>		2.2.2.	Twist alignment	116
2.3.       Optical Haministic of or Let Potic 2 approximation (GGOA)       125         2.3.1.       Generalized geometrical-optics approximation (GGOA)       128         2.3.2.       4 × 4 matrix method       128         2.3.3.       Extended Jones matrix       131         2.4.       Phase Compensation Methods for Widening Viewing Angle       138         2.4.1.       Double parallel-aligned cells       139         2.4.2.       Double perpendicular-aligned (or ECB) cells       145         2.4.3.       Double TN cells       146         2.5.       Dynamic Response       148         2.5.1.       Directors distribution       149         2.5.2.       Erickson-Leslie equation       159         2.5.3.       Measurement of response times       163         2.6.       Material Parameters for Electro-Optics       168         2.6.1.       Dielectric constant       179         2.7.       Methods for Improving Response Times       193         2.7.1.       Dual frequency effect       197         2.7.3.       Bias voltage effect       197         2.7.4.       Transient nematic effect (undershoot effect)       201         2.7.5.       Fabry-Pérot effect       208       2.7.7.	0.0	2.2.3.	I Wist angument	125
2.3.1.       GeGOA       125         (GGOA)       128         2.3.2.       4 × 4 matrix method       128         2.3.3.       Extended Jones matrix       131         2.4.       Phase Compensation Methods for Widening       138         Viewing Angle       138         2.4.1.       Double parallel-aligned cells       139         2.4.2.       Double perpendicular-aligned (or ECB) cells       145         2.4.3.       Double TN cells       146         2.5.       Dynamic Response       148         2.5.1.       Directors distribution       149         2.5.2.       Erickson-Leslie equation       159         2.5.3.       Measurement of response times       163         2.6.1.       Dielectric constant       168         2.6.2.       Elastic constant       179         2.6.3.       Viscosities       179         2.7.       Methods for Improving Response Times       193         2.7.1.       Dual frequency effect       197         2.7.2.       Crossed electric field effect       197         2.7.3.       Bias voltage effect       207         2.7.4.       Transient nematic effect (undershoot effect)       201	2.3.	Optice	Constalized geometrical-optics approximation	
2.3.2. 4 × 4 matrix method1282.3.3. Extended Jones matrix1312.4. Phase Compensation Methods for Widening1382.4. Double parallel-aligned cells1392.4.2. Double perpendicular-aligned (or ECB) cells1452.4.3. Double TN cells1462.5. Dynamic Response1482.5.1. Directors distribution1492.5.2. Erickson-Leslie equation1592.5.3. Measurement of response times1632.6.1. Dielectric constant1682.6.2. Elastic constant1762.6.3. Viscosities1792.7.4. Methods for Improving Response Times1932.7.5. Fabry-Pérot effect1972.7.6. Temperature effect2072.7.7. Molecular engineering210Part 2. Electro-Optics of Polymer-Dispersed Liquid Crystals2.8. Polymer-Dispersed LC (PDLC)2122.8.1. Material preparation2132.8.2. Theories on light scattering2142.8.3. Optical transmission2192.8.4. Dynamic response2262.8.5. Reverse-mode PDLC229		2.3.1.	(CCOA)	125
2.3.2. 4 X 4 matrix memory1312.3.3. Extended Jones matrix1312.4. Phase Compensation Methods for Widening1382.4.1. Double parallel-aligned cells1392.4.2. Double perpendicular-aligned (or ECB) cells1452.4.3. Double TN cells1462.5. Dynamic Response1482.5.1. Directors distribution1492.5.2. Erickson-Leslie equation1592.5.3. Measurement of response times1632.6. Material Parameters for Electro-Optics1682.6.1. Dielectric constant1682.6.2. Elastic constant1762.6.3. Viscosities1932.7.1. Dual frequency effect1942.7.2. Crossed electric field effect1972.7.3. Bias voltage effect2072.7.4. Transient nematic effect (undershoot effect)2012.7.5. Fabry-Pérot effect2082.7.7. Molecular engineering210Part 2. Electro-Optics of Polymer-Dispersed Liquid Crystals2.8. Polymer-Dispersed LC (PDLC)2122.8.1. Material preparation2132.8.2. Theories on light scattering2142.8.3. Optical transmission2192.8.4. Dynamic response2262.8.5. Represe-mode PDLC229		099	(GOOA)	128
2.3. Extended solid matrix       138         2.4. Phase Compensation Methods for Widening       138         2.4.1. Double parallel-aligned cells       139         2.4.2. Double perpendicular-aligned (or ECB) cells       145         2.4.3. Double TN cells       146         2.5. Dynamic Response       148         2.5.1. Directors distribution       149         2.5.2. Erickson-Leslie equation       159         2.5.3. Measurement of response times       163         2.6. Material Parameters for Electro-Optics       168         2.6.1. Dielectric constant       168         2.6.2. Elastic constant       176         2.6.3. Viscosities       179         2.7.1. Dual frequency effect       194         2.7.2. Crossed electric field effect       197         2.7.3. Bias voltage effect       197         2.7.4. Transient nematic effect (undershoot effect)       201         2.7.5. Fabry-Pérot effect       208         2.7.7. Molecular engineering       210         Part 2. Electro-Optics of Polymer-Dispersed Liquid Crystals         2.8. Polymer-Dispersed LC (PDLC)       212         2.8.1. Material preparation       213         2.8.2. Theories on light scattering       214         2.8.3. Optical transmission       <		2.J.4. 0.2.2	Fytonded lones matrix	131
2.4.Frase compension means138Viewing Angle1382.4.1.Double parallel-aligned cells1392.4.2.Double perpendicular-aligned (or ECB) cells1452.4.3.Double TN cells1462.5.Dynamic Response1482.5.1.Directors distribution1492.5.2.Erickson-Leslie equation1592.5.3.Measurement of response times1632.6.Material Parameters for Electro-Optics1682.6.1.Dielectric constant1682.6.2.Elastic constant1762.6.3.Viscosities1792.7.Methods for Improving Response Times1932.7.1.Dual frequency effect1942.7.2.Crossed electric field effect1972.7.3.Bias voltage effect1972.7.4.Transient nematic effect (undershoot effect)2072.7.5.Fabry-Pérot effect2082.7.7.Molecular engineering210Part 2. Electro-Optics of Polymer-Dispersed Liquid Crystals2.8.Polymer-Dispersed LC (PDLC)2122.8.1.Material preparation2132.8.2.Theories on light scattering2142.8.3.Optical transmission2192.8.4.Dynamic response2262.8.5.Reverse-mode PDLC2262.8.5.Reverse-mode PDLC229	0.4	2.3.3. Dhaco	Compensation Methods for Widening	
Viewing Fingle1392.4.1.Double parallel-aligned cells1392.4.2.Double perpendicular-aligned (or ECB) cells1452.4.3.Double TN cells1462.4.3.Double TN cells1462.5.Dynamic Response1482.5.1.Directors distribution1492.5.2.Erickson-Leslie equation1592.5.3.Measurement of response times1632.6.Material Parameters for Electro-Optics1682.6.1.Dielectric constant1682.6.2.Elastic constant1762.6.3.Viscosities1792.7.Methods for Improving Response Times1932.7.1.Dual frequency effect1942.7.2.Crossed electric field effect1972.7.3.Bias voltage effect1972.7.4.Transient nematic effect (undershoot effect)2012.7.5.Fabry-Pérot effect2082.7.7.Molecular engineering210Part 2.Electro-Optics of Polymer-Dispersed Liquid Crystals2.8.Polymer-Dispersed LC (PDLC)2122.8.1.Material preparation2132.8.2.Theories on light scattering2142.8.3.Optical transmission2192.8.4.Dynamic response2262.8.5.Rearese-mode PDLC229	2.4.	Viewi	ng Angle	138
2.4.1. Double partner organization organization       145         2.4.2. Double TN cells       146         2.4.3. Double TN cells       146         2.5. Dynamic Response       148         2.5.1. Directors distribution       149         2.5.2. Erickson-Leslie equation       159         2.5.3. Measurement of response times       163         2.6. Material Parameters for Electro-Optics       168         2.6.1. Dielectric constant       168         2.6.2. Elastic constant       176         2.6.3. Viscosities       179         2.7. Methods for Improving Response Times       193         2.7.1. Dual frequency effect       194         2.7.2. Crossed electric field effect       197         2.7.3. Bias voltage effect       201         2.7.4. Transient nematic effect (undershoot effect)       201         2.7.5. Fabry-Pérot effect       208         2.7.7. Molecular engineering       210         2.8.1. Material preparation       213         2.8.2. Theories on light scattering       214         2.8.3. Optical transmission       219         2.8.4. Dynamic response       226         2.8.5. Rearge-mode PDLC       229			Double narallel-aligned cells	139
2.4.2.Double TN cells1462.4.3.Double TN cells1482.5.1.Directors distribution1492.5.2.Erickson-Leslie equation1592.5.3.Measurement of response times1632.6.Material Parameters for Electro-Optics1682.6.1.Dielectric constant1762.6.2.Elastic constant1792.6.3.Viscosities1792.7.Methods for Improving Response Times1932.7.1.Dual frequency effect1942.7.2.Crossed electric field effect1972.7.3.Bias voltage effect2012.7.4.Transient nematic effect (undershoot effect)2012.7.5.Fabry-Pérot effect2082.7.7.Molecular engineering210Part 2. Electro-Optics of Polymer-Dispersed Liquid Crystals2.8.Polymer-Dispersed LC (PDLC)2122.8.1.Material preparation2132.8.2.Theories on light scattering2142.8.3.Optical transmission2192.8.4.Dynamic response2262.8.5.Royerse-mode PDLC229		2.4.1.	Double perpendicular-aligned (or ECB) cells	145
2.4.3.Dome Trivens1482.5.Dynamic Response1492.5.1.Directors distribution1492.5.2.Erickson-Leslie equation1592.5.3.Measurement of response times1632.6.Material Parameters for Electro-Optics1682.6.1.Dielectric constant1762.6.2.Elastic constant1792.6.3.Viscosities1792.7.Methods for Improving Response Times1932.7.1.Dual frequency effect1942.7.2.Crossed electric field effect1972.7.3.Bias voltage effect1972.7.4.Transient nematic effect (undershoot effect)2012.7.5.Fabry-Pérot effect2082.7.7.Molecular engineering210Part 2. Electro-Optics of Polymer-Dispersed Liquid Crystals2.8.Polymer-Dispersed LC (PDLC)2122.8.1.Material preparation2132.8.2.Theories on light scattering2142.8.3.Optical transmission2192.8.4.Dynamic response2262.8.5.Rowerse-mode PDLC229		2.4.2.	Double TN cells	146
2.5.Dynamic response1492.5.1.Directors distribution1592.5.2.Erickson-Leslie equation1592.5.3.Measurement of response times1632.6.Material Parameters for Electro-Optics1682.6.1.Dielectric constant1682.6.2.Elastic constant1762.6.3.Viscosities1792.7.Methods for Improving Response Times1932.7.1.Dual frequency effect1942.7.2.Crossed electric field effect1972.7.3.Bias voltage effect1972.7.4.Transient nematic effect (undershoot effect)2012.7.5.Fabry-Pérot effect2082.7.7.Molecular engineering210Part 2. Electro-Optics of Polymer-Dispersed Liquid Crystals2.8.Polymer-Dispersed LC (PDLC)2122.8.1.Material preparation2132.8.2.Theories on light scattering2142.8.3.Optical transmission2192.8.4.Dynamic response2262.8.5.Reverse-mode PDLC229	0 4	2.4.3. Drum av		148
2.5.1.Diffectors distribution2.5.2.Erickson-Leslie equation2.5.3.Measurement of response times1632.6.Material Parameters for Electro-Optics2.6.Material Parameters for Electro-Optics2.6.Dielectric constant2.6.1.Dielectric constant2.6.2.Elastic constant2.6.3.Viscosities2.6.3.Viscosities2.6.3.Viscosities2.7.Methods for Improving Response Times2.7.Methods for Improving Response Times2.7.1.Dual frequency effect2.7.2.Crossed electric field effect2.7.3.Bias voltage effect2.7.4.Transient nematic effect (undershoot effect)2.7.5.Fabry-Pérot effect2.7.6.Temperature effect2.7.7.Molecular engineering2.8.1.Material preparation2.8.2.Theories on light scattering2.8.3.Optical transmission2.8.4.Dynamic response2.8.5.Pawerse-mode PDLC2.8.5.Pawerse-mode PDLC	2.5.	Dyna:	Directors distribution	149
2.5.2. Effection freshe equation1632.5.3. Measurement of response times1632.6. Material Parameters for Electro-Optics1682.6.1. Dielectric constant1682.6.2. Elastic constant1762.6.3. Viscosities1792.7. Methods for Improving Response Times1932.7.1. Dual frequency effect1942.7.2. Crossed electric field effect1972.7.3. Bias voltage effect1972.7.4. Transient nematic effect (undershoot effect)2012.7.5. Fabry-Pérot effect2082.7.7. Molecular engineering210Part 2. Electro-Optics of Polymer-Dispersed Liquid Crystals2.8.Polymer-Dispersed LC (PDLC)2122.8.1. Material preparation2132.8.2. Theories on light scattering2142.8.3. Optical transmission2192.8.4. Dynamic response2262.8.5. Reverse-mode PDLC229		2.3.1.	Frickson-Leslie equation	159
2.6.Material Parameters for Electro-Optics1682.6.1.Dielectric constant1682.6.2.Elastic constant1762.6.3.Viscosities1792.7.Methods for Improving Response Times1932.7.1.Dual frequency effect1942.7.2.Crossed electric field effect1972.7.3.Bias voltage effect1972.7.4.Transient nematic effect (undershoot effect)2012.7.5.Fabry-Pérot effect2082.7.7.Molecular engineering210Part 2.Electro-Optics of Polymer-Dispersed Liquid Crystals2.8.Polymer-Dispersed LC (PDLC)2122.8.1.Material preparation2132.8.2.Theories on light scattering2142.8.3.Optical transmission2192.8.4.Dynamic response2262.8.5.Raverse-mode PDLC229		2.3.2.	Management of response times	163
2.6.Material Talanctors for Encode 11682.6.1.Dielectric constant1762.6.2.Elastic constant1792.6.3.Viscosities1792.7.Methods for Improving Response Times1932.7.1.Dual frequency effect1942.7.2.Crossed electric field effect1972.7.3.Bias voltage effect1972.7.4.Transient nematic effect (undershoot effect)2012.7.5.Fabry-Pérot effect2072.7.6.Temperature effect2082.7.7.Molecular engineering210Part 2.Electro-Optics of Polymer-Dispersed Liquid Crystals2.8.Polymer-Dispersed LC (PDLC)2122.8.1.Material preparation2132.8.2.Theories on light scattering2142.8.3.Optical transmission2192.8.4.Dynamic response2262.8.5.Reverse-mode PDLC229		2.0.3.	measurement of response characteristics	168
2.0.1. Dielectric constant1762.6.2. Elastic constant1792.6.3. Viscosities1792.6.3. Viscosities1932.7.1. Dual frequency effect1942.7.2. Crossed electric field effect1972.7.3. Bias voltage effect1972.7.4. Transient nematic effect (undershoot effect)2012.7.5. Fabry-Pérot effect2072.7.6. Temperature effect2082.7.7. Molecular engineering210Part 2. Electro-Optics of Polymer-Dispersed Liquid Crystals2.8. Polymer-Dispersed LC (PDLC)2122.8.1. Material preparation2132.8.2. Theories on light scattering2142.8.3. Optical transmission2192.8.4. Dynamic response2262.9.5Bayarse-mode PDLC229	2.6.	Mate	Dielectric constant	168
2.6.2. Existic constant1792.6.3. Viscosities1792.7. Methods for Improving Response Times1932.7.1. Dual frequency effect1942.7.2. Crossed electric field effect1972.7.3. Bias voltage effect1972.7.4. Transient nematic effect (undershoot effect)2012.7.5. Fabry-Pérot effect2072.7.6. Temperature effect2082.7.7. Molecular engineering210Part 2. Electro-Optics of Polymer-Dispersed Liquid Crystals2.8. Polymer-Dispersed LC (PDLC)2122.8.1. Material preparation2132.8.2. Theories on light scattering2142.8.3. Optical transmission2192.8.4. Dynamic response2262.8.5 Bayeree-mode PDLC229		2.0.1.	Electric constant	176
2.0.3. Visconics1932.7. Methods for Improving Response Times1942.7.1. Dual frequency effect1972.7.2. Crossed electric field effect1972.7.3. Bias voltage effect1972.7.4. Transient nematic effect (undershoot effect)2012.7.5. Fabry-Pérot effect2072.7.6. Temperature effect2082.7.7. Molecular engineering210Part 2. Electro-Optics of Polymer-Dispersed Liquid Crystals2.8. Polymer-Dispersed LC (PDLC)2122.8.1. Material preparation2132.8.2. Theories on light scattering2142.8.3. Optical transmission2192.8.4. Dynamic response2262.8.5Bayerse-mode PDLC229		2.0.2.		179
2.7.Methods for improving reception1942.7.1.Dual frequency effect1972.7.2.Crossed electric field effect1972.7.3.Bias voltage effect1972.7.4.Transient nematic effect (undershoot effect)2012.7.5.Fabry-Pérot effect2072.7.6.Temperature effect2082.7.7.Molecular engineering210Part 2. Electro-Optics of Polymer-Dispersed Liquid Crystals2.8.Polymer-Dispersed LC (PDLC)2122.8.1.Material preparation2132.8.2.Theories on light scattering2192.8.3.Optical transmission2192.8.4.Dynamic response2262.8.5Bayerse-mode PDLC229		2.0.3. Baal	viscosities	193
2.7.1.Dual inequency enter1972.7.2.Crossed electric field effect1972.7.3.Bias voltage effect1972.7.4.Transient nematic effect (undershoot effect)2012.7.5.Fabry-Pérot effect2072.7.6.Temperature effect2082.7.7.Molecular engineering210Part 2. Electro-Optics of Polymer-Dispersed Liquid Crystals2.8.Polymer-Dispersed LC (PDLC)2122.8.1.Material preparation2132.8.2.Theories on light scattering2142.8.3.Optical transmission2192.8.4.Dynamic response2262.8.5Reverse-mode PDLC229	2.7.		Dual frequency effect	194
2.7.2.Crossed creation and entry1972.7.3.Bias voltage effect1972.7.4.Transient nematic effect (undershoot effect)2012.7.5.Fabry-Pérot effect2072.7.6.Temperature effect2082.7.7.Molecular engineering210Part 2. Electro-Optics of Polymer-Dispersed Liquid Crystals2.8.Polymer-Dispersed LC (PDLC)2122.8.1.Material preparation2132.8.2.Theories on light scattering2142.8.3.Optical transmission2192.8.4.Dynamic response2262.8.5.Bayerse-mode PDLC229		2.(.1.	Crossed electric field effect	197
2.7.3.Blas voltage circlet2012.7.4.Transient nematic effect (undershoot effect)2012.7.5.Fabry-Pérot effect2072.7.6.Temperature effect2082.7.7.Molecular engineering210Part 2. Electro-Optics of Polymer-Dispersed Liquid Crystals2.8.Polymer-Dispersed LC (PDLC)2122.8.1.Material preparation2132.8.2.Theories on light scattering2142.8.3.Optical transmission2192.8.4.Dynamic response2262.8.5.Bayerse-mode PDLC229		2.(.2.	Diog voltage effect	197
2.7.4.Iransient nemute on our (matrix of each of (matrix))2072.7.5.Fabry-Pérot effect2082.7.6.Temperature effect2082.7.7.Molecular engineering210Part 2. Electro-Optics of Polymer-Dispersed Liquid Crystals2.8.Polymer-Dispersed LC (PDLC)2122.8.1.Material preparation2132.8.2.Theories on light scattering2142.8.3.Optical transmission2192.8.4.Dynamic response2262.8.5Bayerse-mode PDLC229		2.(.3.	Transient nematic effect (undershoot effect)	201
2.7.3.Fabry Ferror encode2082.7.6.Temperature effect2082.7.7.Molecular engineering210Part 2. Electro-Optics of Polymer-Dispersed Liquid Crystals2.8.Polymer-Dispersed LC (PDLC)2122.8.1.Material preparation2132.8.2.Theories on light scattering2142.8.3.Optical transmission2192.8.4.Dynamic response2262.8.5.Reverse-mode PDLC229		2.1.4.	Fobry-Pérot effect	207
2.7.0.Temperature entropy2102.7.7.Molecular engineering210Part 2. Electro-Optics of Polymer-Dispersed Liquid Crystals2.8.Polymer-Dispersed LC (PDLC)2122.8.1.Material preparation2132.8.2.Theories on light scattering2142.8.3.Optical transmission2192.8.4.Dynamic response2262.8.5.Reverse-mode PDLC229		2.1.0	Tomperature effect	208
Part 2. Electro-Optics of Polymer-Dispersed Liquid Crystals         2.8. Polymer-Dispersed LC (PDLC)       212         2.8.1. Material preparation       213         2.8.2. Theories on light scattering       214         2.8.3. Optical transmission       219         2.8.4. Dynamic response       226         2.8.5       Beverse-mode PDLC       229		2.1.0	Molecular engineering	210
Part 2. Electro-Optics of Polymer-Dispersed Liquid Crystals2.8. Polymer-Dispersed LC (PDLC)2122.8.1. Material preparation2132.8.2. Theories on light scattering2142.8.3. Optical transmission2192.8.4. Dynamic response2262.8.5Bayerse-mode PDLC229		2.1.1	. Molecular engineering	
<b>2.8.</b> Polymer-Dispersed LC (PDLC)2122.8.1.Material preparation2132.8.2.Theories on light scattering2142.8.3.Optical transmission2192.8.4.Dynamic response2262.8.5.Beverse-mode PDLC229	Part	; <b>2. Ele</b> c	tro-Optics of Polymer-Dispersed Liquid Cry	vstals
2.8.1.Material preparation2132.8.1.Material preparation2142.8.2.Theories on light scattering2142.8.3.Optical transmission2192.8.4.Dynamic response2262.8.5.Bayerse-mode PDLC229	28	Polv	mer-Dispersed LC (PDLC)	212
2.8.2.Theories on light scattering2142.8.2.Optical transmission2192.8.3.Optical transmission2262.8.4.Dynamic response2262.8.5.Beverse-mode PDLC229	4.0.	2.8.1	Material preparation	213
2.8.3.Optical transmission2192.8.3.Dynamic response2262.8.4.Dynamic response2292.8.5.Beverse-mode PDLC229		<u>2</u> .0.1 <u>2</u> .8 9	Theories on light scattering	214
2.8.4.Dynamic response2262.8.5.Beverse-mode PDLC229		2.8.3	Optical transmission	219
2.9 5 Beverse-mode PDLC 229		2.8.4	Dynamic response	226
		2.8.F	6. Reverse-mode PDLC	229

**DOCKET A L A R M** Find authenticated court documents without watermarks at <u>docketalarm.com</u>.

# DOCKET



# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

# **Real-Time Litigation Alerts**



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## **Advanced Docket Research**



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

# **Analytics At Your Fingertips**



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

### API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

### LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

### **FINANCIAL INSTITUTIONS**

Litigation and bankruptcy checks for companies and debtors.

### **E-DISCOVERY AND LEGAL VENDORS**

Sync your system to PACER to automate legal marketing.

