The Matrix

Computer Networks and Conferencing Systems Worldwide

John S. Quarterman
Texas Internet Consulting

df9ffel™

Digital Press

EMC/VMware v. PersonalWeb IPR2013-00083 EMCVMW 1053



TK 5105.5 ,Q37 1990

Copyright © 1990 by Digital Equipment Corporation

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission of the publisher.

9876543

Order number EY-C176E-DP.

Printed in the United States of America.

A list of trademarks and registered trademarks mentioned in this book appear as Credits and Trademarks at the end of this book.

The following figures are printed with permission from the authors referenced in the appropriate figure legends:

Figures: 7.1; 7.2; 10.1; 10.2; 10.3; 11.1; 11.2; 11.3; 11.4; 11.5; 11.6; 11.7; 11.8; 11.9; 11.10; 11.11; 11.12; 11.13; 11.14; 11.15; 11.16; 11.17; 11.18; 11.19; 11.20; 11.21; 12.1; 12.2; 12.3; 12.4; 12.5; 12.6; 12.7; 12.8; 12.9; 13.1; 13.2; 13.4; 14.1; 15.1; 15.2; 18.1

Copyediting: Barbara Jatkola Index: Gordon Brumm Typesetting: Jaap Akkerhuis Production: Editorial Inc.

Library of Congress Cataloging-in-Publication Data

Quarterman, John S., 1954 -

The matrix: computer networks and conferencing systems worldwide John S. Quarterman.

p. cm.

Includes index. ISBN 1-55558-033-5

1. Computer networks. 2. Telecommunication. I. Title.

TK5105.5.Q37 1990

621.382-dc20

89-1392 CIP



A good example of a NETSERV is KERMSRV on CUVMB.BITNET. This is the primary distribution server for Kermit software and documentation. It replies to hundreds of requests a day, originating from all over the world. It is sufficiently sophisticated to be able to return a response in the format of a request—e.g., as an NJE interactive message, as electronic mail, or as a virtual card deck [da Cruz 1988].

Access

See the previous information about NETSERV and the sections on the constituent parts of the network later in this book: BITNET in the United States, Net-North in Canada, EARN in Europe, ILAN in Israel, and GulfNet in the Persian Gulf states.


10.2.2 **USENET**

USENET began in 1979 and is thus one of the oldest cooperative networks [Daniel et al. 1980; Emerson 1983; Tokuda et al. 1986]. It is also one of the largest networks by almost any measure, having about 265,000 users and 9,700 hosts on five continents, as shown in Figure 10.1, and ranging from individuals to people at the largest corporations and universities. In fact, one of its key distinguishing features is that essentially anyone and any organization can join. Its name is usually taken to mean "User's Network." This network is unusual in a number of ways, most remarkably because it supports only one basic service, news, a distributed conferencing service, and does not support electronic mail (the closely associated network UUCP supports mail but not news).

Administration

USENET is one of the most decentralized networks: all a new machine needs to join in most regions is another machine to communicate with [Todino and O'Reilly 1988a]. Although registration in the general maps is advisable, there is no central authority that determines access. There is also no central funding source or mechanism: each host pays for its own transmission costs and generally passes through traffic originating at other hosts. This has led to a general consensus that commercial use of the network is frowned upon. Product announcements are usually permitted, but advertisements are not. There is no way to enforce such policies directly. Instead it is done by public opinion and direct complaints: anyone posting an advertisement will get direct mail complaining about it and will see postings on the network showing that many people think the original posting was a bad idea. Since people and companies don't generally like bad publicity and castigation by their colleagues and customers, this usually works. In extreme cases, people have proposed putting pressure on the





administrators of machines neighboring the machine from which the offending message was posted in an attempt to remove the posting machine from the network. Apparently this has never actually been done.

The greatest degree of organization in the network is found in the backbone, shown in Figure 10.2 and Figure 10.3. This consists of the machines with the greatest amount of traffic and thus the highest costs. (The European backbone is shown in the Eunet section in Chapter 13.) Since these hosts bear much of the burden of the network, their administrators tend to take a strong interest in the state of the network. The exact influence of the backbone is unclear, but it is involved in the organization of both the distribution and the content of news. There is a backbone on each continent, with trees radiating from its nodes. There may be redundant links among the nodes of those trees as well.

Speed

Most backbone (and many other) links currently run at about 11000bps. The average speed of slower links is probably close to 2400bps. More than 90 percent of all messages reach 90 percent of all hosts for which they are intended within one day.

Articles and Newsgroups

The element of information is called an article. Its format, as given in RFC1036 [Horton and Adams 1987] is modeled after that of ARPANET mail, as given in RFC822 [Crocker 1982]. That is, articles are lines of 7 bit ASCII text with a header prepended. The From:, Date:, and Subject: header lines are used in common with RFC822, although RFC1036 makes more requirements on From: and Date: than does RFC822. There are additional header lines peculiar to news articles, some of which are mentioned later in this section.

Articles are grouped according to topics in *newsgroups*, of which there are about 350. Newsgroup names are intended to reflect the topics to be discussed in them.

news.announce.important

Used for important announcements that are intended for everyone on the network Used for new users of the network

news.announce.newusers

These are both *moderated* newsgroups: that is, when a user posts an article, the news software arranges to mail it over a mail network (usually *UUCP*) to a *moderator*, who decides whether or not to post it on the basis of considerations such as relevance, interest, clarity, and nonredundancy.

Some other newsgroups play roles in the administration of the network.



DOCKET

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

