

Filed on behalf of LifeScan Scotland Ltd.
By: Dianne B. Elderkin (delderkin@akingump.com)
Steven D. Maslowski (smaslowski@akingump.com)
AKIN GUMP STRAUSS HAUER & FELD LLP
Two Commerce Square
2001 Market Street, Suite 4100
Philadelphia, PA 19103
Tel: (215) 965-1200
Fax: (215) 965-1210

Paper No. ____
Date Filed: Nov. 15, 2013

UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE PATENT TRIAL AND APPEAL BOARD

PHARMATECH SOLUTIONS, INC.
Petitioner

v.

LIFESCAN SCOTLAND LTD.
Patent Owner

Case IPR2013-00247
Patent 7,250,105

**LIFESCAN SCOTLAND LTD.'S PATENT OWNER RESPONSE
PURSUANT TO 37 C.F.R. § 42.120**

TABLE OF CONTENTS

	Page
I. INTRODUCTION	1
II. OVERVIEW OF THE '105 PATENT	2
A. Diabetes/Blood Glucose Monitoring.....	2
B. Electrochemical Reactions On The Test Strip	3
C. The Invention Claimed In The '105 Patent.....	6
D. Claims 1-3 of The '105 Patent	10
III. THE BOARD DECISION INSTITUTING <i>INTER PARTES</i> REVIEW	13
IV. PERSON OF ORDINARY SKILL IN THE ART	13
V. SUMMARY OF ARGUMENT	14
VI. THE PRIOR ART RELIED ON BY PHARMATECH FAILS TO TEACH ALL OF THE CLAIM ELEMENTS	17
A. Nankai Fails To Teach Or Suggest The Test Strip Configuration And The Method Steps Called For By The '105 Patent Claims.....	17
1. Nankai does not place a reference sensor part upstream from the working sensor parts.....	17
2. Nankai does not disclose making multiple measurements and comparing them to a difference threshold.....	18
3. Nankai fails to address the issue of inadequate sample size.....	19
B. Winarta Fails To Teach Or Suggest A Second Working Sensor Part/Electrode For Measuring A Substance	21
1. Winarta's teaching of using W_0 as a counter electrode in a three-electrode system in no way suggests using it as a working electrode.....	22

2.	Winarta’s teaching of using W_0 to measure sample resistance does not teach using it as a working electrode.....	24
3.	Winarta’s teaching of W_0 as a trigger does not teach using it as a working electrode.....	24
4.	One of ordinary skill in the art would not have been motivated to modify W_0 to make glucose measurements.....	25
C.	Schulman Fails To Teach Or Suggest A Method for Determining Blood Glucose Concentration As Claimed in the ‘105 Patent.....	26
1.	Overview of implantable, continuous monitoring devices as disclosed in Schulman	26
2.	Schulman uses the term “sensor” differently than the way it is used in the ‘105 Patent	28
3.	Schulman does not use a disposable test strip to which liquid sample is applied.	30
4.	Schulman does not use the same “fundamental technique” as Nankai	30
5.	Schulman does not use a single measuring device comprising first and second working sensors (electrodes) <i>each of which generates charge carriers in proportion to the concentration of substance in the liquid sample</i>	31
6.	Schulman does not teach a second working electrode to make a second, independent measurement of glucose	32
7.	Schulman does not teach comparing the electric current from W_1 and W_2 because each electrode measures something different	34
8.	Schulman fails to teach a “measuring device” with multiple “sensor parts” as that term is used in the ‘105 Patent.....	34

VII.	THE BOARD SHOULD FIND THE ‘105 PATENT CLAIMS PATENTABLE IN VIEW OF PHARMATECH’S CHALLENGES	36
A.	Petitioner’s Burden Of Proof.....	36
B.	Pharmatech Has Not Met Its Burden Of Proving That The Claims Are Obvious In View Of Nankai And Schulman	36
1.	The Combination of Nankai and Schulman Does Not Suggest Every Element of the ‘105 Patent Claims	37
2.	One of ordinary skill in the art would not have been led to combine Nankai and Schulman	38
C.	Pharmatech Has Not Met Its Burden Of Proving That The Claims Are Obvious In View Of Winarta And Schulman.....	43
1.	The combination of Winarta and Schulman fails to teach all the elements of the ‘105 Patent claims	44
2.	One of ordinary skill in the art would not have been led to combine Winarta and Schulman.....	45
VIII.	SECONDARY CONSIDERATIONS ALSO SHOW THAT THE ‘105 PATENT CLAIMS ARE NOT OBVIOUS.....	45
IX.	SUMMARY.....	49
X.	CONCLUSION.....	52

Appendix – List of Exhibits

Certificate of Service

TABLE OF AUTHORITIES

	Page(s)
CASES	
<i>Advanced Display Sys., Inc. v. Kent State Univ.</i> , 212 F.3d 1272 (Fed. Cir. 2000)	46
<i>Bausch & Lomb, Inc. v. Barnes-Hind/Hydrocurve, Inc.</i> , 796 F.2d 443 (Fed. Cir. 1986)	39
<i>Graham v. John Deere Co. of Kan. City</i> , 383 U.S. 1 (1966).....	52
<i>Jazz Photo Corp. v. United States</i> , 439 F.3d 1344 (Fed. Cir. 2006)	36
<i>KSR Int’l Co. v. Teleflex Inc.</i> , 550 U.S. 398 (2007).....	39, 52
<i>Leo Pharm. Prods., Ltd. v. Rea</i> , 726 F.3d 1346 (Fed. Cir. 2013)	46
<i>Monarch Knitting Mach. Corp. v. Sulzer Morat GmbH</i> , 139 F.3d 877 (Fed. Cir. 1998)	39
<i>Ortho-McNeil Pharm., Inc. v. Mylan Labs., Inc.</i> , 520 F.3d 1358 (Fed. Cir. 2008)	46
<i>Ruiz v. A.B. Chance Co.</i> , 234 F.3d 654 (Fed. Cir. 2000)	46
<i>Takeda Chem. Indus., Ltd. v. Alphapharm Pty., Ltd.</i> , 492 F.3d 1350 (Fed. Cir. 2007)	39
STATUTES	
35 U.S.C. § 316.....	36

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.