EXHIBIT 1023




A. B. STROWGER.

AUTOMATIC TELEPHONE EXCHANGE.

No. 447,918.

Patented Mar. 10, 1891.



Witnesses:

RABalderson.) H. OK. Stronger. Inventor:

Almon B Stronger

(No Model.)


3 Sheets-Sheet 2.

A. B. STROWGER.

AUTOMATIC TELEPHONE EXCHANGE.

No. 447,918.

Patented Mar. 10, 1891.




A. B. STROWGER.

AUTOMATIC TELEPHONE EXCHANGE.

No. 447,918.

Patented Mar. 10, 1891.



UNITED STATES PATENT OFFICE.

ALMON B. STROWGER, OF KANSAS CITY, MISSOURI.

AUTOMATIC TELEPHONE-EXCHANGE.

SPECIFICATION forming part of Letters Patent No. 447,918, dated March 10, 1891.

Application filed March 12, 1889. Serial No. 303,027. (No model.)

To all whom it may concern:

Be it known that I, Almon B. Strowger, a citizen of the United States, residing at Kansas City, in the county of Jackson and State of Missouri, have invented certain new and useful Improvements in Automatic Telephone-Exchanges; and I do hereby declare the following to be a full, clear, and exact description of the invention, such as will enable others skilled in the art to which it appertains to make and use the same.

My invention relates to an improvement in automatic, telephonic, telegraphic, and other

electrical exchanges.

The object is to provide means whereby a person at one station may make connection with any other station in the system, by the aid of electrical appliances, without the assistance of an operator at the central station.

A further object is to provide means of the above character which shall be reliable and

adapted to general use.

With these ends in view my invention consists in certain features of construction and combination of parts, as will be hereinafter described and pointed out in the claims.

The same general plan is adopted as in the systems now in use, in that of having a principal or central station, (central office,) and a 30 number of sub-stations, the said sub-stations being placed in electrical connection with each other at the central office by and through line-wires, which line-wires, for the sake of brevity, will be designated "phonic" wires, 35 (introducing the ancient obsolete form,) but differ in that of having, in addition to the said phonic wires, a series of wires (one or more) to operate the hereinafter-described mechanisms located at the central office. At 40 the sub-stations are the appliances which are used to transmit and receive communication, as telephones and keys. At the central office are arranged in methodical order as many switch-cylinders, with their attendant mech-45 anisms, as there are sub-stations. The abovementioned phonic wires trend within the central office in close proximity to each cylinder. From each phonic wire and attached thereto

wire terminals, connectives, or "legs" extend 50 to the inside of each cylinder, there being as many connectives attached to each phonic wire as there are sub-stations.

With this brief outline, I will proceed to more fully describe my invention and elucidate its workings by the aid of the accompa- 55

nying drawings.

Figure I represents in a perspective view my invention, showing at a distant sub-station one telephone and its exchange device at the central office, also the main-line wires 60 connecting the central office with the substation. Fig. II represents four of such devices as is represented by Fig. I, showing the manner in which the cylinders are connected, also the trend of the electrical current from 65 one sub-station to another through the central office. Fig. III is a plan view of a series of cylinders, line-wires, and connectives, showing the normal position of the circuitclosers. Fig. IV is a sectional view showing 70 the magnets, levers, and pawls by which the device is operated. Fig. V is a detail view of the ratchet-wheels and pawls for operating the same. Fig. VI is a sectional view of the cylinders, showing more clearly the construc- 75 tion of the circuit-closer and feather-andgroove attachment.

Referring to the drawings by letter, A represents a hollow cylinder constructed of glass, wood, or any other suitable substance which so is a non-conductor of electricity, supported in any well-known or approved manner. The cylinders are provided with perforations a, arranged in transverse and vertical rows.

B represents the wire connections extend- 85 ing from the inside of the cylinder through the perforations a to the main-line wires N and is attached thereto. Their use is to conduct the electricity, when in contact with the circuit-closing needle C C', to and via the 90 line-wires N to the desired sub-station. The terminals of said connectives within the cylinder are shown at b, Fig. VI. In this lastnamed figure the circuit-closing arm is represented in parts, in which C is the circuit- 95 closing sleeve and is firmly attached to the lower end of the sleeve-rod D. Within this circuit-closing sleeve is closely fitted the circuit-closing needle C', held in such a manner as to be in perfect electrical contact with 100 the wire-terminal b by the spring c. The rod D, (see Fig. VI,) is located along the axleline of the cylinder and is free to rotate and move longitudinally. The lower end of the

DOCKET

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

