



BETAPACE AF™ : Dosing Algorithm for In-hospital Initiation



Creatinine Clearance
 (male) = $\frac{\text{creatinine (mg/dL)}}{\text{body weight in kg}} \times 1.23$
 (female) = $\frac{\text{creatinine (mg/dL)}}{\text{body weight in kg}} \times 1.04$
 Concentration is given in $\mu\text{mol/L}$, divide the
 concentration by 2.28 to get $\mu\text{mol/L}$.

BETAPACE AF™ : Dosing Algorithm for In-hospital Initiation




Calculation of Creatinine Clearance


Creatinine clearance (male) = $\frac{72 \times \text{serum creatinine (mg/dL)}}{(140 - \text{age}) \times \text{body weight in kg}}$
 Creatinine clearance (female) = $\frac{72 \times \text{serum creatinine (mg/dL)}}{(140 - \text{age}) \times \text{body weight in kg} \times 0.85}$

When serum concentration is given in $\mu\text{mol/L}$, divide the value by 88.4 ($1 \text{ mg/dL} = 88.4 \mu\text{mol/L}$)

If there is a lever system that released the hollow guiding tubes once the plecters are engaged may be a delivery system



1 Tube that rolls and engages every binding hole



could attach the bottom ring to the valve first then align the top valve ring

References:

1. BETAPACE AF (sotalol HCl) product labeling.
2. Benditt DG, Williams JH, Jin J, et al. Maintenance of sinus rhythm with oral d,l-sotalol therapy in patients with symptomatic atrial fibrillation and/or atrial flutter. *Am J Cardiol.* 1999;84:270-277.
3. Data on file, Berlex Laboratories.

Dofetilide → effects
liver & Coumadin

d. Sotalol
does not have
 β -Blocker
effect

