

McGraw-Hill
DICTIONARY OF
SCIENTIFIC AND
TECHNICAL TERMS
Fourth Edition

DOCKET
A L A R M

Find authenticated court documents without watermarks at docketalarm.com.

McGraw-Hill DICTIONARY OF SCIENTIFIC AND TECHNICAL TERMS

Fourth Edition

Sybil P. Parker

EDITOR IN CHIEF

McGRAW-HILL BOOK COMPANY

New York
St. Louis
San Francisco

| | |
|---------------|------------------|
| Auckland | Bogotá |
| Caracas | Colorado Springs |
| Hamburg | Lisbon |
| London | Madrid |
| Mexico | Milan |
| Montreal | New Delhi |
| Oklahoma City | Panama |
| Paris | San Juan |
| São Paulo | Singapore |
| Sydney | Tokyo |
| Toronto | |



DOCKET
A L A R M

Find authenticated court documents without watermarks at docketalarm.com.

On the cover: Pattern produced from white light by a computer-generated diffraction plate containing 529 square apertures arranged in a 23 × 23 array. (R. B. Hoover, Marshall Space Flight Center)

On the title pages: Aerial photograph of the Sinai Peninsula made by Gemini spacecraft. (NASA)

Included in this Dictionary are definitions which have been published previously in the following works: P. B. Jordain, *Condensed Computer Encyclopedia*, Copyright © 1969 by McGraw-Hill, Inc. All rights reserved. J. Markus, *Electronics and Nucleonics Dictionary*, 4th ed., Copyright © 1960, 1966, 1978 by McGraw-Hill, Inc. All rights reserved. J. Quick, *Artists' and Illustrators' Encyclopedia*, Copyright © 1969 by McGraw-Hill, Inc. All rights reserved. *Blakiston's Gould Medical Dictionary*, 3d ed., Copyright © 1956, 1972 by McGraw-Hill, Inc. All rights reserved. T. Baumeister and L. S. Marks, eds., *Standard Handbook for Mechanical Engineers*, 7th ed., Copyright © 1958, 1967 by McGraw-Hill, Inc. All rights reserved.

In addition, material has been drawn from the following references: R. E. Huschke, *Glossary of Meteorology*, American Meteorological Society, 1959; *U.S. Air Force Glossary of Standardized Terms*, AF Manual 11-1, vol. 1, 1972; *Communications-Electronics Terminology*, AF Manual 11-1, vol. 3, 1970; W. H. Allen, ed., *Dictionary of Technical Terms for Aerospace Use*, 1st ed., National Aeronautics and Space Administration, 1965; J. M. Gilliland, *Solar-Terrestrial Physics: A Glossary of Terms and Abbreviations*, Royal Aircraft Establishment Technical Report 67158, 1967; *Glossary of Air Traffic Control Terms*, Federal Aviation Agency; *A Glossary of Range Terminology*, White Sands Missile Range, New Mexico, National Bureau of Standards, AD 467-424; *A DOD Glossary of Mapping, Charting and Geodetic Terms*, 1st ed., Department of Defense, 1967; P. W. Thrush, comp. and ed., *A Dictionary of Mining, Mineral, and Related Terms*, Bureau of Mines, 1968; *Nuclear Terms: A Glossary*, 2d ed., Atomic Energy Commission; F. Casey, ed., *Compilation of Terms in Information Sciences Technology*, Federal Council for Science and Technology, 1970; *Glossary of Stinfo Terminology*, Office of Aerospace Research, U.S. Air Force, 1963; *Naval Dictionary of Electronic, Technical, and Imperative Terms*, Bureau of Naval Personnel, 1962; *ADP Glossary*, Department of the Navy, NAVSO P-3097.

**McGRAW-HILL DICTIONARY OF SCIENTIFIC AND TECHNICAL TERMS,
Fourth Edition**

Copyright © 1989, 1984, 1978, 1976, 1974 by McGraw-Hill, Inc. All rights reserved. Printed in the United States of America. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a data base or retrieval system, without the prior written permission of the publisher.

1 2 3 4 5 6 7 8 9 0 DOW/DOW 8 9 5 4 3 2 1 0 9 8

ISBN 0-07-045270-9

Library of Congress Cataloging-in-Publication Data

McGraw-Hill dictionary of scientific and technical terms.

1. Science—Dictionaries. 2. Technology—Dictionaries.
I. Parker, Sybil P.
Q123.M34 1989 503*/21 88-13490
ISBN 0-07-045270-9

For more information about other McGraw-Hill materials, call 1-800-2-MCGRAW in the

toe-to-toe drilling [ENG] The drilling of vertical large-diameter blasting holes in quarries and opencast pits. { 'tō tō 'tō 'dril-iŋ }

tofán [METEOROL] A violent spring storm common in the mountains of Indonesia. { 'tō 'fán }

to-from indicator [NAV] An indicator that shows whether an aircraft is flying toward or away from an omnirange station. Also known as sense indicator. { 'tū 'frəm ,in-'da,kād-ər }

toggle [ELECTR] To switch over to an alternate state, as in a flip-flop. [MECH ENG] A form of jointed mechanism for the amplification of forces. { 'täg-əl }

toggle bolt [DES ENG] A bolt having a nut with a pair of pivotal wings that close against a spring; wings open after emergence through a hole or passage in a thin or hollow wall to fasten the unit securely. { 'täg-əl ,bölt }

toggle condition [ELECTR] Condition of a flip-flop circuit in which the internal state of the flip-flop changes from 0 to 1 or from 1 to 0. { 'täg-əl kən,dish-ən }

toggle press [MECH ENG] A mechanical press in which a toggle mechanism actuates the slide. { 'täg-əl ,pres }

toggle switch [ELEC] A small switch that is operated by manipulation of a projecting lever that is combined with a spring, to provide a snap action for opening or closing a circuit quickly.

[ELECTR] An electronically operated circuit that holds either of two states until changed. { 'täg-əl ,swich }

toise [GEOD] A unit of length equal to about 6.4 feet (1.95 meters); used in early geodetic surveys. { 'tōiz }

tokamak [PL PHYS] A device for confining a plasma within a toroidal chamber, which produces plasma temperatures, densities, and confinement times greater than that of any other such device; confinement is effected by a very strong externally applied toroidal field, plus a weaker poloidal field produced by a toroidally directed plasma current, and this current causes ohmic heating of the plasma. { 'tāk-ə ,mak }

token [COMMUN] A unique grouping of bits that is transmitted as a unit in a communications network and used as a signal to notify stations in the network when they have control and are free to send information. [COMPUT SCI] 1. A distinguishable unit in a sequence of characters. 2. A single byte that is used to represent a keyword in a programming language in order to conserve storage space. { 'tō-kən }

tokenization [COMPUT SCI] The conversion of keywords of a programming language to tokens in order to conserve storage space. { ,tō-kən-ə 'zā-shən }

token passing protocol [COMMUN] The assignment of data communications channels to units which communicate according to a fixed priority sequence. { 'tō-kən 'pas-iŋ 'prōd-ə ,kōl }


token sharing network [COMMUN] A communications network in which all the stations are linked to a common bus and control is determined by a group of bits (token) that is passed along the bus from station to station. { 'tō-kən 'sher-iŋ 'net,wərək }

tolazoline hydrochloride [ORG CHEM] $C_{10}H_{12}N_2 \cdot HCl$ Water-soluble white crystals, and melting at 173°C; used as a sympatholytic and vasodilator. Also known as priscol. { 'tāl 'az-ə ,lən 'hī-drə 'klōr ,id }

tolbutamide [PHARM] $C_{12}H_{18}N_2O_3S$ A hypoglycemic drug effective when administered orally. { 'tāl 'byüd-ə ,mīd }


toleragen [IMMUNOL] A substance which, in appropriate dosages, produces a state of specific immunological tolerance in humans or animals. { 'tāl-ə-rə-jən }

tolerance [DES ENG] The permissible variations in the dimensions of machine parts. [ENG] A permissible deviation from a specified value, expressed in actual values or more often as a percentage of the nominal value. [PHARM] 1. The ability



Toggle mechanism used in a rock crusher; relatively small drive force causes large force to be applied to rock.

TOLUENE-2,4-DIISOCYANATE



Structural formula.

the degree of tolerance allowed in fitting cylinders into cylindrical holes, equal, in micrometers, to $0.45 D^{1/3} + 0.001 D$ where D is the cylinder diameter in millimeters. { 'tāl-ə-rə ,yü-nət }

ortho-tolidine [ORG CHEM] $[C_6H_3(CH_3)NH_2]$ Light-sensitive, combustible white to reddish crystals soluble in alcohol and ether, slightly soluble in water, melts at 130°C; used as an analytical reagent and a curing agent for urethane resins. { 'thō 'tāl-ə ,dēn }

toll [COMMUN] 1. Charge made for a connection beyond an exchange boundary. 2. Any part of telephone plant, circuit or services for which toll charges are made. { 'tōl }

toll call [COMMUN] Telephone call to points beyond the area within which telephone calls are covered by a flat monthly rate or are charged for on a message unit basis. { 'tōl ,kōl }

toll center [COMMUN] A telephone central office where trunks from end offices are joined to the long-distance system and operators are present; it is a class-4 office. { 'tōl ,sen-tər }

toll enrichment [NUCLEO] A proposed arrangement where privately owned uranium could be enriched in uranium-235 content in government facilities upon payment of a service charge by the owners. { 'tōl in-'rich-mənt }

Tollen's aldehyde test [ANALY CHEM] A test that uses an ammoniacal solution of silver oxides to test for aldehydes and ketones. { 'tāl-ənz 'al-də ,hīd ,test }

toll line [COMMUN] A telephone line or channel that connects different telephone exchanges. { 'tōl ,līn }

toll office [COMMUN] A telephone central office which serves mainly to terminate and interconnect toll lines and various types of trunks. { 'tōl ,ōf-əs }

toll television See subscription television. { 'tōl 'tel-ə ,vī-zən }

toll terminal loss [COMMUN] The part of the overall transmission loss on a toll connection that is attributable to facilities from the toll center through the tributary office, and including the subscriber's equipment. { 'tōl 'tər-mīnəl ,lōs }

α-toluamide See α-phenylacetamide. { 'al-fə 'tāl-ü-'am-əd }

toluene [ORG CHEM] $C_6H_5CH_3$ A colorless, aromatic liquid derived from coal tar or from the catalytic reforming of petroleum naphthas; insoluble in water, soluble in alcohol and ether, boils at 111°C; used as a chemical intermediate, for explosive and in high-octane gasolines. Also known as methylbenzene, phenylmethane; toluol. { 'tāl-yə ,wēn }

toluene 2,4-diisocyanate [ORG CHEM] $CH_3C_6H_3(NCO)_2$ A liquid (at room temperature) with a sharp, pungent odor, miscible with ether, acetone, and benzene; used to make polyurethane foams and other elastomers, and also as a protective cross-linking agent. { 'tāl-yə ,wēn 'tū 'fōr dī-'r-sō-'sī-ə ,nāt }

para-toluenesulfonic acid [ORG CHEM] $C_6H_4(SO_3H)(CH_3)$ Toxic, colorless, combustible crystals soluble in water, alcohol, and ether; melts at 107°C; used in dyes and as a chemical intermediate and organic catalyst. { 'par-ə 'tāl-yə ,wēn ,sōl-'fīk 'as-əd }

toluenethiol See thiocresol. { 'tāl-yə ,wēn 'thī ,ōl }

α-toluic acid See phenylacetic acid. { 'al-fə tō 'lū-ik 'as-əd }

meta-toluic acid [ORG CHEM] $C_6H_4CH_3COOH$ White, yellow, combustible crystals soluble in alcohol and ether, slightly soluble in water, melts at 109°C; used as a chemical intermediate and base for insect repellants. Also known as meta-toluylic acid. { 'med-ə tō 'lū-ik 'as-əd }

ortho-toluic acid [ORG CHEM] $C_6H_4CH_3COOH$ White, combustible crystals soluble in alcohol and chloroform, slightly soluble in water, melts at 104°C; used as a bacteriostat. Also known as ortho-toluylic acid. { 'ōr-thō tō 'lū-ik 'as-əd }