
Guidelines for OpenVMS Cluster Configurations

Order Number: AA-Q28LC-TK

January 1999

OpenVMS Cluster availability, scalability, and system management benefits are highly dependent on configurations, applications, and operating environments. This guide provides suggestions and guidelines to help you maximize these benefits.

Revision/Update Information: This manual supersedes *Guidelines for OpenVMS Cluster Configurations* Version 7.1.

Software Version: OpenVMS Alpha Version 7.2
OpenVMS VAX Version 7.2

**Compaq Computer Corporation
Houston, Texas**

January 1999

Compaq Computer Corporation makes no representations that the use of its products in the manner described in this publication will not infringe on existing or future patent rights, nor do the descriptions contained in this publication imply the granting of licenses to make, use, or sell equipment or software in accordance with the description.

Possession, use, or copying of the software described in this publication is authorized only pursuant to a valid written license from Compaq or an authorized sublicensor.

Compaq conducts its business in a manner that conserves the environment and protects the safety and health of its employees, customers, and the community.

© Compaq Computer Corporation 1999. All rights reserved.

The following are trademarks of Compaq Computer Corporation:

ACMS, Alpha, AlphaServer, AlphaStation, Bookreader, Business Recovery Server, CDD, CDD/Repository, CI, CIXCD, COHESION, Compaq, DEC, DECarray, DECconcentrator, DECdirect, DECevent, DEC FDDIcontroller, DECmate, DECmcc, DECnet, DECram, DECserver, DECwindows, DEC Rdb for OpenVMS, DELUA, DEMFA, DEQNA, DEQTA, DIGITAL, DSA, HSC, HSC60, HSC90, HSJ, HSZ, InfoServer, KDA, KDB, KDM, LAT, MASSBUS, MI, MicroVAX, MicroVAX II, MSCP, OpenVMS, PATHWORKS, POLYCENTER, PrintServer, Q-bus, RA, RA74, RF31T, RF35, RF36, RF71, RF72, RF73, RF74, Reliable Transaction Router, RK, RL, RQDX, RRD42, RRD43, RRD44, RZ, RZ23L, RZ24L, RZ25L, RZ26L, RZ28, RZ56, RZ58, RZ73, SA, SA73, SA300, SA900, SDI, STI, StorageWorks, TA, TA85, TA91, TA92, TA857, TA867, TF85, TF86, TF857, TF867, TK, TruCluster, TS, TU, TURBOchannel, UDA, ULTRIX, VAX, VAX 3400, VAX 6000, VAX 7000, VAX 8600, VAX 9000, VAX DOCUMENT, VAX RMS, VAXBI, VAXcluster, VAXstation, VMS, VMScluster, VT100, VT300, XMI, and the Compaq logo.

The following are third-party trademarks:

Futurebus and Futurebus+ are trademarks of Force Computers GMBH, Federal Republic of Germany.

IBM is a registered trademark of International Business Machines Corporation.

IEEE is a registered trademark of The Institute of Electrical and Electronics Engineers, Inc.

Intel is a registered trademark of Intel Corporation.

Macintosh is a registered trademark of Apple Computer, Inc.

MEMORY CHANNEL is a registered trademark of Encore Computer Corporation.

Motif is a registered trademark of The Open Group, Inc.

Microsoft, MS-DOS, Windows, and Windows NT are registered trademarks, and NT is a trademark of Microsoft Corporation.

NetWare and Novell are registered trademarks of Novell, Inc.

Oracle is a registered trademark of Oracle Corporation.

POSIX is a registered trademark of IEEE.

POSTSCRIPT is a registered trademark of Adobe Systems Incorporated.

StorageTek is a registered trademark of Storage Technology Corporation.

Sybase is a registered trademark of Sybase, Inc.

UL is a registered trademark of Underwriters Laboratories.

UNIX is a registered trademark in the United States and other countries, licensed exclusively through X/Open Company, Ltd.

All other trademarks and registered trademarks are the property of their respective holders.

ZK6318

The OpenVMS documentation set is available on CD-ROM.

Contents

Preface	xvii
1 Overview of OpenVMS Cluster System Configuration	
1.1 Mixed Alpha and VAX Clusters	1-1
1.2 Hardware Components	1-2
1.3 Software Components	1-3
1.3.1 OpenVMS Operating System Components	1-3
1.3.2 Networking Components	1-5
1.3.3 Storage Enhancement Software	1-6
1.3.4 System Management Software	1-6
1.3.5 Business Applications	1-7
1.4 Configuring an OpenVMS Cluster System	1-7
1.4.1 General Configuration Rules	1-7
2 Determining Business and Application Requirements	
2.1 Determining Business Requirements	2-1
2.1.1 Budget	2-1
2.1.2 Availability	2-2
2.1.3 Scalability and Future Growth	2-2
2.1.4 Physical Location Requirements	2-2
2.1.5 Security	2-3
2.2 Determining Application Requirements	2-3
2.2.1 Adding Memory	2-3
2.2.2 Balancing Processor, Memory, and I/O Resources	2-4
2.2.3 Tools and Utilities	2-4
3 Choosing OpenVMS Cluster Systems	
3.1 Alpha and VAX Architectures	3-1
3.2 Types of Systems	3-1
3.3 Choosing Systems	3-1
3.4 Scalability Considerations	3-2
3.5 Availability Considerations	3-3
3.6 Performance Considerations	3-3
3.7 System Specifications	3-3

4 Choosing OpenVMS Cluster Interconnects

4.1	Characteristics	4-1
4.2	Comparison of Interconnect Types	4-2
4.3	Multiple Interconnects	4-2
4.4	Mixed Interconnects	4-2
4.5	Interconnects Supported by Alpha and VAX Systems	4-3
4.6	Fibre Channel Interconnect	4-3
4.6.1	Advantages	4-4
4.6.2	Throughput	4-4
4.6.3	Supported Adapter	4-4
4.7	MEMORY CHANNEL Interconnect	4-4
4.7.1	Advantages	4-5
4.7.2	Throughput	4-5
4.7.3	Supported Adapter	4-6
4.8	SCSI Interconnect	4-6
4.8.1	Advantages	4-6
4.8.2	Throughput	4-7
4.8.3	SCSI Interconnect Distances	4-7
4.8.4	Supported Adapters, Bus Types, and Computers	4-8
4.9	CI Interconnect	4-8
4.9.1	Advantages	4-9
4.9.2	Throughput	4-9
4.9.3	Supported Adapters and Bus Types	4-9
4.9.4	Multiple CI Adapters	4-10
4.9.5	Configuration Guidelines for CI Clusters	4-10
4.10	Digital Storage Systems Interconnect (DSSI)	4-11
4.10.1	Advantages	4-11
4.10.2	Maintenance Consideration	4-11
4.10.3	Throughput	4-11
4.10.4	DSSI Adapter Types	4-11
4.10.5	Supported Adapters and Bus Types	4-11
4.10.6	DSSI-Connected Storage	4-12
4.10.7	Multiple DSSI Adapters	4-12
4.10.8	Configuration Guidelines for DSSI Clusters	4-13
4.11	Ethernet Interconnect	4-13
4.11.1	Advantages	4-13
4.11.2	Throughput	4-14
4.11.3	Multiple Ethernet Load Balancing	4-14
4.11.4	Supported Adapters and Buses	4-14
4.11.5	Ethernet-to-FDDI Bridges	4-15
4.12	Fiber Distributed Data Interface (FDDI)	4-15
4.12.1	Advantages	4-15
4.12.2	Types of FDDI Nodes	4-15
4.12.3	Distance	4-16
4.12.4	Throughput	4-16
4.12.5	Supported Adapters and Bus Types	4-16
4.12.6	Configuration Guidelines for FDDI-Based Clusters	4-16
4.12.7	Multiple FDDI Adapters	4-17
4.12.8	Multiple FDDI Load Balancing	4-17

5 Choosing OpenVMS Cluster Storage Subsystems

5.1	Understanding Storage Product Choices	5-1
5.1.1	Criteria for Choosing Devices	5-2
5.1.2	How Interconnects Affect Storage Choices	5-2
5.1.3	How Floor Space Affects Storage Choices	5-3
5.2	Determining Storage Capacity Requirements	5-3
5.2.1	Estimating Disk Capacity Requirements	5-3
5.2.2	Additional Disk Capacity Requirements	5-4
5.3	Choosing Disk Performance Optimizers	5-4
5.3.1	Performance Optimizers	5-4
5.4	Determining Disk Availability Requirements	5-6
5.4.1	Availability Requirements	5-6
5.4.2	Device and Data Availability Optimizers	5-6
5.5	CI Based Storage	5-7
5.5.1	Supported Controllers and Devices	5-7
5.6	DSSI Storage	5-7
5.6.1	Supported Devices	5-7
5.7	SCSI-Based Storage	5-8
5.7.1	Supported Devices	5-8
5.8	Fibre Channel Based Storage	5-8
5.8.1	Storage Devices	5-8
5.9	Host-Based Storage	5-8
5.9.1	Internal Buses	5-8
5.9.2	Local Adapters	5-9

6 Configuring Multiple Paths to SCSI and Fibre Channel Storage

6.1	Overview of Multipath SCSI Support	6-2
6.1.1	Direct SCSI to Direct SCSI Failover	6-2
6.1.2	Direct SCSI to MSCP Served Failover	6-4
6.1.3	Configurations Combining Both Types of Multipath Failover	6-5
6.2	HSx Failover Modes	6-6
6.2.1	Transparent Failover Mode	6-6
6.2.2	Multibus Failover Mode	6-6
6.3	Path Selection by OpenVMS	6-8
6.3.1	How OpenVMS Performs Multipath Failover	6-8
6.4	Configuration Requirements and Restrictions	6-9
6.5	Parallel SCSI Multipath Configurations	6-10
6.5.1	Transparent Failover	6-11
6.5.2	Multibus Failover and Multiple Paths	6-12
6.5.3	Configurations Using Multiported Storage Controllers	6-13
6.6	Device Naming for Parallel SCSI Multipath Configurations	6-16
6.6.1	Review of Node Allocation Classes	6-16
6.6.2	Review of Port Allocation Classes	6-17
6.6.3	Device Naming Using HSZ Allocation Classes	6-18
6.7	Fibre Channel Multipath Configurations	6-20
6.8	Implementing Multipath Configurations	6-23
6.8.1	Valid Multipath Configurations	6-23
6.8.2	Invalid Multipath Configuration	6-25
6.8.3	Multipath System Parameters	6-26
6.8.4	Path Identifiers	6-27
6.8.5	Displaying Paths	6-28
6.8.5.1	Displaying Paths With SHOW DEVICE/FULL	6-29
6.8.5.2	Displaying Paths With SHOW DEVICE/MULTIPATH_SET	6-30

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.