[Docs] [txt pdf] [Errata]		
Updated by: <u>1349</u> , <u>2181</u> , <u>5321</u>	, <u>5966</u>	STANDARD
		Errata Exist
Network Working Group Request for Comments: 1123	Internet	Engineering Task Force R. Braden, Editor October 1989

Requirements for Internet Hosts -- Application and Support

Status of This Memo

This RFC is an official specification for the Internet community. It incorporates by reference, amends, corrects, and supplements the primary protocol standards documents relating to hosts. Distribution of this document is unlimited.

Summary

This RFC is one of a pair that defines and discusses the requirements for Internet host software. This RFC covers the application and support protocols; its companion $\frac{RFC-1122}{2}$ covers the communication protocol layers: link layer, IP layer, and transport layer.

Table of Contents

1.1 The 1 1.2 Gener 1.2.1 1.2.2 1.2.3 1.2.4 1.3 Readi 1.3.1 1.3.2 1.3.3	ION Internet Architecture Tal Considerations Continuing Internet Evolution Robustness Principle Error Logging Configuration Ing this Document Organization Requirements Terminology Owledgments	
2.1 Host 2.2 Using 2.3 Appli	Names and Numbers	13 13 14
Internet Enginee	ring Task Force	[Page 1]
RFC1123	INTRODUCTION	October 1989
3.1 INTRO 3.2 PROTO 3.2.1 3.2.2 3.2.3 3.2.4 3.2.5 3.2.6 3.2.7 3.2.8	OGIN TELNET PROTOCOL DUCTION OCOL WALK-THROUGH Option Negotiation Telnet Go-Ahead Function Control Functions Telnet "Synch" Signal NVT Printer and Keyboard Telnet Command Structure Telnet Binary Option Telnet Terminal-Type Option FIC ISSUES Telnet End-of-Line Convention Data Entry Terminals	16

Option Requirements
Option Initiation



3.4.1 Character Set Transparency 3.4.2 Telnet Commands 3.4.3 TCP Connection Errors 3.4.4 Non-Default Telnet Contact Port 3.4.5 Flushing Output 3.5 TELNET REQUIREMENTS SUMMARY	25 26 26 26 26 27
4.1 FILE TRANSFER PROTOCOL FTP 4.1.1 INTRODUCTION 4.1.2. PROTOCOL WALK-THROUGH 4.1.2.1 LOCAL Type 4.1.2.3 Page Structure 4.1.2.4 Data Structure Transformations 4.1.2.5 Data Connection Management 4.1.2.6 PASV Command 4.1.2.7 LIST and NLST Commands 4.1.2.8 SITE Command 4.1.2.9 STOU Command 4.1.2.10 Telnet End-of-line Code 4.1.2.11 FTP Replies 4.1.2.12 Connections 4.1.2.13 Minimum Implementation; RFC-959 Section 4.1.3 SPECIFIC ISSUES 4.1.3.1 Non-standard Command Verbs 4.1.3.2 Idle Timeout 4.1.3.3 Concurrency of Data and Control 4.1.3.4 FTP Restart Mechanism 4.1.4 FTP/USER INTERFACE	29 29 29 29 30 30 31 31 32 32 32 33 34 35 36 36 36
Internet Engineering Task Force [Pag	ge 2]
RFC1123 INTRODUCTION October	1989
4.1.4.1 Pathname Specification 4.1.4.2 "QUOTE" Command 4.1.4.3 Displaying Replies to User 4.1.4.4 Maintaining Synchronization 4.1.5 FTP REQUIREMENTS SUMMARY 4.2 TRIVIAL FILE TRANSFER PROTOCOL TFTP 4.2.1 INTRODUCTION 4.2.2 PROTOCOL WALK-THROUGH 4.2.2.1 Transfer Modes 4.2.2.2 UDP Header 4.2.3 SPECIFIC ISSUES 4.2.3 SPECIFIC ISSUES 4.2.3.1 Sorcerer's Apprentice Syndrome 4.2.3.2 Timeout Algorithms 4.2.3.3 Extensions 4.2.3.4 Access Control 4.2.3.5 Broadcast Request 4.2.4 TFTP REQUIREMENTS SUMMARY	39 40 40 41 44 44 44 44 46 46 46 47
5. ELECTRONIC MAIL SMTP and RFC-822 5.1 INTRODUCTION 5.2 PROTOCOL WALK-THROUGH 5.2.1 The SMTP Model 5.2.2 Canonicalization 5.2.3 VRFY and EXPN Commands 5.2.4 SEND, SOML, and SAML Commands 5.2.5 HELO Command 5.2.6 Mail Relay 5.2.7 RCPT Command 5.2.8 DATA Command 5.2.9 Command Syntax 5.2.10 SMTP Replies 5.2.11 Transparency 5.2.12 WKS Use in MX Processing 5.2.13 RFC-822 Message Specification 5.2.14 RFC-822 Date and Time Specification 5.2.15 RFC-822 Syntax Change 5.2.16 RFC-822 Local-part 5.2.17 Domain Literals 5.2.18 Common Address Formatting Errors 5.2.19 Explicit Source Routes	48 48 48 49 50 50 51 52 53 54 55 55 56 57 58 58



5.3.2 5.3.3 5.3.4 5.3.5	.1.2 Receiving strategy Timeouts in SMTP Reliable Mail Receipt Reliable Mail Transmission Domain Name Support		61 61 63 63 65
Internet Engine	ering Task Force	[Pac	ge 3
RFC1123	INTRODUCTION	October	1989
5.3.6 5.3.7 5.3.8 5.4 SMTP	Mailing Lists and Aliases Mail Gatewaying	• • • • • • • • • • • • • • • • • • • •	65 66 68 69
6.1 DOMAII 6.1.1 6.1.2 6.1 6.1 6.1 6.1 6.1 6.1 6.1 6.1 6.1 6.1	ERVICES N NAME TRANSLATION INTRODUCTION PROTOCOL WALK-THROUGH 2.1 Resource Records with Zero 2.2 QCLASS Values 2.3 Unused Fields 2.4 Compression 2.5 Misusing Configuration Inf SPECIFIC ISSUES 3.1 Resolver Implementation 3.2 Transport Protocols 3.3 Efficient Resource Usage 3.4 Multihomed Hosts 3.5 Extensibility 3.6 Status of RR Types 3.7 Robustness 3.8 Local Host Table DNS USER INTERFACE 4.1 DNS Administration 4.2 DNS User Interface 4.1 DNS Administration 4.2 DNS USER INTERFACE 4.1 DNS Administration 14.2 DNS USER INTERFACE 2.1 DYNAME SYSTEM REQUIREMENTS INITIALIZATION INTRODUCTION REQUIREMENTS 2.1 Dynamic Configuration INTRODUCTION PROTOCOL WALK-THROUGH MANAGEMENT REQUIREMENTS SUMMARY	o TTL fo ilities S SUMMARY	72 72 72 73 73 73 73 74 74 75 77 78 80 81 81 81 82 84 87 87 87 87 87 89 90 90 90

Internet Engineering Task Force

[Page 4]

RFC1123 INTRODUCTION

October 1989

1. INTRODUCTION

This document is one of a pair that defines and discusses the requirements for host system implementations of the Internet protocol suite. This RFC covers the applications layer and support protocols. Its companion RFC, "Requirements for Internet Hosts -- Communications Layers" [INTRO:1] covers the lower layer protocols: transport layer, IP layer, and link layer.

These documents are intended to provide quidance for vendors



wisdom, contributed by members of the Internet research and vendor communities.

This RFC enumerates standard protocols that a host connected to the Internet must use, and it incorporates by reference the RFCs and other documents describing the current specifications for these protocols. It corrects errors in the referenced documents and adds additional discussion and guidance for an implementor.

For each protocol, this document also contains an explicit set of requirements, recommendations, and options. The reader must understand that the list of requirements in this document is incomplete by itself; the complete set of requirements for an Internet host is primarily defined in the standard protocol specification documents, with the corrections, amendments, and supplements contained in this RFC.

A good-faith implementation of the protocols that was produced after careful reading of the RFC's and with some interaction with the Internet technical community, and that followed good communications software engineering practices, should differ from the requirements of this document in only minor ways. Thus, in many cases, the "requirements" in this RFC are already stated or implied in the standard protocol documents, so that their inclusion here is, in a sense, redundant. However, they were included because some past implementation has made the wrong choice, causing problems of interoperability, performance, and/or robustness.

This document includes discussion and explanation of many of the requirements and recommendations. A simple list of requirements would be dangerous, because:

- o Some required features are more important than others, and some features are optional.
- o There may be valid reasons why particular vendor products that

Internet Engineering Task Force

[Page 5]

<u>RFC1123</u>

INTRODUCTION

October 1989

are designed for restricted contexts might choose to use different specifications.

However, the specifications of this document must be followed to meet the general goal of arbitrary host interoperation across the diversity and complexity of the Internet system. Although most current implementations fail to meet these requirements in various ways, some minor and some major, this specification is the ideal towards which we need to move.

These requirements are based on the current level of Internet architecture. This document will be updated as required to provide additional clarifications or to include additional information in those areas in which specifications are still evolving.

This introductory section begins with general advice to host software vendors, and then gives some guidance on reading the rest of the document. Section 2 contains general requirements that may be applicable to all application and support protocols. Sections $\underline{3}$, $\underline{4}$, and 5 contain the requirements on protocols for the three major applications: Telnet, file transfer, and electronic mail, respectively. Section 6 covers the support applications: the domain name system, system initialization, and management. Finally, all references will be found in Section 7.

1.1 The Internet Architecture

For a brief introduction to the Internet architecture from a host viewpoint, see $\underbrace{\text{Section 1.1}}_{\text{Intro}}$ of [INTRO:1]. That section also contains recommended references for general background on the Internet architecture.

1.2 General Considerations

There are two important lessens that wenders of Internet host



1.2.1 Continuing Internet Evolution

The enormous growth of the Internet has revealed problems of management and scaling in a large datagram-based packet communication system. These problems are being addressed, and as a result there will be continuing evolution of the specifications described in this document. These changes will be carefully planned and controlled, since there is extensive participation in this planning by the vendors and by the organizations responsible for operations of the networks.

Internet Engineering Task Force

[Page 6]

RFC1123

INTRODUCTION

October 1989

Development, evolution, and revision are characteristic of computer network protocols today, and this situation will persist for some years. A vendor who develops computer communication software for the Internet protocol suite (or any other protocol suite!) and then fails to maintain and update that software for changing specifications is going to leave a trail of unhappy customers. The Internet is a large communication network, and the users are in constant contact through it. Experience has shown that knowledge of deficiencies in vendor software propagates quickly through the Internet technical community.

1.2.2 Robustness Principle

At every layer of the protocols, there is a general rule whose application can lead to enormous benefits in robustness and interoperability:

"Be liberal in what you accept, and conservative in what you send"

Software should be written to deal with every conceivable error, no matter how unlikely; sooner or later a packet will come in with that particular combination of errors and attributes, and unless the software is prepared, chaos can ensue. In general, it is best to assume that the network is filled with malevolent entities that will send in packets designed to have the worst possible effect. This assumption will lead to suitable protective design, although the most serious problems in the Internet have been caused by unenvisaged mechanisms triggered by low-probability events; mere human malice would never have taken so devious a course!

Adaptability to change must be designed into all levels of Internet host software. As a simple example, consider a protocol specification that contains an enumeration of values for a particular header field -- e.g., a type field, a port number, or an error code; this enumeration must be assumed to be incomplete. Thus, if a protocol specification defines four possible error codes, the software must not break when a fifth code shows up. An undefined code might be logged (see below), but it must not cause a failure.

The second part of the principle is almost as important: software on other hosts may contain deficiencies that make it unwise to exploit legal but obscure protocol features. It is unwise to stray far from the obvious and simple, lest untoward effects result elsewhere. A corollary of this is "watch out

Internet Engineering Task Force

[Page 7]

RFC1123

INTRODUCTION

October 1989

for misbehaving hosts"; host software should be prepared, not just to survive other misbehaving hosts, but also to cooperate to limit the amount of disruption such hosts can cause to the shared communication facility.



DOCKET

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

