SONY EXHIBIT 1033- Page 1

VocalChat™ Kit

The office voice communication system

Voice Mail & Intercom system for networked PCs



NEW VERSION !

2.0

Now includes:

DICTATION

Supports:

IPX, NetBIOS & TCP/IP



Includes all that is needed for two users



yes It runs with NetWare

MICROSOFT® WINDOWS™ COMPATIBLE

VOCALTEC

The talk of the LAN

SONY EXHIBIT 1033- Page 2

VocalChat™ Kit

The office voice communication system

Voice Mail & Intercom system for networked PCs



NEW VERSION !

2.0

Now includes:

DICTATION

Supports:

IPX, NetBIOS & TCP/IP

Includes all that is needed for two users

yes
It runs with NetWare

VOCALTEC

The talk of the LAN

VocalChat™ Kit

The office voice communication system

Voice Mail & Intercom system for networked PCs

Includes all that is needed for two users

2 CatComs
A special speaker phone with handset which you can attach to your monitor, enabling hands-free operation or completely private conversations with any standard Windows application.

VocalChat
The software with a two minute automatic installation program.

2 CatBoards
A high quality 13 bit audio card, fully Windows compatible, works with any standard Windows application.

Requirements

Networks supported	• Novell NetWare 2.X or higher, • Windows for Workgroups • Any PC network supporting NetBIOS or IPX
Windows	Windows 3.1 or higher 4 MB RAM
Audio Hardware Support	All MS-Windows compatible sound cards are supported. **Vocaltec**'s **CAT** portable audio adapter or **CatBoard** internal sound card are highly recommended for superior performance.
Audio Formats Supported	Windows standard 8 bit PCM at 8 kHz or 11 kHz **Vocaltec**'s high quality 13 bit VDF at 8 Kb/sec

VOCALTEC

SONY EXHIBIT 1033- Page 3

VocalChat™ Kit

TECHNICAL SPECIFICATIONS

CatBoards

Audio Input

- Standard 3.5mm dynamic microphone jack
- Standard telephone handset jack (SPK and MIC)
- Input level sensitivity: 3mV
- Input impedance: 2kOhms
- Dynamic range: true 72dB
- Weighted noise: as low as -74dB
- Single frequency distortions: -46dB
- High-quality sound recording in the 13-bit WAV format that uses only 8000Bytes/Sec of disk space
- Improved sound quality recording in standard 11kHz, 8-bit PCM WAV format

Audio Output

- Standard 3.5mm jack for personal earphones
- Standard telephone handset jack (SPK and MIC)
- High quality 13-bit PCM WAV
- Standard 8/16-bit PCM WAV sample rate: 5.5-44kHz
- Dynamic range: true 72dB

CatCom

A special speaker phone with a Handset which you can attach to your monitor enabling hands-free operation or completely private conversations.

Bundled software

Vocaltec quality recorder
The Quality Recorder is a Vocaltec Windows application that enables you to record and playback the high-efficiency, high-quality 13-bit PCM WAV format (uses less than 8kBytes per second of sound) and other Windows WAV formats.

Sbtools (DOS)
The SBTOOLS is a complete sound editing environment on your PC that enables sound to be edited the way a word processor edits words. Features a multitude of menu driven functions such as Cut and Paste, Zoom, Echo, Gain and Mix. Each one provides a graphic presentation of the vocal information.

Volume control
Software controlled volume from keyboard or mouse.

VOCALTEC INC.
157 Veterans Drive Northvale, NJ 07647
Tel: 201-768-9400 Fax: 201-768-8893

VOCALTEC

SONY EXHIBIT 1033- Page 4

VocalChat™ Kit

VocalChat, the ideal office messaging system

"TALK THROUGH YOUR PC"

"With one mouse click, you could be speaking to anyone connected to your local-area network (LAN). **VocalChat**, a *Microsoft Windows* software package from **VocalTec**, lets you use your network PC as an internal voice mail system, and also permits interactive communications.

VocalChat simplifies the broadcasting of audio messages to groups on a LAN and gives users a new way to hold conferences within their company. From within Windows, you simply click on the **VocalChat** icon to view a list of people on the network, select the person with whom you wish to speak, and the connection is made.

If there is no response to a call, **VocalChat** will operate as an answering machine by taking a message and recording it to disk. As with other voice messaging systems, individual users can customize their greetings and have easy access to their messages.

VocalChat works with any PC with a Windows 3.1 compatible sound device installed in a *Novell NetWare or Microsoft Windows for Workgroups* network. If you also need sound hardware for your computer, you might want to check out **VocalTec**'s **CAT**, a portable audio device that connects externally to your computer's parallel port."

PC Today November '93

Background operation and hot key option enables you to talk while you work with other programs

An easy to use voice mail box
- Auto answering with a choice of recorded messages
- A time stamped voice message log with caller ID
- Edit and sort incoming messages
- Easy message archiving folders.

Voice activation allows users to talk without touching a keyboard, mouse, or microphone.

Broadcast capability enables users to speak simultaneously to the entire network or to selected groups.

Automatic dialer with configurable quick-dial buttons, provide rapid access to frequently-called users and groups.

Broadcasting to a group of users



Real time voice compression conserves network resources and storage space.

Friendly interface, with visual assistance icons, volume control, and network activity indicators.

This package includes all that is needed to have a two user VocalChat voice system up and running in 15 minutes:

• VocalChat	The software with a two minute automatic installation program
• 2 CatComs	A special speaker phone with a handset which you can attach to your monitor, enabling hands-free operation or completely private conversations with **VocalChat** or with any other Windows application
• 2 CatBoards	High quality 13 bit audio card, fully windows compatible, works with any standard windows application
• CatBoards software	Windows quality recorder, volume control icon, driver, DOS sbtools editing program, record and playback programs
• User's manual	A detailed installation and operation manual, for advanced users

SONY EXHIBIT 1033- Page 5

LAN Kit 2 Users