#### **PATENT**

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s) Myers et al. Examiner: Janet L. Epps-Smith

Serial No.: 12/537,571 Group Art Unit: 1633

Confirmation No.: 5630 Docket: 1199-82

Filed: August 7, 2009 Dated: October 22, 2012

For: Sublingual and Buccal Film

Compositions

Mail Stop AF

Certificate of EFS-Web Transmission

Thereby certify that this correspondence is being transmitted to the U.S.
Commissioner for Patents

Patent and Trademark Office via the Office's electronic filing system.

P.O. Box 1450

Dated: October 22, 2012

Alexandria, Virginia 22313-1450
Signature: /Jane Callahan/Jane Callahan

## AMENDMENT AND RESPONSE AFTER FINAL OFFICE ACTION

### Madam:

In response to the Final Office Action dated May 2, 2012, a response to which is due by August 2, 2012, please amend the application as follows:

Amendments to the Claims begin on page 2 of this paper.

**Remarks** begin on page 7 of this paper.



Applicants: Myers et al. Serial No.: 12/537,571 Docket No.: 1199-82

Amendment and Response dated October 22, 2012

Page 2

### **Amendments to the Claims:**

This listing of claims shall replace all previous listings in this application:

- 1. (Previously Amended) A film dosage composition comprising:
  - a. A polymeric carrier matrix;
  - b. A therapeutically effective amount of buprenorphine or a pharmaceutically acceptable salt thereof;
  - c. A therapeutically effective amount of naloxone or a pharmaceutically acceptable salt thereof; and
  - d. A buffer in an amount to provide a local pH for said composition of a value sufficient to optimize absorption of said buprenorphine, wherein said local pH is from about 2 to about 3.5 in the presence of saliva.
- 2. (Canceled).
- 3. (Previously Amended) The composition of claim 1, wherein the local pH of said composition is from about 3 to about 3.5.
- 4. (Original) The composition of claim 1, wherein said film dosage composition provides a bioequivalent absorption of buprenorphine to that of a tablet having an equivalent amount of buprenorphine or a pharmaceutically acceptable salt thereof.
- (Original) The composition of claim 1, wherein said polymeric carrier matrix comprises at least one polymer in an amount of at least 25% by weight of said composition.
- 6. (Original) The composition of claim 1, wherein said buffer is present in an amount of from about 2:1 to about 1:5 by weight of buffer to buprenorphine.
- 7. (Original) The composition of claim 1, wherein said polymeric carrier matrix comprises at least one self-supporting film forming polymer.
- 8. (Original) The film dosage composition of claim 1, wherein said buprenorphine is present in an amount of from about 2 mg to about 16 mg per dosage.



Applicants: Myers et al. Serial No.: 12/537,571 Docket No.: 1199-82

Amendment and Response dated October 22, 2012

Page 3

- 9. (Original) The film dosage composition of claim 1, wherein said buffer comprises sodium citrate, citric acid, and combinations thereof.
- 10. (Original) The film dosage composition of claim 1, wherein said buffer comprises acetic acid, sodium acetate, and combinations thereof.
- 11. (Previously Amended) A film dosage composition comprising:
  - a. A polymeric carrier matrix;
  - b. A therapeutically effective amount of buprenorphine or a pharmaceutically acceptable salt thereof;
  - c. A therapeutically effective amount of naloxone or a pharmaceutically acceptable salt thereof; and
  - d. A buffer in an amount sufficient to inhibit the absorption of said naloxone, while also optimizing absorption of said buprenorphine when administered orally.
- 12. (Previously Amended) The composition of claim 11, wherein said composition has a local pH of about 2 to about 3.5.
- 13. (Previously Amended) The composition of claim 11, wherein said composition has a local pH of about 3 to about 3.5.
- 14. (Previously Amended) The composition of claim 13, wherein said buffer is present in an amount sufficient to provide-a bioequivalent level of absorption of buprenorphine as a tablet having an equivalent amount of buprenorphine or a pharmaceutically acceptable salt thereof.
- 15. (Previously Amended) A film dosage composition comprising:
  - a. A polymeric carrier matrix;
  - b. A therapeutically effective amount of buprenorphine or a pharmaceutically acceptable salt thereof;
  - c. A therapeutically effective amount of naloxone or a pharmaceutically acceptable salt thereof; and
  - d. A buffering system;



Applicants: Myers et al. Serial No.: 12/537,571 Docket No.: 1199-82

Amendment and Response dated October 22, 2012

Page 4

wherein said buffering system comprises a buffer capacity sufficient to maintain the ionization of naloxone during the time which said composition is in the oral cavity of a user, and also sufficient to optimize the absorption of said buprenorphine.

- 16. (Previously Amended) The composition of claim 15, wherein said composition has a local pH of about 2 to about 3.5.
- 17. (Previously Amended) A method of treating narcotic dependence of a user, comprising the steps of:
  - a. providing a composition comprising:
    - i. A polymeric carrier matrix;
    - ii. A therapeutically effective amount of buprenorphine or a pharmaceutically acceptable salt thereof;
    - iii. A therapeutically effective amount of naloxone or a pharmaceutically acceptable salt thereof; and
    - iv. A buffer in an amount to provide a local pH of about 2 to about 3.5 for said composition of a value sufficient to optimize absorption of said buprenorphine and also sufficient to inhibit absorption of said naloxone; and
  - b. administering said composition to the oral cavity of a user.
- 18. (Original) The composition of claim 17, wherein said method provides a bioequivalent absorption of buprenorphine to that of a tablet having an equivalent amount of buprenorphine or a pharmaceutically acceptable salt thereof.
- 19. (Previously Amended) The method of claim 17, wherein said composition has a local pH of about 3 to about 3.5.
- 20. (Original) The method of claim 17, wherein said film dosage composition is administered to the user through buccal administration, sublingual administration, and combinations thereof.
- 21. (Original) The method of claim 17, wherein said film dosage composition remains in the oral cavity of the user for a period of at least 1 minute.



Applicants: Myers et al. Serial No.: 12/537,571 Docket No.: 1199-82

Amendment and Response dated October 22, 2012

Page 5

- 22. (Original) The method of claim 17, wherein said film dosage composition remains in the oral cavity of the user for a period of between about 1 and 1.5 minutes.
- 23. (Original) The method of claim 17, wherein said film dosage composition remains in the oral cavity of the user for a period of up to 3 minutes.
- 24. (Previously Amended) A process of forming a film dosage composition comprising the steps of:
  - a. casting a film-forming composition, said film-forming composition comprising:
    - i. A polymeric carrier matrix;
    - ii. A therapeutically effective amount of buprenorphine or a pharmaceutically acceptable salt thereof;
    - A therapeutically effective amount of naloxone or a pharmaceutically acceptable salt thereof; and
    - iv. A buffer in an amount to provide a local pH of said composition of a value sufficient to optimize absorption of said buprenorphine and also sufficient to inhibit absorption of said naloxone; and
  - b. drying said film-forming composition to form a self-supporting film dosage composition.
- 25. (Previously Amended) The process of claim 24, wherein said composition has a local pH of about 2 to about 3.5.
- 26. (Previously Amended) A film dosage composition comprising a therapeutically sufficient amount of buprenorphine or a pharmaceutically acceptable salt thereof and a therapeutically sufficient amount of naloxone or a pharmaceutically acceptable salt thereof, said film dosage composition having a bioequivalent release profile as a tablet containing about 2 times the amount of buprenorphine or a pharmaceutically acceptable salt thereof, and wherein said composition provides a local pH of from about 2 to about 3.5.
- 27. (Original) An orally dissolving film formulation comprising buprenorphine and naloxone, wherein said formulation provides an in vivo plasma profile having a Cmax



# DOCKET

## Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## **Real-Time Litigation Alerts**



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## **Advanced Docket Research**



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## **Analytics At Your Fingertips**



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

#### **LAW FIRMS**

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

#### **FINANCIAL INSTITUTIONS**

Litigation and bankruptcy checks for companies and debtors.

## **E-DISCOVERY AND LEGAL VENDORS**

Sync your system to PACER to automate legal marketing.

