Exhibit 1005.06

DOCKET ALARM
Find authenticated court documents without watermarks at docketalarm.com.

European Standard (Telecommunications series)

Digital cellular telecommunications system (Phase 2+); General Packet Radio Service (GPRS); Mobile Station (MS) - Base Station System (BSS) interface; Radio Link Control / Medium Access Control (RLC/MAC) protocol (GSM 04.60 version 6.1.0 Release 1997)



DOCKET ALARM
Find authenticated court documents without watermarks at docketalarm.com.

Reference
DEN/SMG-020460Q6 (cho030c0.PDF)

Keywords
Digital cellular telecommunications system,
Global System for Mobile communications
(GSM), General Packet Radio Service (GPRS)

ETSI

Postal address
F-06921 Sophia Antipolis Cedex - FRANCE

Office address
650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16
Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Internet
secretariat@etsi.fr
http://www.etsi.fr
http://www.etsi.org

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1998.
All rights reserved.

DOCKET ALARM
Find authenticated court documents without watermarks at docketalarm.com.

Contents

Intellectual Property Rights 8

Foreword 8

1 Scope 9

2 Normative references 10

3 Definitions and abbreviations 11
3.1 Vocabulary 11

4 Layered overview of radio interface 12
4.1 Layer services 13
4.2 Layer functions 13
4.3 Service primitives 14
4.4 Services required from lower layers 14

5 Introduction to the Medium Access Control (MAC) procedures 14
5.1 General 14
5.2 Multiplexing principles 14
5.2.1 Temporary Block Flow 14
5.2.2 Temporary Flow Identity 15
5.2.3 Uplink State Flag 15
5.2.4 Medium Access modes 15
5.3 Packet idle mode 16
5.4 Packet transfer mode 17
5.5 Procedures in packet idle mode 17
5.5.1 Mobile station side 17
5.5.1.1 Selection and reselection of CCCH or PCCCH 17
5.5.1.2 System information on PBCCH 17
5.5.1.3 System information on BCCH 18
5.5.1.4 Discontinuous reception (DRX) 18
5.5.1.5 Page mode procedures on PCCCH 19
5.5.2 Network side 19
5.5.2.1 System Information broadcasting 19
5.6 Measurement reporting 20
5.6.1 Ready state measurement reporting 20
5.6.2 Idle mode measurement report 21

6 Paging procedures 21
6.1 Paging procedure for RR connection establishment 21
6.1.1 Paging initiation using paging subchannel on CCCH 22
6.1.2 Paging initiation using paging subchannel on PCCCH 22
6.1.3 Paging initiation using PACCH 22
6.1.4 Paging response 22
6.2 Paging procedure for downlink packet transfer 22
6.2.1 Paging procedure using paging subchannel on CCCH 22
6.2.2 Paging using paging subchannel on PCCCH 22
6.2.3 Paging response 23

7 Medium Access Control (MAC) procedures on PCCCH 23
7.1 TBF establishment initiated by the mobile station on PCCCH 23
7.1.1 Permission to access the network 23
7.1.2 TBF establishment using one phase packet access 24
7.1.2.1 Initiation of the packet access procedure 24
7.1.2.1.1 Access persistence control on PRACH, the network steered method 24
7.1.2.1.2 Access persistence control on PRACH, the mobile station steered method 25
7.1.2.2 Packet immediate assignment procedure 25
7.1.2.2.1 On receipt of a PACKET CHANNEL REQUEST message 25

DOCKET ALARM
Find authenticated court documents without watermarks at docketalarm.com.

7.1.2.2.2 Packet access queuing notification procedure 26
7.1.2.2.3 Packet polling procedure 26
7.1.2.2.4 Packet access reject procedure 27
7.1.2.3 Contention resolution at one phase access 27
7.1.2.4 One phase packet access completion 28
7.1.3 TBF establishment using two phase access 28
7.1.3.1 Initiation of the Packet resource request procedure 28
7.1.3.2 Packet resource assignment for uplink procedure 28
7.1.3.2.1 On receipt of a PACKET RESOURCE REQUEST message 28
7.1.3.3 Contention resolution at two phase access 29
7.1.3.4 Two phase packet access completion 29
7.1.4 Abnormal cases 29
7.2 TBF establishment initiated by the network on PCCCH 29
7.2.1 Entering the packet transfer mode 30
7.2.1.1 Packet downlink assignment procedure 30
7.2.1.2 Packet downlink assignment procedure completion 31
7.2.1.3 Packet polling procedure 31
7.2.2 Abnormal cases 31
7.3 Procedure for measurement report in packet idle mode 31
7.3.1 On receipt of a PACKET CHANNEL REQUEST message 31
7.3.1.1 Packet access reject procedure 32
7.3.1.2 Abnormal cases 32

8 Medium Access Control (MAC) Procedures in Packet Transfer Mode 32
8.1 Transfer of RLC data blocks 32
8.1.1 Uplink RLC data block transfer 32
8.1.1.1 Dynamic allocation uplink RLC data block transfer 33
8.1.1.1.1 PACCH operation 33
8.1.1.1.2 Resource Reallocation for Uplink 33
8.1.1.1.2.1 Abnormal cases 34
8.1.1.1.3 Establishment of Downlink TBF 34
8.1.1.1.3.1 Abnormal cases 35
8.1.1.2 Extended Dynamic Allocation uplink RLC data block transfer 35
8.1.1.2.1 Uplink PDCH Allocation 35
8.1.1.2.2 PACCH operation 36
8.1.1.2.3 Neighbour cell power measurements 36
8.1.1.3 Fixed Allocation uplink RLC data block transfer 36
8.1.1.3.1 Transfer of RLC/MAC blocks 36
8.1.1.3.2 Reallocation 37
8.1.1.3.2.1 Abnormal Cases 38
8.1.1.3.3 Neighbour cell power measurements 39
8.1.1.3.4 PACCH operation 39
8.1.1.3.5 Establishment of Downlink TBF 39
8.1.1.3.5.1 Abnormal cases 40
8.1.1.4 Network initiated release of uplink TBF 41
8.1.1.5 Abnormal cases 41
8.1.2 Downlink RLC data block transfer 41
8.1.2.1 Downlink RLC data block transfer 42
8.1.2.2 Polling for Packet Downlink Ack/Nack 42
8.1.2.3 Suspending the downlink TBF 42
8.1.2.4 Resource Reassignment for Downlink 43
8.1.2.5 Establishment of uplink TBF 43
8.1.2.5.1 Abnormal cases 44
8.1.2.6 Downlink Measurement Report 45
8.1.2.7 Extended dynamic allocation neighbour cell power measurements 45
8.1.2.8 Fixed allocation neighbour cell power measurements 45
8.1.2.9 Mobile station initiated downlink TBF release 45
8.1.3 Concurrent TBF procedures 45
8.1.3.1 Dynamic allocation and extended dynamic allocation procedures 45
8.1.3.2 Fixed allocation procedures 46
8.1.3.2.1 Suspending downlink TBF and initiating uplink TBF 46

DOCKET ALARM
Find authenticated court documents without watermarks at docketalarm.com.

DOCKET ALARM

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts

Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research

With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips

Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS
Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS
Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS
Sync your system to PACER to automate legal marketing.