Exhibit 1006.04



3G TS 23.121 V3.0.0 (1999-07)

Technical Specification

3rd Generation Partnership Project; Technical Specification Group Services and Systems Aspects; Architectural Requirements for Release 1999 (3G TS 23.121 version 3.0.0)



The present document has been developed within the 3rd Generation Partnership Project (3GPP TM) and may be further elaborated for the purposes of 3GPP.

The present document has not been subject to any approval process by the 3GPP Organisational Partners and shall not be implemented. This Specification is provided for future development work within 3GPP only. The Organisational Partners accept no liability for any use of this Specification. Specifications and reports for implementation of the 3GPP TM system should be obtained via the 3GPP Organisational Partners' Publications Offices.



Reference DTS/TSGSA-0221121U Keywords <keyword[, keyword]>

3GPP

Postal address

3GPP support office address

650 Route des Lucioles - Sophia Antipolis Valbonne - FRANCE Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

http://www.3gpp.org



Contents

Forev	vord	5
1	Scope 6	
2	References	6
3	Definitions and abbreviations.	6
3.1	Definitions	
3.2	Abbreviations	
4	Working assumptions	
4.1 4.2	General	
4.2.1	Iu Interface	
4.2.1 4.2.1.1		
4.2.1.1		
4.2.1.2 4.2.2	Iu User plane	
4.2.2.1	*	
4.2.2.1	•	
4.2.2.1	*	
4.2.2.1		
4.2.2.1		
4.2.2.1	•	
4.2.2.1		
4.2.2.2		10
	SRNC relocation	13
4.2.2.3		
4.3	UMTS Mobility Management (UMM)	
4.3.1	Location Management and Mobility Management concept overview	
4.3.1.1		
4.3.2	Description of the Location Management and Mobility Management Concept	
4.3.2.1		
4.3.2.1	1.1 Location areas	18
4.3.2.1	1.2 Routing areas	18
4.3.2.1	1.3 UTRAN internal areas	18
4.3.2.1	1.4 Relationship between the different areas	18
4.3.3	MM functionality in different UE service states	19
4.3.4	The RRC state machine	
4.3.5	Relationship between CS and PS service states and RRC state for an UE	
4.3.6	Service registration and location update	
4.3.6.1		
4.3.6.2	v	
4.3.6.3	<u>*</u>	
4.3.7	Paging initiated by CN	
4.3.8	Signalling connection establishment	
4.3.9	Relations between SRNS relocation and Location registration	
4.3.10	<u>*</u>	
4.3.11	· · · · · · · · · · · · · · · · · · ·	
4.3.11		
4.3.11	*	
4.3.11	· · · · · · · · · · · · · · · · · · ·	
4.3.11	•	
4.3.12	c ci	
4.3.12	.1 Idle mode procedures	28



4.3.12.1.1	Location Area update	28
4.3.12.1.2	Routing Area update	30
4.3.12.1.3	Periodic Registration towards both CN nodes without use of Gs	31
4.3.12.1.4		33
4.3.12.1.5	· · · · · · · · · · · · · · · · · · ·	
4.3.12.2	SRNS Relocation	
4.3.12.2.1	SRNS relocation principles	
4.3.12.2.2	SRNS relocation (UE connected to a single CN node, 3G_MSC/VLR) followed by Location	
	Registration in new Routing Area	34
4.3.12.2.3	· · · · · · · · · · · · · · · · · · ·	
	Registration in new Location Area	36
4.3.12.3	Comparison between UMTS and GSM	
4.3.12.3.1	PS -idle state	42
4.3.12.3.2	PS -connected state	42
4.3.12.4	Issues for further study	
4.3.13	Combined update towards the HLR for a combined 3G-(MSC/VLR+SGSN) configuration	43
4.3.13.1	Motivation	
4.3.13.2	Technical description	43
4.3.13.3	Requirements on UTRAN	
4.3.13.4	List of MAP services for location management between the HLR and MSC-VLR/SGSN for	
	GSM/GPRS	44
4.3.13.5	Signalling procedures for combined update towards HLR	
4.3.13.6	Combined attach case where the previous attach was towards 2 CN elements	
4.3.13.7	Combined location/routing area update where the previous LA/RA belonged to a 2 CN element	
4.4	UMTS call control	
4.4.1	Technical Requirements	47
4.4.2	Typical Scenarios for Multimedia Control and User Plane	
4.4.2.1	H.324M to H.324M Call	48
4.4.2.2	IMT-2000 H.323 to H.323 call	50
4.5	Core network layer 3	51
4.6	Structure of radio interface layer 3	52
4.7	Alternate Access technologies to UTRAN	52
4.7.1	Advantages of attaching HIPERLAN 2 to UMTS	52
4.7.2	HIPERLAN 2 UMTS Interworking	53
4.7.3	Related Actions	
4.8	Location of the IP compression function in UMTS	
4.8.1	Functional role of SNDCP / L3CE	53
4.8.2	Position for header compression	54
4.8.3	Implied protocol stack	54
4.9	Short Message Service for UMTS	
4.9.1	Protocols and architecture	
4.10	Mobile IP for UMTS/GPRS End Users, revised version.	55
4.10.1	Mobile IP for UMTS/GPRS End Users	
4.10.1.1	Alterations of and Additions to Current GPRS Standards	58
Referenc	es	58
History		59



DOCKET

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

