

Exhibit 1006.05

**3rd Generation Partnership Project (3GPP)
Technical Specification Group (TSG) RAN WG4
UE Radio transmission and Reception (FDD)**



The present document has been developed within the 3rd Generation Partnership Project (3GPP™) and may be further elaborated for the purposes of 3GPP.
The present document has not been subject to any approval process by the 3GPP Organisational Partners and shall not be implemented.
This Specification is provided for future development work within 3GPP only. The Organisational Partners accept no liability for any use of this Specification.
Specifications and reports for implementation of the 3GPP™ system should be obtained via the 3GPP Organisational Partners' Publications Offices.

Reference

<Workitem>

Keywords

<keyword[, keyword]>

3GPP

Postal address

Office address

Internet

secretariat@3gpp.org

Individual copies of this deliverable
can be downloaded from
<http://www.3gpp.org>

Contents

Intellectual Property Rights	6
Foreword	6
1 Scope	6
2 References	6
3 Definitions, symbols and abbreviations	7
3.1 Definitions	7
3.2 Symbols	7
3.3 Abbreviations	8
3.4 CDMA Equations	10
3.4.1 BS Transmission Power	10
3.4.2 Rx Signal Strength for UE Not in Handoff (Static propagation conditions)	11
3.4.3 Rx Strength for UE Not in Handoff (Static propagation conditions)	12
3.4.4 Rx Signal Strength for UE in two-way Handover	12
4 General	14
4.1 Measurement uncertainty	14
5 Frequency bands and channel arrangement	15
5.1 General	15
5.2 Frequency bands	15
5.3 TX-RX frequency separation	15
5.4 Channel arrangement	15
5.4.1 Channel spacing	15
5.4.2 Channel raster	15
5.4.3 Channel number	15
6 Transmitter characteristics	16
6.1 General	16
6.2 Transmit power	16
6.2.1 UE maximum output power	16
6.3 Frequency stability	16
6.4 Output power dynamics	17
6.4.1 Open loop power control	17
6.4.2 Closed loop power control	17
6.4.2.1 Closed loop power control in the downlink	17
6.4.2.1.1 Minimum requirements	17
6.4.3 Power control steps	17
6.4.3.1 Minimum requirement	17
6.4.4 Minimum transmit output power	18
6.4.4.1 Minimum requirement	18
6.4.5 Power control cycles per second	18
6.5 Transmit ON/OFF power	18
6.5.1 Transmit OFF power	18
6.5.1.1 Minimum requirement	18
6.5.2 Transmit ON/OFF Time mask	18
6.5.2.1 Minimum requirement	18
6.5.3 Transmit DTX	19
6.5.3.1 Minimum requirement	19
6.6 Output RF spectrum emissions	20
6.6.1 Occupied bandwidth	20
6.6.2 Out of band emission	20
6.6.2.1 Spectrum emission mask	20
6.6.2.2 Adjacent Channel Leakage power Ratio (ACLR)	20

6.6.2.2.1	Minimum requirement	20
6.6.3	Spurious emissions.....	21
6.6.3.1	Minimum requirement	21
6.7	Transmit intermodulation	21
6.7.1	Minimum requirement	21
6.8	Transmit modulation.....	22
6.8.1	Transmit pulse shape filter	22
6.8.2	Modulation Accuracy.....	22
6.8.2.1	Minimum requirement	22
6.8.3	Peak code Domain error.....	22
6.8.3.1	Minimum requirement	23
7.0	Receiver characteristics.....	24
7.1	General	24
7.2	Diversity characteristics.....	24
7.3	Reference sensitivity level.....	24
7.3.1	Minimum requirement	24
7.4	Maximum input level.....	25
7.4.1	Minimum requirement	25
7.5	Adjacent Channel Selectivity (ACS).....	25
7.5.1	Minimum requirement	25
7.6	Blocking characteristics.....	26
7.6.1	Minimum requirement	26
7.7	Spurious response	26
7.7.1	Minimum requirement	26
7.8	Intermodulation characteristics.....	27
7.8.1	Minimum requirement	27
7.9	Spurious emissions	27
7.9.1	Minimum requirement	27
8	Performance requirement	29
General	29	
8.2	Demodulation in static propagation conditions	29
8.2.1	Demodulation of Paging Channel (PCH).....	29
8.2.1.1	Minimum requirement	29
8.2.2	Demodulation of Forward Access Channel (FACH).....	29
8.2.2.1	Minimum requirement	30
8.2.3	Demodulation of Dedicated Channel (DCH).....	30
8.2.3.1	Minimum requirement	30
8.3	Demodulation of DCH in multi-path propagation conditions	32
8.3.1	Single Link Performance	32
8.3.1.1	Minimum requirement	32
8.4	Demodulation of DCH in moving propagation conditions.....	38
8.4.1	Single link performance	38
8.4.1.1	Minimum requirement	38
8.5	Demodulation of DCH in birth-death propagation conditions	39
8.5.1	Single link performance	39
8.5.1	Minimum requirement	40
8.6	Handover Performance	41
8.6.1	Inter-Cell Soft Handover Performance	41
8.6.1.1	Minimum requirement	41
8.6.2	Inter-Frequency Handover.....	42
8.6.2.1	Minimum requirement	42
8.7	Timing characteristics.....	42
8.7.1	Synchronisation Performance	42
8.7.1.1	Search of other Cells.....	42
8.7.1.1.1	Minimum requirement	42
8.7.2	Channel Timing Dependencies	43
8.7.2.1	Minimum requirement	43
8.7.3	Reception Timing.....	43
8.7.3.1	Minimum requirement	43

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.