

Dosage Form Design: Pharmaceutical Ingredients, Product Formulation, and Current Good Manufacturing Practice

THE PROPER design of a dosage form requires consideration of the physical, chemical and biological characteristics of all of the drug substances and pharmaceutical ingredients to be used in fabricating the product. The drug and pharmaceutical materials utilized must be compatible with one another to produce a drug product that is stable, efficacious, attractive, easy to administer and safe. The product should be manufactured under appropriate measures of quality control and packaged in containers that contribute to product stability. The product should be labeled to promote correct use and be stored under conditions that contribute to maximum shelf life.

Methods for the preparation of specific types of dosage forms are described in subsequent chapters. This chapter presents some general considerations regarding pharmaceutical ingredients, drug product formulation, stability, preservation, flavoring, coloring, packaging, storage, and standards for good manufacturing practice.

Pharmaceutical Ingredients

In order to prepare a drug substance into a final dosage form, pharmaceutical ingredients are required. For example, in the preparation of pharmaceutical solutions, one or more *solvents* are utilized to dissolve the drug substance, *preservatives* may be added to prevent microbial growth, *stabilizers* may be used to prevent drug

decomposition, and *colorants* and *flavorants* added to enhance product appeal. In the preparation of tablets, *diluents* or *fillers* are commonly added to increase the bulk of the formulation, *binders* to cause the adhesion of the powdered drug and pharmaceutical substances, *antiadherents* or *lubricants* to assist the smooth tableting process, *disintegrating agents* to promote tablet break-up after administration, and coatings to improve stability, control disintegration, or to enhance appearance. Ointments, creams, and suppositories achieve their characteristic features due to the pharmaceutical *bases* which are utilized. Thus, for each dosage form, the pharmaceutical ingredients establish the primary features of the product, and contribute to the physical form, texture, stability, taste and overall appearance.

Table 5-1 presents the principal categories of pharmaceutical ingredients, with examples of some of the official agents currently used.

General Considerations in Drug Product Formulation

In dealing with the problem of formulating a drug substance into a proper dosage form, research pharmacists employ knowledge that has been gained through experience with other similar drugs and through the proper utilization of the disciplines of the physical, chemical, and biological sciences. The early stages of any new

Table 5-1. Examples of Official Pharmaceutical Ingredients

<i>Ingredient Type</i>	<i>Definition</i>	<i>Examples</i>
<i>Acidifying Agent</i>	Used in liquid preparations to provide acidic medium for product stability.	acetic acid hydrochloric acid nitric acid
<i>Alkalinizing Agent</i>	Used in liquid preparations to provide alkaline medium for product stability.	ammonia solution ammonium carbonate potassium hydroxide sodium borate sodium carbonate sodium hydroxide trolamine
<i>Adsorbent</i>	An agent capable of holding other molecules onto its surface by physical or chemical (chemisorption) means.	powdered cellulose activated charcoal
<i>Aerosol Propellant</i>	An agent responsible for developing the pressure within an aerosol container and expelling the product when the valve is opened.	dichlorodifluoromethane dichlorotetrafluoroethane trichloromonofluoromethane
<i>Air Displacement</i>	An agent which is employed to displace air in a hermetically sealed container to enhance product stability.	nitrogen
<i>Antifungal Preservative</i>	Used in liquid and semi-solid preparations to prevent the growth of fungi.	benzoic acid butylparaben ethylparaben methylparaben propylparaben sodium benzoate sodium propionate
<i>Antimicrobial Preservative</i>	Used in liquid and semi-solid preparations to prevent the growth of microorganisms.	benzalkonium chloride benzethonium chloride benzyl alcohol cetylpyridinium chloride chlorobutanol phenol phenylethyl alcohol phenylmercuric nitrate thimerosal
<i>Antioxidant</i>	An agent which inhibits oxidation and thus is used to prevent the deterioration of preparations by the oxidative process.	ascorbyl palmitate butylated hydroxyanisole butylated hydroxytoluene hypophosphorous acid monothioglycerol propyl gallate sodium bisulfite sodium formaldehyde sulfoxylate sodium metabisulfite
<i>Buffering Agent</i>	Used to resist change in pH upon dilution or addition of acid or alkali.	potassium metaphosphate potassium phosphate, monobasic sodium acetate

Table 5-1. Continued

Ingredient Type	Definition	Examples
<i>Chelating Agent</i>	A substance that forms stable complexes with metals. Chelating agents are used in some liquid pharmaceuticals as stabilizers to complex heavy metals which might promote instability. In such use they are also called <i>sequestering agents</i> .	edetate disodium edetic acid
<i>Colorant</i>	Used to impart color to pharmaceutical preparations.	erythrosine (FD&C Red No. 3) caramel ferric oxide, red
<i>Emulsifying Agent</i>	Used to promote and maintain the dispersion of finely subdivided particles of a liquid in a vehicle in which it is immiscible.	acacia sorbitan monooleate polyoxyethylene 50 stearate
<i>Encapsulating Agent</i>	Used to form thin shells for the purpose of enclosing a drug substance or drug formulation for ease of administration.	gelatin cellulose acetate phthalate
<i>Flavorant</i>	Used to impart a pleasant flavor and often odor to a pharmaceutical preparation.	anise oil cinnamon oil cocoa menthol orange oil peppermint oil vanillin
<i>Humectant</i>	Used to prevent the drying out of preparations—particularly ointments and creams—due to the agent's ability to retain moisture.	glycerin propylene glycol sorbitol
<i>Levigating Agent</i>	A liquid used as an intervening agent to reduce the particle size of a drug powder by grinding together, usually in a mortar.	mineral oil
<i>Ointment Base</i>	The <i>semisolid</i> vehicle into which drug substances may be incorporated in preparing medicated ointments.	lanolin hydrophilic ointment polyethylene glycol ointment petrolatum hydrophilic petrolatum white ointment yellow ointment rose water ointment
<i>Solvent</i>	An agent used to dissolve another pharmaceutical substance or a drug in the preparation of a solution.	alcohol isopropyl alcohol mineral oil oleic acid peanut oil purified water water for injection sterile water for injection sterile water for irrigation
<i>Stiffening Agent</i>	Used to increase the thickness or hardness of a pharmaceutical preparation, usually an ointment.	cetyl alcohol paraffin white wax yellow wax

Table 5-1. Continued

<i>Ingredient Type</i>	<i>Definition</i>	<i>Examples</i>
<i>Suppository Base</i>	Used as a vehicle into which drug substances are incorporated in the preparation of suppositories.	cocoa butter polyethylene glycols (mixtures)
<i>Surfactant</i> (<i>surface active agent</i>)	Substances which adsorb to surfaces or interfaces to reduce surface or interfacial tension. May be used as wetting agents, detergents or emulsifying agents.	benzalkonium chloride nonoxynol 10 octoxynol 9 polysorbate 80 sodium lauryl sulfate sorbitan monopalmitate
<i>Suspending Agent</i>	A viscosity increasing agent used to reduce the rate of sedimentation of dispersed particles.	agar bentonite carboxymethylcellulose sodium hydroxypropyl methyl- cellulose methylcellulose tragacanth xanthan gum
<i>Sweetening Agent</i>	Used to impart sweetness to a preparation.	dextrose saccharin sodium sucrose
<i>Tablet Antiadherents</i>	Agents which prevent the sticking of tablet formulation ingredients to punches and dies in a tableting machine during production.	magnesium stearate talc
<i>Tablet Binders</i>	Substances used to cause adhesion of powder particles in tablet granulations.	acacia ethylcellulose gelatin methylcellulose
<i>Tablet and Capsule Diluent</i>	Inert substances used as fillers to create the desired bulk, flow properties, and compression characteristics in the preparation of tablets and capsules.	microcrystalline cellulose lactose
<i>Tablet Coating Agent</i>	Used to coat a formed tablet for the purpose of protecting against drug decomposition by atmospheric oxygen or humidity, to provide a desired release pattern for the drug substance after administration, to mask the taste or odor of the drug substance, or for aesthetic purposes.	cellulose acetate phthalate sucrose pharmaceutical glaze (shellac in alcohol)
<i>Tablet Disintegrant</i>	Used in solid dosage forms to promote the disruption of the solid mass into smaller particles which are more readily dispersed or dissolved.	cornstarch sodium alginate
<i>Tablet Glidant</i>	Agents used in tablet and capsule formulations to improve the flow properties of the powder mixture.	colloidal silica cornstarch talc
<i>Tablet Lubricant</i>	Substances used in tablet formulations to reduce friction during tablet compression.	calcium stearate magnesium stearate stearic acid

Table 5-1. Continued

Ingredient Type	Definition	Examples
Tablet Polishing Agent	Used to impart an attractive sheen to coated tablets.	carnauba wax white wax
Tonicity Agent	Used to render a solution similar in osmotic characteristics to physiologic fluids.	dextrose sodium chloride
Vehicle	A carrying agent for a drug substance.	<i>Flavored/Sweetened</i> Acacia Syrup Aromatic Elixir Cherry Syrup Cocoa Syrup Orange Syrup Syrup <i>Oleaginous</i> Corn Oil Mineral Oil Peanut Oil Sesame Oil <i>Sterile</i> Bacteriostatic Sodium Chloride Injection Bacteriostatic Water for Injection

formulation involves studies to collect basic information on the physical and chemical characteristics of the drug substance to be prepared into pharmaceutical dosage forms. These basic studies comprise the *preformulation* work needed before actual product formulation begins.

Preformulation Studies¹

Physical Description

It is important to have an understanding of the physical description of a drug substance prior to dosage form development. The majority of drug substances in use today occur as solid materials. Most of them are pure chemical compounds of either crystalline or amorphous constitution. Liquid drugs are used to a much lesser extent; gases, even less frequently. Of the official medicinal gases, nitrous oxide and cyclopropane are used as general anesthetics by inhalation and oxygen and carbon dioxide are respiratory aids.

Among the few liquid medicinal agents are the following:

Amyl nitrite, vasodilator by inhalation
Castor oil, cathartic

Clofibrate, antihyperlipidemic
Dimercaprol, antidote for arsenic, gold, and mercury poisoning
Ethchlorvynol, hypnotic
Glycerin, cathartic in suppository form
Mineral oil, cathartic
Nitroglycerin (as tablets), anti-anginal
Paraldehyde, sedative-hypnotic
Paramethadione, anticonvulsant
Prochlorperazine, tranquilizer and antiemetic
Propylhexedrine, vasoconstrictor by nasal inhalation
Tetrachloroethylene, anthelmintic
Undecylenic acid, fungistatic agent

Liquid drugs pose an interesting problem in dosage form design. Many of them are volatile substances and as such must be physically sealed from the atmosphere to insure their continued presence. Amyl nitrite, for example, is a clear yellowish liquid that is volatile even at low temperatures and is also highly flammable. It is maintained for medicinal purposes in small sealed glass cylinders wrapped with gauze or another suitable material. When amyl nitrite is administered, the glass is broken between the fingertips and the liquid wets the gauze covering, producing vapors that are inhaled by the patient requiring vasodilation. Propylhexedrine

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.