



US006554088B2

(12) **United States Patent**  
**Severinsky et al.**

(10) **Patent No.:** **US 6,554,088 B2**  
(45) **Date of Patent:** **\*Apr. 29, 2003**

(54) **HYBRID VEHICLES**

3,454,122 A 7/1969 Grady, Jr.  
3,502,165 A 3/1970 Matsukata

(75) Inventors: **Alex J. Severinsky**, Washington, DC (US); **Theodore Louckes**, Holly, MI (US)

(List continued on next page.)

**FOREIGN PATENT DOCUMENTS**

(73) Assignee: **Paice Corporation**, Silver Spring, MD (US)

DE	1905641	6/1976
JP	55069724	11/1978
JP	6382283	6/1988
JP	04274926	2/1991
JP	06080048	11/1992
JP	06144020	11/1992

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 52 days.

**OTHER PUBLICATIONS**

This patent is subject to a terminal disclaimer.

Simanaitis, "Electric Vehicles", *Road & Track*, May 1992, pp. 126-136.  
Reynolds, "AC Propulsion CRX", *Road & Track*, Oct. 1992, pp. 126-129.  
Kalberlah, "Electric Hybrid Drive Systems . . .", SAE Paper No. 910247, 1991.

(List continued on next page.)

(21) Appl. No.: **09/822,866**

(22) Filed: **Apr. 2, 2001**

(65) **Prior Publication Data**

US 2001/0039230 A1 Nov. 8, 2001

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 09/392,743, filed on Sep. 9, 1999, now Pat. No. 6,338,391, and a continuation-in-part of application No. 09/264,817, filed on Mar. 9, 1999, now Pat. No. 6,209,672.

(60) Provisional application No. 60/122,296, filed on Mar. 1, 1999, and provisional application No. 60/100,095, filed on Sep. 14, 1998.

(51) **Int. Cl.**<sup>7</sup> ..... **B60K 6/04**; B60L 11/02

(52) **U.S. Cl.** ..... **180/65.2**; 180/65.4

(58) **Field of Search** ..... 180/65.2, 65.3, 180/65.4, 65.8, 165; 60/706, 711, 716, 718; 290/17, 40 R, 40 C; 322/16; 477/2, 3

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,824,014 A	9/1931	Froelich
2,666,492 A	1/1954	Nims et al.
3,211,249 A	10/1965	Papst

*Primary Examiner*—Paul N. Dickson


*Assistant Examiner*—David R. Dunn

(74) *Attorney, Agent, or Firm*—Michael de Angeli

(57) **ABSTRACT**

A hybrid vehicle comprises an internal combustion engine, a traction motor, a starter motor, and a battery bank, all controlled by a microprocessor in accordance with the vehicle's instantaneous torque demands so that the engine is run only under conditions of high efficiency, typically only when the load is at least equal to 30% of the engine's maximum torque output. In some embodiments, a turbo-charger may be provided, activated only when the load exceeds the engine's maximum torque output for an extended period; a two-speed transmission may further be provided, to further broaden the vehicle's load range. A hybrid brake system provides regenerative braking, with mechanical braking available in the event the battery bank is fully charged, in emergencies, or at rest; a control mechanism is provided to control the brake system to provide linear brake feel under varying circumstances.

**9 Claims, 17 Drawing Sheets**



## U.S. PATENT DOCUMENTS

3,525,874 A	8/1970	Toy	5,350,031 A	9/1994	Sugiyama et al.
3,566,717 A	3/1971	Berman et al.	5,372,213 A	12/1994	Hasebe et al.
3,623,568 A	11/1971	Mori	5,415,245 A	5/1995	Hammond
3,650,345 A	3/1972	Yardney	5,427,196 A	6/1995	Yamaguchi et al.
3,732,751 A	5/1973	Berman et al.	5,433,282 A	7/1995	Moroto et al.
3,791,473 A	2/1974	Rosen	5,441,122 A	8/1995	Yoshida
3,837,419 A	9/1974	Nakamura	5,463,294 A	10/1995	Valdivia
3,874,472 A	4/1975	Deane	5,489,001 A	2/1996	Yang
3,888,325 A	6/1975	Reinbeck	5,492,189 A	2/1996	Kreigler et al.
3,923,115 A	12/1975	Helling	5,492,190 A	2/1996	Yoshida
3,970,163 A	7/1976	Kinoshita	5,492,192 A	2/1996	Brooks et al.
4,042,056 A	8/1977	Horwinski	5,495,906 A	3/1996	Furutani
4,095,664 A	6/1978	Bray	5,495,907 A	3/1996	Data
4,148,192 A	4/1979	Cummings	5,495,912 A	3/1996	Gray, Jr. et al.
4,165,795 A	8/1979	Lynch et al.	5,513,718 A	5/1996	Suzuki et al.
4,180,138 A	12/1979	Shea	5,513,719 A	5/1996	Moroto et al.
4,269,280 A	5/1981	Rosen	5,515,937 A	5/1996	Adler et al.
4,305,254 A	12/1981	Kawakatsu	5,545,928 A	8/1996	Kotani
4,306,156 A	12/1981	Monaco et al.	5,550,445 A	8/1996	Nii
4,313,080 A	1/1982	Park	5,558,173 A	9/1996	Sherman
4,335,429 A	6/1982	Kawakatsu	5,558,175 A	9/1996	Sherman
4,351,405 A	9/1982	Fields et al.	5,558,588 A	9/1996	Schmidt
4,354,144 A	10/1982	McCarthy	5,558,595 A	9/1996	Schmidt et al.
4,400,997 A	8/1983	Fiala	5,562,565 A	10/1996	Moroto et al.
4,405,029 A	9/1983	Hunt	5,566,774 A	10/1996	Yoshida
4,407,132 A	10/1983	Kawakatsu	5,568,023 A	10/1996	Grayer et al.
4,438,342 A	3/1984	Kenyon	5,586,613 A	12/1996	Ehsani
4,439,989 A	4/1984	Yamakawa	5,588,498 A	12/1996	Kitada
4,444,285 A	4/1984	Stewart et al.	5,589,743 A	12/1996	King
4,470,476 A	9/1984	Hunt	5,608,308 A	3/1997	Kiuchi et al.
4,495,451 A	1/1985	Barnard	5,614,809 A	3/1997	Kiuchi et al.
4,511,012 A	4/1985	Rauneker	5,621,304 A	4/1997	Kiuchi et al.
4,533,011 A	8/1985	Heidemeyer	5,632,352 A	5/1997	Jeanneret et al.
4,562,894 A	1/1986	Yang	5,635,805 A	6/1997	Ibaraki et al.
4,578,955 A	4/1986	Medina	5,637,987 A	6/1997	Fattic et al.
4,583,505 A	4/1986	Frank et al.	5,643,119 A	7/1997	Yamaguchi et al.
4,588,040 A	5/1986	Albright, Jr. et al.	5,644,200 A	7/1997	Yang
4,593,779 A	6/1986	Krohling	5,650,713 A	7/1997	Takeuchi et al.
4,597,463 A	7/1986	Barnard	5,650,931 A	7/1997	Nii
4,611,466 A	9/1986	Keedy	5,653,302 A	8/1997	Edye et al.
4,631,456 A	12/1986	Drescher et al.	5,656,921 A	8/1997	Farrall
4,680,986 A	7/1987	Elsner	5,664,635 A	9/1997	Koga et al.
4,697,660 A	10/1987	Wu et al.	5,667,029 A	9/1997	Urban et al.
4,765,656 A	8/1988	Weaver	5,672,920 A	9/1997	Donegan et al.
4,774,811 A	10/1988	Kawamura	5,697,466 A	12/1997	Moroto et al. .... 180/65.2
4,815,334 A	3/1989	Lexen	5,704,440 A	1/1998	Urban et al.
4,862,009 A	8/1989	King	5,705,859 A	1/1998	Karg et al.
4,923,025 A	5/1990	Ellers	5,713,425 A	2/1998	Buschhaus et al.
4,951,769 A	8/1990	Kawamura	5,713,426 A	2/1998	Okamura
4,953,646 A	9/1990	Kim	5,713,814 A	2/1998	Hara et al.
5,053,632 A	10/1991	Suzuki et al.	5,722,911 A	3/1998	Ibaraki et al.
5,117,931 A	6/1992	Nishida	5,725,064 A	3/1998	Ibaraki et al.
5,120,282 A	6/1992	Fjällström	5,755,303 A	5/1998	Yamamoto et al.
5,125,469 A	6/1992	Scott	5,757,151 A	5/1998	Donegan et al.
5,172,784 A	12/1992	Varela, Jr.	5,767,637 A	6/1998	Lansberry
5,176,213 A	1/1993	Kawai et al.	5,773,904 A	6/1998	Schiebold et al.
5,193,634 A	3/1993	Masut	5,775,449 A	7/1998	Moroto et al.
5,249,637 A	10/1993	Heidl et al.	5,778,326 A	7/1998	Moroto et al.
5,255,733 A	10/1993	King	5,778,997 A	7/1998	Setaka et al.
5,291,960 A	3/1994	Brandenburg et al.	5,785,136 A	7/1998	Falkenmayer et al.
5,301,764 A	4/1994	Gardner	5,785,137 A	7/1998	Reuyl
5,318,142 A	6/1994	Bates et al.	5,785,138 A	7/1998	Yoshida
5,323,868 A	6/1994	Kawashima	5,786,640 A	7/1998	Sakai et al.
5,327,987 A	7/1994	Abdelmalek	5,788,003 A	8/1998	Spiers
5,327,992 A	7/1994	Boll	5,788,004 A	8/1998	Friedmann et al.
5,337,848 A	8/1994	Bader	5,788,006 A	8/1998	Yamaguchi et al.
5,343,970 A	9/1994	Severinsky ..... 180/65.2	5,788,597 A	8/1998	Boll et al.
5,345,154 A	9/1994	King	5,789,881 A	8/1998	Egami et al.
5,345,761 A	9/1994	King et al.	5,789,882 A	8/1998	Ibaraki et al.
			5,791,426 A	8/1998	Yamada et al.

5,799,744 A	9/1998	Yamaguchi et al.	6,109,025 A	8/2000	Murata et al.
5,806,617 A	9/1998	Yamaguchi et al.	6,116,363 A	9/2000	Frank ..... 180/65.2
5,820,172 A	10/1998	Brigham et al.	6,131,538 A	10/2000	Kanai
5,823,280 A	10/1998	Lateur ..... 180/65.2	6,131,680 A	10/2000	Nii et al.
5,823,281 A	10/1998	Yamaguchi et al.	6,146,302 A	11/2000	Kashiwase
5,826,671 A	10/1998	Nakae et al.	6,161,384 A	12/2000	Reinbold et al.
5,831,341 A	11/1998	Selfors et al.	6,190,282 B1	2/2001	Deguchi et al. .... 477/5
5,833,022 A	11/1998	Welke	6,209,672 B1	4/2001	Severinsky ..... 180/65.2
5,839,530 A	11/1998	Dietzel	6,232,733 B1	5/2001	Obayashi et al.
5,839,533 A	11/1998	Mikami et al.	6,278,915 B1	8/2001	Deguchi et al.
5,841,201 A	11/1998	Tabata et al.	6,300,735 B1	10/2001	Stemler
5,842,534 A	12/1998	Frank ..... 180/65.2	6,307,276 B1	10/2001	Bader
5,845,731 A	12/1998	Buglione et al. .... 180/65.2	6,315,068 B1 *	11/2001	Hoshiya et al. .... 180/65.2
5,846,155 A	12/1998	Taniguchi et al.	6,318,487 B2	11/2001	Yanase et al.
5,862,497 A	1/1999	Yano et al.	6,330,498 B2 *	12/2001	Tamagawa et al. .... 701/22
5,865,263 A	2/1999	Yamaguchi et al.	6,338,391 B1	1/2002	Severinsky et al. .... 180/65.2
5,887,670 A	3/1999	Tabata et al.	6,359,404 B1 *	3/2002	Sugiyama et al. .... 318/432
5,890,555 A	4/1999	Miller	6,394,209 B1	5/2002	Goehring et al. .... 180/65.4
5,893,895 A	4/1999	Ibaraki	6,470,983 B1 *	10/2002	Amano et al. .... 180/65.2
5,898,282 A	4/1999	Drozdz et al.			
5,899,286 A	5/1999	Yamaguchi et al.			
5,908,077 A	6/1999	Moore			
5,927,417 A	7/1999	Brunner et al. .... 180/65.6			
5,934,395 A	8/1999	Koide et al. .... 180/65.2			
5,969,624 A	10/1999	Sakai et al. .... 340/636			
5,979,257 A	11/1999	Lawrie			
5,982,045 A	11/1999	Tabata et al.			
5,986,376 A	11/1999	Werson			
5,993,350 A	11/1999	Lawrie et al.			
5,993,351 A	11/1999	Deguchi et al. .... 477/5			
5,996,347 A	12/1999	Nagae et al.			
6,006,620 A	12/1999	Lawrie et al.			
6,018,198 A	1/2000	Tsuzuki et al.			
6,018,694 A	1/2000	Egami et al. .... 701/102			
6,019,698 A	2/2000	Lawrie et al.			
6,026,921 A	2/2000	Aoyama et al. .... 180/65.2			
6,048,289 A	4/2000	Hattori et al. .... 477/15			
6,053,842 A	4/2000	Kitada et al. .... 477/5			
6,054,844 A	4/2000	Frank ..... 322/16			
RE36,678 E	5/2000	Moroto et al.			
6,059,059 A	5/2000	Schmidt-Brucken			
6,059,064 A	5/2000	Nagano et al.			
6,074,321 A	6/2000	Maeda et al.			
6,081,042 A	6/2000	Tabata et al.			
6,098,733 A	8/2000	Ibaraki et al.			

## OTHER PUBLICATIONS

Bullock, "The Technological constraints of Mass, Volume, Dynamic Power Range and Energy Capacity . . ." SAE Paper No. 891659 1989.

Electric and Hybrid Vehicle Technology, vol. SP-915, SAE, Feb. 1992.

Wouk, "Hybrids: Then and Now", *IEEE Spectrum*, vol. 32, Jul. 7, 1995.

Bates, "Getting a Ford HEV on . . .", *IEEE Spectrum*, vol. 32, 7, Jul. 1995.

King et al, "Transit Bus takes . . .", *IEEE Spectrum*, vol. 32, Jul. 7, 1995.



Yamaguchi, "Toyota readies gasoline/electric hybrid system", *Automotive Engineering*, Jul. 1997, pp. 55-58.

Wilson, "Not Electric, Not Gasoline . . .", *Autoweek*, Jun. 2, 1997, pp. 17-18.

Bulgin, "The Future Works, Quietly", *Autoweek*, Feb. 23, 1998 pp. 12-13.

"Toyota Electric and Hybrid Vehicles", a Toyota brochure. Nagasaka et al, "Development of the Hybrid/Battery ECU . . .", SAE paper 981122, 1998, pp. 19-27.

\* cited by examiner






FIG. 3

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.