



US005875272A

# United States Patent [19]

[11] **Patent Number:** 5,875,272

**Kewitsch et al.**

[45] **Date of Patent:** Feb. 23, 1999

[54] **WAVELENGTH SELECTIVE OPTICAL DEVICES**

[75] Inventors: **Anthony S. Kewitsch**, Hacienda Heights; **George A. Rakuljic**, Santa Monica; **Amnon Yariv**, San Marino, all of Calif.

[73] Assignee: **Arroyo Optics, Inc.**, Santa Monica, Calif.

[21] Appl. No.: **738,068**

[22] Filed: **Oct. 25, 1996**

### Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 703,357, Aug. 26, 1996, Pat. No. 5,805,751.

[60] Provisional application No. 60/005,915, Oct. 27, 1995.

[51] **Int. Cl.<sup>6</sup>** ..... **G02B 6/34**

[52] **U.S. Cl.** ..... **385/37; 385/24**

[58] **Field of Search** ..... **385/14-16, 24, 385/27, 28, 31, 37, 39, 48**

### [56] References Cited

#### U.S. PATENT DOCUMENTS

4,474,427	10/1984	Hill et al. ....	385/123
4,725,110	2/1988	Glenn et al. ....	359/3
4,737,007	4/1988	Alferness et al. ....	385/30
4,737,607	4/1988	Bernard et al. ....	218/23
4,807,950	2/1989	Glenn et al. ....	385/123
4,900,119	2/1990	Hill et al. ....	385/27
5,007,705	4/1991	Morey et al. ....	385/12
5,016,967	5/1991	Meltz et al. ....	385/37
5,104,209	4/1992	Hill et al. ....	385/27
5,107,360	4/1992	Huber .....	359/124
5,157,747	10/1992	Atkins et al. ....	385/37
5,187,760	2/1993	Huber .....	385/37
5,216,739	6/1993	Hill et al. ....	385/123
5,218,655	6/1993	Mizrahi .....	385/39
5,235,659	8/1993	Atkins et al. ....	385/124
5,271,024	12/1993	Huber .....	372/6
5,287,427	2/1994	Atkins et al. ....	385/124

5,309,260	5/1994	Mizrahi et al. ....	359/3
5,327,515	7/1994	Anderson et al. ....	385/123
5,337,382	8/1994	Mizrahi .....	385/37
5,351,321	9/1994	Snitzer et al. ....	385/10
5,363,239	11/1994	Mizrahi et al. ....	359/570
5,367,588	11/1994	Hill et al. ....	385/37
5,377,288	12/1994	Kashyap et al. ....	385/37

(List continued on next page.)

#### FOREIGN PATENT DOCUMENTS

WO 89/12243	12/1989	WIPO .
WO 95/14946	6/1995	WIPO .

#### OTHER PUBLICATIONS

"All-Fibre Narrowband Reflection Gratings at 1500 nm", Elect. Letters, vol. 26, No. 11, May 24, 1990, pp. 730-732, R. Kashyap et al.

C.M. Ragdale, et al., "Integrated Three Channel Laser and Optical Multiplexer for Narrowband Wavelength Division Multiplexing", Elect. Ltrs., vol. 30, No. 11, May 26, 1994, pp. 897-898.

P.E. Dyer, et al., "High Reflectivity Fibre Gratings Produced by Incubated Damage Using a 193 nm ArF Laser", Elect. Ltrs., Vol. 30, No. 11, May 26, 1994, pp. 860-862.

(List continued on next page.)


*Primary Examiner*—John D. Lee

*Attorney, Agent, or Firm*—Jones, Tullar & Cooper, PC

### [57] ABSTRACT

Wavelength selective devices and subsystems having various applications in the field of optical communications are disclosed. These devices and subsystems are composed of bi-directional grating assisted mode couplers. The high add/drop efficiency and low loss of this coupler enable low loss wavelength selective elements such as optical switches, amplifiers, routers, and sources to be fabricated. The grating assisted mode coupler can be wavelength tuned by modifying the optical properties of the coupler interaction region. A programmable, wavelength selective router composed of multiple grating assisted mode couplers is also disclosed.

**31 Claims, 10 Drawing Sheets**



## U.S. PATENT DOCUMENTS

5,400,166	3/1995	Huber .....	359/173
5,416,866	5/1995	Sahlén .....	385/37
5,420,948	5/1995	Byron .....	385/37
5,425,116	6/1995	Dragone et al. ....	385/24
5,444,803	8/1995	Kim et al. ....	385/28
5,450,511	9/1995	Dragone .....	385/37
5,457,758	10/1995	Snitzer .....	385/30
5,459,801	10/1995	Snitzer .....	385/30
5,495,548	2/1996	Bilodeau et al. ....	385/123
5,506,925	4/1996	Greene et al. ....	385/129
5,517,589	5/1996	Takeuchi .....	385/24
5,574,807	11/1996	Snitzer .....	385/24
5,581,642	12/1996	Beacon et al. ....	385/15

## OTHER PUBLICATIONS

- V. Mizrahi, et al., "Four Channel Fibre Grating Demultiplexer", *Elect. Ltrs.*, vol. 30, No. 10, May 12, 1994, pp. 780-781.
- B. Malo et al., "Point-by-Point Fabrication of Micro-Bragg Gratings in Photosensitive Fibre Using Single Excimer Pulse Refractive Index Modification Techniques", *Elect. Ltrs.*, vol. 29, No. 18, Sep. 2, 1993, pp. 1668-1669.
- François Ouellette, et al., "Enhancement of Second-Harmonic Generation in Optical Fibers by A Hydrogen and Heat Treatment", *Appl. Phys. Lett.* 54(12), Mar. 20, 1989, pp. 1086-1088.
- P.J. Lemaire, et al., "High Pressure H<sub>2</sub> Loading as A Technique for Achieving Ultrahigh UV Photosensitivity and Thermal Sensitivity in GeO<sub>2</sub> Doped Optical Fibers", *IEE* 1993, Apr. 23, 1993, pp. 1191-1193.
- R.M. Atkins, et al., "Mechanisms of Enhanced UV Photosensitivity Via Hydrogen Loading in Germanosilicate Glasses", *IEE* 1993, May 11, 1993, 2 pp.
- B. Malo, et al., "Effective Index Drift From Molecular Hydrogen Diffusion in Hydrogen-Loaded Optical Fibres and Its Effect on Bragg Grating Fabrication", *Elect. Ltrs.*, vol. 30, No. 5, Mar. 3, 1994, pp. 442-443.
- G.D. Maxwell, et al., "UV Written 13 dB Reflection Filters in Hydrogenated Low Loss Planar Silica Waveguides", *No Journal Name/Date*.
- "Efficient Mode Conversion in Telecommunication Fibre Using Externally Written Gratings", *Elect. Ltrs.* vol. 26, No. 16, Aug. 1990, pp. 1270-1272.
- O. Okamoto, et al., "16-Channel Optical Add/Drop Multiplexer Using Silica-Based Arrayed-Waveguide Gratings", *IEE* 1995, Mar. 1995, 2 pp.
- Y. Tachikawa, et al., "32 Wavelength Tunable Arrayed-Waveguide Grating Laser Based on Special Input/Output Arrangement", *Elect. Ltrs.*, vol. 31, No. 19, Sep. 1995, pp. 1665-1666.
- L. Dong, et al., "Ultraviolet Absorption in Modified Chemical Vapor Deposition Preforms", *J. Opt. Soc. Am. B/Vol.* 11, No. 10, Oct. 1994, pp. 2106-2111.
- D.L. Williams, et al., "Accelerated Lifetime Tests on UV Written IntraCore Gratings in Boron Germania Codoped Silica Fibre", *Elect. Ltrs.*, vol. 31, No. 24, Nov. 1995, pp. 2120-2121.
- M.S. Yataki, et al., "All-Fibre Wavelength Filters Using Concatenated Fused-Taper Couplers", *Elect. Ltrs.*, vol. 21, No. 6, Mar. 1985, pp. 248-249.
- M.C. Farries, et al., "Very Broad Reflection Bandwidth (44 nm) Chirped Fibre Gratings and Narrow Bandpass Filters Produced by the Use of an Amplitude Mask", *Elect. Ltrs.*, vol. 30, No. 11, May 1994, pp. 891-892.
- Victor Mizrahi, et al., "Optical Properties of Photosensitive Fiber Phase Gratings", *J. of Lightwave Tech.*, vol. 11, No. 10, Oct. 93, pp. 1513-1517.
- Jocelyn Lauzon, et al., "Numerical Analysis of the Optimal Length and Profile of a Linearly Chirped Fiber Bragg Grating for Dispersion Compensation", *Optics Ltrs.*, vol. 20, No. 6, Mar. 1995, pp. 647-649.
- François Ouellette, "All-Fiber Filter for Efficient Dispersion Compensation", *Optics Ltrs.*, vol. 16, No. 5, Mar. 1991, pp. 303-305.
- F. Ouelette, et al., "Broadband and WDM Dispersion Compensation Using Chirped Sampled Fibre Bragg Gratings", *Elect. Ltrs.*, vol. 31, No. 11, May 1995, pp. 899-901.
- Philip St. J. Russell, et al., "Fibre Gratings", *Physics World*, Oct. 1993, 6 pp.
- D.L. Williams, et al., "Enhanced UV Photosensitivity in BoronCodoped Germanosilicate Fibres", *Elect. Ltrs.*, vol. 29, No. 1, Jan. 1993, pp. 45-47.
- R. Kashyap, et al., "Measurement of Ultra-Steep Edge, High Rejection Fibre Bragg Grating Filters", *Elect. Ltrs.*, vol. 31, No. 15, pp. 1282-1283, Jul. 1995.
- Vikram Bhatia et al, "Optical Fiber Long-Period Grating Sensors" *Optics Ltrs.*, vol. 21, No. 9, May 1996, pp. 692-694.
- Richard L. Laming, et al., "Fibre Bragg Gratings; Application to Lasers and Amplifiers", *Optoelect. Res. Ctr*, 31 pp. no date.
- L. Dong, et al., "Single Pulse Bragg Gratings Written During Fibre Drawings", *Elect. Ltrs.*, vol. 29, No. 17, Aug. 1993, pp. 1577-1578.
- J.L. Archambault, et al., "High Reflectivity and Narrow Bandwidth Fibre Gratings Written by Single Excimer Pulse", 2 pp., \*no Journal name/date.
- F. Bilodeau, et al., "An All-Fiber Dense-Wavelength-Division Multiplexer/Demultiplexer Using Photoimprinted Bragg Gratings", *IEEE Photo. Tech. Ltrs.*, vol. 7, No. 4, Apr. 1995, pp. 388-390.
- F. Bilodeau, et al., "Photosensitization of Optical Fiber and Silica-on-Silicon/Silica Waveguides", *Optics Ltrs.*, vol. 18, No. 12, Jun. 1993, pp. 953-955.
- paul J. Lemaire, "Reliability of Optical Fibers Exposed to Hydrogen: Prediction of Long-Term Loss Increases", *Optic. Eng.*, vol. 30, No. 6, Jun. 1991, pp. 780-789.
- James F.f. Shackelford, et al., "Solubility of Gases in Glass. II. He, Ne, and H<sub>2</sub> in Fused Silica", *J. Appl. Phys.*, vol. 43, No. 4, Apr. 1972, pp. 1619-1626.
- L. Dong, et al., "Enhanced Photosensitivity in Tin-Codoped Germanosilicate Optical Fibers", *IEEE Photo. Tech. Ltrs.*, vol. 7, No. 9, Sep. 1995, pp. 1048-1050.
- K.O. Hill, et al., "Photosensitivity in Optical Fibers", *Ann. Rev. Mater Sci.* 1993, 125-157. (No month).
- K.P. Jones, et al., "Optical Wavelength Add-Drop Multiplexer in Installed Submarine WDM Network", *Elect. Ltrs.*, vol. 31, No. 24, Nov. 1995, pp. 2117-2118.
- T.A. Birks, et al., "2x2 Single-Mode Fiber Routing Switch", *Optics Ltrs.*, vol. 21, No. 10, May 1996, pp. 722-724.
- T.A. Birks, et al., "Low Power Acousto-Optic Device Based on a Tapered Single-Mode Fiber", *IEEE Photo. Tech. Ltrs.*, vol. 6, No. 6, Jun. 1994, pp. 725-727.
- D.O. Culverhouse, et al., "Four Port Fused Taper Acousto-Optic Devices Using Standard Singlemode Telecommunications Fibre", *Elect. Ltrs.*, vol. 31, No. 15, Jul. 1995, pp. 1279-1280.

T.A. Birks, et al., "Four-Port Fiber Frequency Shifter With a Null Taper Coupler", *Optics Ltrs.*, vol. 19, No. 23, Dec. 1994, pp. 1964-1966.

T.A. Birks, et al., "All-Fiber Polarizer Based on a Null Taper Coupler", *Optics Ltrs.*, vol. 20, No. 12, Jun. 1995, pp. 1371-1373.

H. Bissessur, et al., "16 Channel Phased Array Wavelength Demultiplexer on InP With Low Polarization Sensitivity", *IEEE* 1994, Dec. 1993, 2 pp.

M.S. Whalen, et al., "In-Line Optical-Fibre Filter For Wavelength Multiplexing", *Elect. Ltrs.*, vol. 21, No. 17, Aug. 1985, pp. 724-725.

Y. Inoue, et al., "Silica-Based Arrayed-Waveguide Grating Circuit as Optical Splitter/Router", *IEEE*, Mar. 1995, 2 pp.

Hiroshi Yasaka, et al., "Multiwavelength Light Source With Precise Frequency Spacing Using Mode-Locked Semiconductor Laser and Arrayed Waveguide Grating Filter", *OFC '96 Tech. Digest*, pp. 299-300, 1996. (No Month).

Z.M. Chuang, et al., "Enhanced Wavelength Tuning in Grating-Assisted Codirectional Coupler Filter", *IEEE Photo. Tech. Ltrs.*, vol. 5, No. 10, Oct. 1993, pp. 1219-1221.




FIG. 1




FIG. 2

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.