

<i>smb_dscnt</i>	Number of data bytes being sent in this buffer.
<i>smb_dsoff</i>	Offset from the start of an SMB header to the data bytes.
<i>smb_dsdisp</i>	Byte displacement for these data bytes.
<i>smb_fid</i>	Value = 0xffff. No FID in this request.
<i>smb_bcc</i>	Total bytes following including pad bytes.
<i>smb_data[]</i>	Data bytes (size = <i>smb_dscnt</i>).

Response Format

<i>smb_wct</i>	Value = 10.
<i>smb_tprcnt</i>	Value = 2.
<i>smb_tdrcnt</i>	Value = 0. No data bytes.
<i>smb_rsvd</i>	Reserved. Must be zero.
<i>smb_prcnt</i>	Value = 2. Parameter bytes being returned.
<i>smb_proff</i>	Offset from the start of an SMB header to the parameter bytes.
<i>smb_prdisp</i>	Value = 0. Byte displacement for these parameter bytes.
<i>smb_bcc</i>	Total bytes following including pad bytes.
<i>smb_param[]</i>	The parameter block for the <i>TRANSACT2_MKDIR</i> function response is the mkdir-specific return information in the following format:

Location	Name	Meaning
<i>smb_param</i> [0-1]	<i>mkdir_offerror</i>	Offset into FEALIST data of first error which occurred while setting the extended attributes.

SMB Transmission Analysis

A.1 Introduction

This appendix describes the mapping between DOS and OS/2 system calls on an SMB redirector, and the associated SMB requests sent from the SMB redirector to an LMX server. The DOS SMB redirector is assumed to be using the core SMB protocols, and the OS/2 SMB redirector is assumed to be using the LAN Manager extended SMB protocols. While an OS/2 SMB redirector will use core SMB requests to communicate with a core LMX server, and a DOS LAN Manager client will use extended SMB requests to communicate with an OS/2 server, these situations will not be considered here.

The mappings given here do not completely describe the behaviour of all SMB redirectors; they do not take into account various optimisations which SMB redirectors may do which will result in behaviour which differs from that described here. In particular, the extended SMB protocol contains a number of facilities which allow a redirector to improve performance. These include: SMB chaining, opportunistic locking, caching and various specialised SMB requests, such as Read Block Multiplex, Write Block Multiplex, Read Block Raw and Write Block Raw. Redirectors which make use of these facilities may not behave exactly as described here.

It should also be noted that the OS/2 SMB redirector and file system make extensive use of internal buffers and heuristics that make it difficult to determine an exact mapping between OS/2 API calls and SMB emissions. The listed API calls give an indication of which SMBs are sent when invoked, and where possible, an explanation is given regarding any special circumstances.

DOS and OS/2 system calls which are not listed here will not normally result in SMB requests being transmitted.

A.2 DOS Functions

Function Number	DOS Function
0x00	Terminate Programme
0x05	Print Character
0x0d	Reset Disk
0x0f	Open File (FCB I/O)
0x10	Close File (FCB I/O)
0x11	Search For First Entry
0x12	Search For Next Entry
0x13	Delete File (FCB I/O)
0x14	Sequential Read (FCB I/O)
0x15	Sequential Write (FCB I/O)
0x16	Create File (FCB I/O)
0x17	Rename File (FCB I/O)
0x1b	Get Default Drive Data
0x1c	Get Drive Data
0x21	Random Read (FCB I/O)
0x22	Random Write (FCB I/O)
0x23	Get File Size (FCB I/O)
0x27	Random Block Read (FCB I/O)
0x28	Random Block Write (FCB I/O)
0x36	Get Disk Free Space
0x39	Create Directory
0x3a	Remove Directory
0x3b	Change Current Directory
0x3c	Create File Handle
0x3d	Open File Handle
0x3e	Close File Handle
0x3f	Read Via File Handle
0x40	Write Via File Handle
0x41	Delete Directory Entry
0x42	Move File Pointer
0x43	Set/Get File Attributes
0x4b	Load and Execute Programme/Load Overlay
0x4c	End Process
0x4e	Find First File
0x4f	Find Next File
0x56	Change Directory Entry
0x57	Set/Get Date/Time of File
0x5a	Create Temporary File Handle
0x5b	Create New File
0x5c	Unlock/Lock File
0x5f	Get Assign List Entry
0x68	Flush Buffer

Change Current Directory

Function number 0x3b.
SMB sent *SMBchkpth*.
Reason Change directory.

Change Directory Entry

Function number 0x56.
SMB sent *SMBmv*.
Reason Rename file.

Close File (FCB I/O)

Function number 0x10.
SMB sent *SMBclose*.
Reason Close file (FCB I/O).

Close File Handle

Function number 0x3e.
SMB sent *SMBclose*, *SMBsplclose* (printer device).
Reason Close file.

Create Directory

Function number 0x39.
SMB sent *SMBmkdir*.
Reason Make directory.

Create File (FCB I/O)

Function number 0x16.
SMB sent *SMBcreate*.
Reason Create file.

Create File Handle

Function number 0x3c.
SMB sent *SMBcreate*.
Reason Create file.

Create New File

Function number 0x5b.
SMB sent *SMBmknew*.
Reason Create file.

Delete Directory Entry

Function number 0x41.
SMB sent *SMBunlink*.
Reason Delete file.

Delete File (FCB I/O)

Function number 0x13.
SMB sent *SMBunlink*.
Reason Delete file (FCB I/O).

End Process

Function number 0x4c.
SMB sent *SMBexit*.
Reason Exit programme.

Find First File

Function number 0x4e.
SMB sent *SMBsearch*.
Reason Find first matching filename.

Find Next File

Function number 0x4f.
SMB sent *SMBsearch*.
Reason Find next matching filename.

Flush Buffer

Function number 0x68.
SMB sent *SMBflush*.
Reason Commit file.

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.