

(54) **DUAL MODE UNIT FOR SHORT RANGE, HIGH RATE AND LONG RANGE, LOWER RATE DATA COMMUNICATIONS**

4,625,308 A 11/1986 Kim et al.
4,675,863 A 6/1987 Paneth et al.
4,817,089 A 3/1989 Paneth et al.

(Continued)

(75) Inventor: **Thomas E. Gorsuch**, Merritt Island, FL (US)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **IPR Licensing, Inc.**, Wilmington, DE (US)

DE 4426183 10/1995
EP 443061 8/1991

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(Continued)

OTHER PUBLICATIONS

This patent is subject to a terminal disclaimer.

Draft Text for “*95C” Physical Layer (Revision 4), Part 1, Document #531-981-20814-95C, Part 1 on 3GPP2 website (ftp://ftp.3gpp2.org/tsgc/working/1998/1298_Maui/WG3-TG1/531-98120814-95c,%20part%201.pdf, 1998).

(21) Appl. No.: **12/615,098**

(Continued)

(22) Filed: **Nov. 9, 2009**

(65) **Prior Publication Data**

US 2010/0202425 A1 Aug. 12, 2010

Primary Examiner — Barry Taylor

(74) Attorney, Agent, or Firm — Volpe and Koenig, P.C.

Related U.S. Application Data

(57) **ABSTRACT**

(63) Continuation of application No. 11/326,809, filed on Jan. 6, 2006, now Pat. No. 7,616,970, which is a continuation of application No. 10/358,082, filed on Feb. 3, 2003, now Pat. No. 7,013,162, and a continuation of application No. 10/341,528, filed on (Continued)

A technique for communication with a local area network (LAN) via a wireless connection determines whether a first short-range, high-speed, wireless communication path is available and connects to the LAN using a longer range, lower speed wireless communication path if the short-range, high-speed wireless communication path is not available. The low-range, high-speed wireless communication path is a wireless communication path is a wireless LAN connection such as an IEEE 802.11-compliant wireless LAN and the long-range, low-speed wireless communication mode is a cellular CDMA-type connection. Determining whether the first IEEE 802.11 mode is available can be done by detecting a beacon signal, or transmitting a probe request message and detecting a probe response message in response to the probe request, indicating the presence or availability of the short-range, high-speed wireless communication path. Alternatively, the availability of short-range, high-speed wireless communication path can be detected by simply detecting activity on it.

(51) **Int. Cl.**

H04M 1/00 (2006.01)

(52) **U.S. Cl.** **455/553.1; 455/552.1**

(58) **Field of Classification Search** 455/553.1, 455/552.1


See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,107,469 A 8/1978 Jenkins
4,577,316 A 3/1986 Schiff

44 Claims, 6 Drawing Sheets



Related U.S. Application Data

Jan. 13, 2003, now Pat. No. 7,024,222, which is a continuation of application No. 09/400,136, filed on Sep. 21, 1999, now Pat. No. 6,526,034, said application No. 10/358,082 is a continuation of application No. 09/400,136, filed on Sep. 21, 1999, now Pat. No. 6,526,034.

(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | | | | |
|-----------|---|-----------|---------------------------|-----------|----|----------|--------------------------|
| 4,841,526 | A | 6/1989 | Wilson et al. | 5,845,211 | A | 12/1998 | Roach, Jr. |
| 4,862,453 | A | 8/1989 | West et al. | 5,854,786 | A | 12/1998 | Henderson et al. |
| 4,866,709 | A | 9/1989 | West et al. | 5,856,971 | A | 1/1999 | Gitlin et al. |
| 4,912,705 | A | 3/1990 | Paneth et al. | 5,859,840 | A | 1/1999 | Tiedemann, Jr. et al. |
| 4,949,395 | A | 8/1990 | Rydbeck | 5,859,879 | A | 1/1999 | Bolgiano et al. |
| 5,020,092 | A | 5/1991 | Phillips et al. | 5,872,786 | A | 2/1999 | Shobatake |
| 5,020,093 | A | 5/1991 | Pireh | 5,881,060 | A | 3/1999 | Morrow et al. |
| 5,022,024 | A | 6/1991 | Paneth et al. | 5,896,376 | A | 4/1999 | Alperovich et al. |
| 5,027,348 | A | 6/1991 | Curry | 5,903,548 | A | 5/1999 | Delamater |
| 5,027,400 | A | 6/1991 | Baji et al. | 5,910,945 | A | 6/1999 | Garrison et al. |
| 5,114,375 | A | 5/1992 | Wellhausen et al. | 5,914,950 | A | 6/1999 | Tiedemann, Jr. et al. |
| 5,115,309 | A | 5/1992 | Hang | 5,923,650 | A | 7/1999 | Chen et al. |
| 5,226,044 | A | 7/1993 | Gupta et al. | 5,930,230 | A | 7/1999 | Odenwalder et al. |
| 5,228,074 | A | 7/1993 | Mizikovsky | 5,950,131 | A | 9/1999 | Vilmur |
| 5,257,257 | A | 10/1993 | Chen et al. | 5,956,332 | A | 9/1999 | Rasanen et al. |
| 5,268,900 | A | 12/1993 | Hluchyj et al. | 5,966,374 | A | 10/1999 | Rasanen |
| 5,282,222 | A | 1/1994 | Fattouche et al. | 5,991,279 | A | 11/1999 | Haugli et al. |
| 5,325,419 | A | 6/1994 | Connolly et al. | 5,999,708 | A | 12/1999 | Kajita |
| 5,355,374 | A | 10/1994 | Hester et al. | 6,001,800 | A | 12/1999 | Mehta et al. |
| 5,369,637 | A | 11/1994 | Richardson et al. | 6,002,690 | A | 12/1999 | Takayama et al. |
| 5,373,502 | A | 12/1994 | Turban | 6,005,855 | A | 12/1999 | Zehavi et al. |
| 5,375,124 | A | 12/1994 | D'Ambrogio et al. | 6,009,106 | A | 12/1999 | Rustad et al. |
| 5,388,102 | A | 2/1995 | Griffith et al. | 6,011,800 | A | 1/2000 | Nadgauda et al. |
| 5,394,473 | A | 2/1995 | Davidson | 6,028,853 | A | 2/2000 | Haartsen |
| 5,406,643 | A | 4/1995 | Burke et al. | 6,028,868 | A | 2/2000 | Yeung et al. |
| 5,412,429 | A | 5/1995 | Glover | 6,052,385 | A | 4/2000 | Kanerva et al. |
| 5,442,625 | A | 8/1995 | Gitlin et al. | 6,064,678 | A | 5/2000 | Sindhushayana et al. |
| 5,463,629 | A | 10/1995 | Ko | 6,069,883 | A | 5/2000 | Ejzak et al. |
| 5,471,463 | A | 11/1995 | Hulbert | 6,078,572 | A | 6/2000 | Tanno et al. |
| 5,504,803 | A | 4/1996 | Yamada et al. | 6,081,536 | A | 6/2000 | Gorsuch et al. |
| 5,577,033 | A | * 11/1996 | Chang et al. 370/402 | 6,084,866 | A | 7/2000 | Dorenbosch et al. |
| 5,585,850 | A | 12/1996 | Schwaller | 6,088,335 | A | 7/2000 | I et al. |
| 5,586,113 | A | 12/1996 | Adachi et al. | 6,097,733 | A | 8/2000 | Basu et al. |
| 5,592,470 | A | 1/1997 | Rudrapatna et al. | 6,111,863 | A | 8/2000 | Rostoker et al. |
| 5,592,471 | A | 1/1997 | Briskman | 6,112,092 | A | 8/2000 | Benveniste |
| 5,594,782 | A | 1/1997 | Zicker et al. | 6,134,233 | A | 10/2000 | Kay |
| 5,603,081 | A | 2/1997 | Raith et al. | 6,151,332 | A | 11/2000 | Gorsuch et al. |
| 5,606,580 | A | 2/1997 | Mourot et al. | 6,157,619 | A | 12/2000 | Ozluturk et al. |
| 5,615,213 | A | 3/1997 | Griefer | 6,161,013 | A | 12/2000 | Anderson et al. |
| 5,617,423 | A | 4/1997 | Li et al. | 6,195,362 | B1 | 2/2001 | Darcie et al. |
| 5,642,348 | A | 6/1997 | Barzegar et al. | 6,198,723 | B1 | 3/2001 | Parruck et al. |
| 5,655,001 | A | 8/1997 | Cline et al. | 6,198,941 | B1 | 3/2001 | Aho et al. |
| 5,657,317 | A | 8/1997 | Mahany et al. | 6,208,871 | B1 | 3/2001 | Hall et al. |
| 5,657,358 | A | 8/1997 | Paneth et al. | 6,215,798 | B1 | 4/2001 | Carneheim et al. |
| 5,663,958 | A | 9/1997 | Ward | 6,222,828 | B1 | 4/2001 | Ohlson et al. |
| 5,663,990 | A | 9/1997 | Bolgiano et al. | 6,236,642 | B1 | 5/2001 | Shaffer et al. |
| 5,673,259 | A | 9/1997 | Quick, Jr. | 6,236,647 | B1 | * 5/2001 | Amalfitano 370/335 |
| 5,687,194 | A | 11/1997 | Paneth et al. | 6,243,372 | B1 | 6/2001 | Petch et al. |
| 5,696,903 | A | 12/1997 | Mahany | 6,243,581 | B1 | * 6/2001 | Jawanda 455/432.2 |
| 5,697,059 | A | 12/1997 | Carney | 6,259,683 | B1 | 7/2001 | Sekine et al. |
| 5,699,364 | A | 12/1997 | Sato et al. | 6,262,980 | B1 | 7/2001 | Leung et al. |
| 5,708,656 | A | 1/1998 | Noneman et al. | 6,269,088 | B1 | 7/2001 | Masui et al. |
| 5,734,646 | A | 3/1998 | I et al. | 6,272,168 | B1 | 8/2001 | Lomp et al. |
| 5,781,542 | A | 7/1998 | Tanaka et al. | 6,285,665 | B1 | 9/2001 | Chuah |
| 5,784,406 | A | 7/1998 | DeJaco et al. | 6,307,840 | B1 | 10/2001 | Wheatley, III et al. |
| 5,790,551 | A | 8/1998 | Chan | 6,310,859 | B1 | 10/2001 | Morita et al. |
| 5,793,744 | A | 8/1998 | Kanerva et al. | 6,366,570 | B1 | 4/2002 | Bhagalia |
| 5,796,727 | A | 8/1998 | Harrison et al. | 6,370,117 | B1 | 4/2002 | Koraitim et al. |
| 5,802,465 | A | 9/1998 | Hamalainen et al. | 6,373,830 | B1 | 4/2002 | Ozluturk |
| 5,815,811 | A | 9/1998 | Pinard et al. | 6,373,834 | B1 | 4/2002 | Lundh et al. |
| 5,818,852 | A | * 10/1998 | Kapoor 714/749 | 6,377,548 | B1 | 4/2002 | Chuah |
| 5,825,807 | A | 10/1998 | Kumar | 6,377,809 | B1 | 4/2002 | Rezaiifar et al. |
| 5,828,659 | A | 10/1998 | Teder et al. | 6,388,999 | B1 | 5/2002 | Gorsuch et al. |
| 5,828,662 | A | 10/1998 | Jalali et al. | 6,389,000 | B1 | 5/2002 | Jou |
| 5,842,122 | A | 11/1998 | Schellinger et al. | 6,396,804 | B2 | 5/2002 | Odenwalder |
| 5,844,894 | A | 12/1998 | Dent | 6,418,148 | B1 | 7/2002 | Kumar et al. |
| | | | | 6,456,608 | B1 | 9/2002 | Lomp |
| | | | | 6,469,991 | B1 | 10/2002 | Chuah |
| | | | | 6,473,623 | B1 | 10/2002 | Benveniste |
| | | | | 6,504,830 | B1 | 1/2003 | Östberg et al. |
| | | | | 6,510,146 | B1 | 1/2003 | Korpela et al. |
| | | | | 6,519,651 | B1 | 2/2003 | Dillon |
| | | | | 6,526,039 | B1 | 2/2003 | Dahlman et al. |
| | | | | 6,526,064 | B1 | 2/2003 | Bousquet |
| | | | | 6,526,281 | B1 | 2/2003 | Gorsuch et al. |
| | | | | 6,532,365 | B1 | 3/2003 | Anderson et al. |
| | | | | 6,542,481 | B2 | 4/2003 | Foore et al. |
| | | | | 6,545,986 | B1 | 4/2003 | Stellakis |
| | | | | 6,546,425 | B1 | 4/2003 | Hanson et al. |

| | | | | |
|--------------|-----|---------|-------------------|-----------|
| 6,567,416 | B1 | 5/2003 | Chuah | |
| 6,570,865 | B2 | 5/2003 | Masui et al. | |
| 6,571,296 | B1 | 5/2003 | Dillon | |
| 6,574,211 | B2 | 6/2003 | Padovani et al. | |
| 6,574,239 | B1 | 6/2003 | Dowling et al. | |
| 6,574,473 | B2 | 6/2003 | Rinne et al. | |
| 6,597,913 | B2 | 7/2003 | Natarajan | |
| 6,681,259 | B1 | 1/2004 | Lemilainen et al. | |
| 6,711,146 | B2 | 3/2004 | Yegoshin | |
| 6,845,104 | B2 | 1/2005 | Johnson et al. | |
| 6,850,512 | B1 | 2/2005 | Bishop et al. | |
| 6,973,140 | B2 | 12/2005 | Hoffman et al. | |
| 7,502,626 | B1* | 3/2009 | Lemilainen | 455/554.2 |
| 7,580,715 | B2* | 8/2009 | Gorsuch et al. | 455/452.1 |
| 7,583,971 | B2* | 9/2009 | Gorsuch et al. | 455/452.1 |
| 7,849,475 | B2 | 12/2010 | Covell et al. | |
| 7,894,475 | B2 | 2/2011 | Bishop et al. | |
| 2002/0191562 | A1* | 12/2002 | Kumaki et al. | 370/331 |
| 2004/0029606 | A1* | 2/2004 | Tiedemann et al. | 455/522 |
| 2004/0160910 | A1 | 8/2004 | Gorsuch et al. | |
| 2004/0180696 | A1 | 9/2004 | Foore et al. | |
| 2005/0286476 | A1 | 12/2005 | Crosswy et al. | |
| 2008/0274767 | A1* | 11/2008 | Sainton et al. | 455/552.1 |
| 2009/0073898 | A1 | 3/2009 | Lim | |
| 2009/0310588 | A1* | 12/2009 | Padovani et al. | 370/342 |

FOREIGN PATENT DOCUMENTS

| | | |
|----|-------------|---------|
| EP | 526106 | 2/1993 |
| EP | 635949 | 1/1995 |
| EP | 682423 | 11/1995 |
| EP | 682426 | 11/1995 |
| EP | 719062 | 6/1996 |
| FR | 2761557 | 1/1998 |
| JP | 8-275237 | 10/1996 |
| JP | 9-55764 | 2/1997 |
| JP | 11-205857 | 7/1999 |
| JP | 11-220776 | 8/1999 |
| JP | 2000-236343 | 8/2000 |
| JP | 2000-286851 | 10/2000 |
| JP | 2002-51044 | 4/2002 |
| KR | 100187823 | 1/1999 |
| KR | 19990058020 | 7/1999 |
| SU | 1401626 | 6/1988 |
| SU | 1837403 | 8/1993 |
| WO | 95/07578 | 3/1995 |
| WO | 95/08900 | 3/1995 |
| WO | 96/08934 | 3/1996 |
| WO | 96/37081 | 11/1996 |
| WO | 96/27994 | 12/1996 |
| WO | 97/32412 | 4/1997 |
| WO | 97/23073 | 6/1997 |
| WO | 97/46044 | 12/1997 |
| WO | 98/59447 | 12/1998 |
| WO | 98/59523 | 12/1998 |
| WO | 99/38083 | 7/1999 |
| WO | 99/44341 | 9/1999 |
| WO | 99/48312 | 9/1999 |
| WO | 99/63713 | 12/1999 |

OTHER PUBLICATIONS

Draft Text for "95C" Physical Layer (Revision 4), Part 2, Document #531-981-20814-95C, part 2 on 3GPP2 website (ftp://ftp.3gpp2.org/tsgc/working/1998/1298_Maui/WG3-TG1/531-98120814-95c,%20part%202.pdf, 1998).

Grube, Gary, et al., "In-Building Wireless Coverage Using a Second Mode," Motorola Technical Developments, U.S. Motorola, Inc., vol. 27, (May 1, 1996) XP 000594558, pp. 66-68.

Data Service Options for Wideband Spread Spectrum Systems: Introduction, PN-3676.1 (to be published as TIA/EIA/IS-707.1), Mar. 20, 1997 (Content Revision 1).

Draft Text for "**95C" Physical Layer (Revision 4), Part 1, Document #531-981-20814-95C, Part 1 on 3GPP2 website (ftp://ftp.3gpp2.org/tsgc/working/1998/1298_Maui/WG3-TG1/531-98120814-95c,%20part%201.pdf, 1998).

Draft Text for "95C" Physical Layer (Revision 4), Part 2, Document #531-981-20814-95C, part 2 on 3GPP2 website (ftp://ftp.3gpp2.org/tsgc/working/1998/1298_Maui/WG3-TG1/531-98120814-95c,%20part%202.pdf, 1998).

tsgc/working/1998/1298_Maui/WG3-TG1/531-98120814-95c,%20part%202.pdf, 1998).

Simpson, W. (Editor). "RFC 1661—The Point-to-Point Protocol (PPP)." Network Working Group, Jul. 1994, pp. 1-35, <http://www.faqs.org/rfcs/rfc1661.html>.

Andermo et al., "CODIT, a Testbed Project Evaluating DS-SSMA for UMTS/FPLMTS," IEEE 44th Vehicular Technology Conference, vol. 1, pp. 21-25 (Jun. 8-10, 1994).

Data Services Option Standard for Wideband Spread Spectrum Digital Cellular System. TIA/EIA/IS-99. TIA/EIA Interim Standard. Jul. 1995.

Draft Text for "**95C" Physical Layer (Revision 4), Part 1, Document #531-981-20814-95C, Part 1 on 3GPP2 website (ftp://ftp.3gpp2.org/tsgc/working/1998/1298_Maui/WG3-TG1/531-98120814-95c,%20part%201.pdf, 1998).

Draft Text for "95C" Physical Layer (Revision 4), Part 2, Document #531-981-20814-95C, part 2 on 3GPP2 website (ftp://ftp.3gpp2.org/tsgc/working/1998/1298_Maui/WG3-TG1/531-98120814-95c,%20part%202.pdf, 1998).

MSC-BS Interface for Public 800 MHz. TIA/EIA/IS-634. TIA/EIA Interim Standard, Dec. 1995.

Bell Labs Technical Journal, Lucent Technologies, vol. 2, No. 3, Summer 1997.

Brenner, Pablo, "A Technical Tutorial on the IEEE 802.11 Protocol", 1997, pp. 1-18, Breeze Wireless Communications, Ltd., downloaded from <http://www.breezecom.com>.

Budka et al., Cellular Digital Packet Data Networks, Bell Labs Technical Journal, Summer 1997, pp. 164-181.

Cellular Digital Packet Data, System Specification, Release 1.1, Jan. 19, 1995.

Chih-Lin I et al., IS-95 Enhancements for Multimedia Services, Bell Labs Technical Journal, pp. 60-87, Autumn 1996.

Chih-Lin I et al., Load and Interference Based Demand Assignment (LIDA) for Integrated Services in CDMA.

Chih-Lin I et al., Multi-Code CDMA Wireless Personal Communications Networks, Jun. 18, 1995.

Chih-Lin I et al., Performance of Multi-Code CDMA Wireless Personal Communications Networks, Jul. 25, 1995.

Chih-Lin I et al., Variable Spreading Gain CDMA with Adaptive Control for True Packet Switching Wireless Network, 1995, pp. 725-730.

Chung, Packet Synchronization and Identification for Incremental Redundancy Transmission in FH-CDMA Systems, 1992, IEEE, pp. 292-295.

CODIT Final Review Report, Issue 2.0 (Nov. 21, 1995).

Data Service Options for Wideband Spread Spectrum Systems, TIA/EIA Interim Standard. TIA/EIA/IS-707, Feb. 1998.

Data Service Options for Wideband Spread Spectrum Systems. TIA/EIA Interim Standard. TIA/EIA/IS-707-A. Apr. 1999.

Data Service Options for Wideband Spread Spectrum Systems: Introduction, PN-3676. 1 (to be published as TIA/EIA/IS-707.1), Mar. 20, 1997 (Content Revision 1).

Data Services Option Standard for Wideband Spread Spectrum Digital Cellular System. TIA/EIA/IS-99. TIA/EIA Interim Standard. Jul. 1995.

Data Services Options Standard for Wideband Spread Spectrum Systems: Packet Data Services. PN-3676.5 (to be published as TIA/EIA/IS-707.5) Ballot Version, May 30, 1997.

Data Standard, Packet Data Section, PN-3676.5 (to be published as TIA/EIA/IS-DATA.5), Dec. 8, 1996, Version 02 (Content Revision 03).

Draft Text for "**95C" Physical Layer (Revision 4), Part 1, Document #531-981-20814-95C, Part 1 on 3GPP2 website (ftp://ftp.3gpp2.org/tsgc/working/1998/1298_Maui/WG3-TG1/531-98120814-95c,%20part%201.pdf, 1998).

Draft Text for "95C" Physical Layer (Revision 4), Part 2, Document #531-981-20814-95C, part 2 on 3GPP2 website (ftp://ftp.3gpp2.org/tsgc/working/1998/1298_Maui/WG3-TG1/531-98120814-95c,%20part%202.pdf, 1998).

Ejzak et al., Lucent Technologies Air Interface Proposal for CDMA High Speed Data Service, Revision 0.1, May 5, 1997.

Ejzak et al., Lucent Technologies Air Interface Proposal for CDMA High Speed Data Service, Apr. 14, 1997.

- Ejzak, et al. *Proposal for High Speed Packet Data Service*, Version 0.1. Lucent Technologies, Jan. 16, 1997.
- Elhakeem, Congestion Control in Signalling Free Hybrid ATM/CDMA Satellite Network, IEEE, 1995, pp. 783-787.
- ETSI GSM European Standard (Telecommunications Series)—Draft EN 301 344 V6.4.0 (Aug. 1999). Digital cellular telecommunications system (Phase 2+); General Packet Radio Service (GPRS); Service description; Stage 2 (GSM 03.60 version 6.4.0 Release 1997).
- ETSI GSM European Standard (Telecommunications Series)—EN 301 349 V7.5.0 (Jul. 2000). Digital cellular telecommunications system (Phase 2+); General Packet Radio Service (GPRS); Mobile Station (MS)—Base Station System (BSS) interface; Radio Link Control/Medium Access Control (RLC/MAC) protocol (GSM 04.60 version 7.5.0 Release 1998).
- ETSI GSM Technical Specification—ETSI TS 101 350 V7.0.0 (Jul. 1999). Digital cellular telecommunications system (Phase 2+); General Packet Radio Service (GPRS); Overall description of the GPRS radio interface; State 2 (GSM 03.64 version 7.0.0 Release 1998).
- ETSI GSM Technical Specification—GSM 02.60 V7.0.0 (Apr. 1998). Digital cellular telecommunications system (Phase 2+); General Packet Radio Service (GPRS); Service description; Stage 1 (GSM 02.60 version 7.0.0 Release 1998).
- ETSI GSM Technical Specification—GSM 04.01 V5.0.0 (Nov. 1996). Digital cellular telecommunications system; Mobile Station—Base Station System (MS-BSS) interface General aspects and principles (GSM 04.01).
- ETSI GSM Technical Specification—GSM 05.01 V7.0.0 (1999-03). Digital cellular telecommunications system (Phase 2+); Physical layer on the radio path; General description (GSM 05.01 version 7.0.0 Release 1998).
- ETSI GSM Technical Specification—TS 100 573 V6.1.1 (1998-07). Digital cellular telecommunications system (Phase 2+); Physical layer on the radio path; General description (GSM 05.01 version 6.1.1 Release 1997).
- ETSI GSM Technical Specification—TS 100 939 V6.1.0 (1998-07). Digital cellular telecommunications system (Phase 2+); Mobile radio interface signalling layer 3; General aspects (GSM 04.07 version 6.1.0 Release 1997).
- ETSI GSM Technical Specification—TS 100 939 V7.1.0 (1999-08). Digital cellular telecommunications system (Phase 2+); Mobile radio interface signalling layer 3; General aspects (GSM 04.07 version 7.1.0 Release 1998).
- ETSI GSM Technical Specification—ETSI TS 101 113 V7.2.0 (1999-08). Digital cellular telecommunications system (Phase 2+); General Packet Radio Service (GPRS); Service description; Stage 1 (GSM 02.60 version 7.2.0 Release 1998).
- ETSI GSM European Telecommunication Standard—Draft prETS 300 940, Seventh Edition (Jul. 1999). Digital cellular telecommunications system (Phase 2+); Mobile radio interface; Layer 3 specification (GSM 04.08 version 5.13.0 Release 1996).
- ETSI GSM European Telecommunication Standard—ETS 300 910, Seventh Edition (Mar. 1999). Digital cellular telecommunications system (Phase 2+); Radio transmission and reception (GSM 05.05 version 5.10.0 Release 1996).
- Geier, Jim, *Wireless LANs*. First Edition (1999), Macmillan Technical Publishing, USA.
- Grube, Gary, et al., "In-Building Wireless Coverage Using a Second Mode," Motorola Technical Developments, U.S. Motorola, Inc., vol. 27 (May 1, 1996) XP 000594558, pp. 66-68.
- Hall et al., Design and Analysis of Turbo Codes on Rayleigh Fading Channels, IEEE Journal on Selected Areas in Communications vol. 16, No. 2, Feb. 1998, pp. 160-174.
- High Data Rate (HDR) Solution, Qualcomm, Dec. 1998.
- High Data Rate (HDR), cdmaOne optimized for high speed, high capacity data, Wireless Infrastructure, Qualcomm, Sep. 1998.
- Hindelang et al., Using Powerful "Turbo" Codes for 14.4 Kbit/s Data Service in GSM or PCS Systems, IEEE Global Communications Conference, Phoenix, Arizona, USA, Nov. 3-8, 1997, vol. II, pp. 649-653.
- Honkasalo, Harri. *High Speed Data Air Interface*. 1996.
- IBE, "Networks and Remote Access. Protocols, Problems, and Solutions," DMK Publishers, p. 56 (2002).
- IEEE Standard for Information technology—ANSI/IEEE 802.11, 1999 Edition, Telecommunications and information exchange between systems, Local and metropolitan area networks, Specific requirements, Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) specifications. Redesignated as ISO/IEC 8802-11: 1999(E).
- IEEE Standard for Information technology—IEEE Std. 802.11-1997, Telecommunications and information exchange between systems, Local and metropolitan area networks, Specific requirements, Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) specifications, Jun. 26, 1997.
- IEEE Standard for Information technology—IEEE 802.11a-1999, Corrections to Supplement to IEEE Standard for Information technology, Telecommunications and information exchange between systems, Local and metropolitan area networks, Specific requirements, Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) specifications: High-Speed Physical Layer in the 5 GHz Band, Aug. 10, 2000.
- IEEE Standard for Information technology—IEEE 802.11b-1999, Supplement to IEEE Standard for Information technology—Telecommunications and information exchange between systems—Local and metropolitan area networks—Specific requirements—Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) specifications: Higher-Speed Physical Layer Extension in the 2.4 GHz Band. Approved Sep. 16, 1999.
- Institute of Electrical and Electronics Engineers 802.11 Wireless LAN Standard, The MAC Layer, pp. 1-2, downloaded Jul. 15, 1999 from <http://www.wlana.com/intro/standard/mac.html>.
- Introduction to cdma2000 Spread Spectrum Systems, Release C*. TIA/EIA Interim Standard. TIA/EIA/IS-2000.1-C. May, 2002.
- Johnsson, "HiperLAN/2—The Broadband Radio Transmission Technology Operating in the 5 GHz Frequency Band," HyperLAN/2 Global Forum, Version 1.0, 1999.
- Kaiser et al., Multi-Carrier CDMA with Iterative Decoding and Soft-Interference Cancellation, Proceedings of Globecom 1997, vol. 1, pp. 523-529.
- Knisely, Douglas, N. Telecommunications Industry Association Subcommittee TR-45.5—*Wideband Spread Spectrum Digital Technologies Standards*. Banff, Alberta. Feb. 24, 1997 (TR45.5/97.02.24)21.
- Knisely, Douglas, N. Telecommunications Industry Association Subcommittee TR-45.5—*Wideband Spread Spectrum Digital Technologies Standards, Working Group III—Physical Layer*. Banff, Alberta. Feb. 24, 1997 (TR45.5/97.02.24)22.
- Knisely, Lucent Technologies Air Interface Proposal for CDMA High Speed Data Service, Jan. 16, 1997.
- Krzymien et al., Rapid Acquisition Algorithms for Synchronization of Bursty Transmissions in CDMA Microcellular and Personal Wireless Systems, IEEE Journal on Selected Areas in Communications, vol. 14, No. 3, Apr. 1996, pp. 570-579.
- Kumar et al., An Access Scheme for High Speed Packet Data Service on IS-95 based CDMA, Feb. 11, 1997.
- Khun-Jush et al., "Structure and Performance of the HIPERLAN/2 Physical Layer," Vehicular Technology Conference (VTC) 1999, IEEE VTS 50th, vol. 5, pp. 2667-2671, Sep. 19-22, 1999.
- Lau et al., A Channel-State-Dependent Bandwidth Allocation scheme for Integrated Isochronous and Bursty Media Data in a Cellular Mobile Information System, IEEE, 2000, pp. 524-528.
- Liu et al., Channel Access and Interference Issues in Multi-Code DS-SS-CDMA Wireless Packet (ATM) Networks, Wireless Networks 2, pp. 173-196, 1996.
- Lucas, "Synchronisation Procedure in Up and Down-Link in the CoDiT Testbed," RACE Mobile Telecommunications Workshop (May 1994).
- Lucent Technologies Presentation First Slide Titled, Summary of Multi-Channel Signaling Protocol, Apr. 6, 1997.
- Lucent Technologies Presentation First Slide Titled, Why Support Symmetric HSD (Phase 1C), Feb. 21, 1997.
- "Lucent Technologies announces the first wireless LAN PC Card for Original Equipment Vendors that is fully compliant with IEEE802.11 industry standards," WaveLAN, Nov. 4, 1997. <http://web.archive.org/web/19990909132452/http://wavelan.com/news/news.html?id=11>.

- Melanchuk, Tim, et al., "CDPD and Emerging Digital Cellular Systems," Motorola Wireless Data Group, XP000628458, pp. 2-8 (1996).
- Mobile Station-Base Station Compatibility Standard for Dual-Mode Wideband Spread Spectrum Cellular System, TIA/EIA Interim Standard, TIA/EIA/IS-95-A (Revision of TIA/EIA/IS-95), May 1995, pp. 1-742.
- Mobile Station-Base Station Compatibility Standard for Wideband Spread Spectrum Cellular Systems, TIA/EIA Standard, TIA/EIA-95-B (Upgrade and Revision of TIA/EIA-95-A), Mar. 1999.
- Morris, "UMTS and the RACE II CODIT Project," IEEE Colloquium on Mobile Telecommunications Towards the Year 2000, pp. 8/1-8/4 (Oct. 1994).
- Motorola, Version 1.0. *Motorola High Speed Data Air Interface Proposal Comparisons and Recommendations*. Jan. 27, 1997.
- MSC-BS Interface (A-Interface) for Public 800 MHz*. TIA/EIA/IS-634-A. TIA/EIA Interim Standard (Revision of TIA/EIA/IS-634) Jul. 1998.
- MSC-BS Interface for Public 800 MHz*. TIA/EIA/IS-634. TIA/EIA Interim Standard. Dec. 1995.
- Network Wireless Systems Offer Business Unit (NWS OBU), Feature Definition Document for Code Division Multiple Access (CDMA) Packet Mode Data Services, FDD-1444, Nov. 26, 1996.
- Nokia, 3G Change Request Regarding MM states in UMTS, Doc. S2-99712, 3GPP TSG-SA meeting #7, Sophia Antipolis, France, Aug. 24-27, 1999.
- Nokia Corporation and Nokia Inc.'s Response to the Amended Complaint and Amended Notice of Investigation, In the Matter of Certain Wireless Devices with 3G Capabilities and Components Thereof, Investigation No. 337-TA-800, Jan. 27, 2012.
- Nokia Corporation and Nokia Inc.'s Response to the Complaint and Notice of Investigation, In the Matter of Certain Wireless Devices with 3G Capabilities and Components Thereof, Investigation No. 337-TA-800, Sep. 27, 2011.
- Ott, David TR45.5, CDMA WBSS Technical Standards Meeting Summary. Feb. 24-28, 1997 Banff, Alberta.
- Packet Data Service Option Standard for Wideband Spread Spectrum Systems, TIA/EIA Interim Standard, TIA/EIA/IS-657, Jul. 1996.
- Physical Layer Standard for cdma2000 Spread Spectrum Systems, Release C*. TIA/EIA Interim Standard. TIA/EIA/IS-2000.2C. May 2002.
- Prasad & Teunissen, "A state-of-the-art HIPERLAN/2," Vehicular Technology Conference (VTC) 1999, IEEE VTS 50th, vol. 5, pp. 2661-2666, Sep. 19-22, 1999.
- Puleston, PPP Protocol Spoofing Control Protocol, Global Village Communication (UK) Ltd., Feb. 1996.
- Reed et al., Iterative Multiuser Detection for CDMA with FEC: Near-Single-User Performance, IEEE Transactions on Communications, vol. 46, No. 12, Dec. 1998, pp. 1693-1699.
- Reichert, "The Walkstation Project on Mobile Computing," Proceedings of the Personal, Indoor and Mobile Radio Communications 94, IEEE/ICC, vol. 3, pp. 974-978, Sep. 18-23, 1994.
- "WaveLAN IEEE 802.11 compliant wireless Local Area Networking Now Available for Apple Computers," WaveLAN, Oct. 16, 1998. <http://web.archive.org/web/19990909170638/http://wavelan.com/news/news.html?id=30>.
- Response of Respondent Futurewei to Complaint Under Section 337 of the Tariff Act of 1930, as Amended, and Notice of Investigation, In the Matter of Certain Wireless Devices with 3G Capabilities and Components Thereof, Investigation No. 337-TA-800, Sep. 27, 2011.
- Response of Respondent Huawei to Amended Complaint Under Section 337 of the Tariff Act of 1930, as Amended, and Amended Notice of Investigation, In the Matter of Certain Wireless Devices with 3G Capabilities and components thereof, Investigation No. 337-TA-800, Jan. 27, 2012.
- Response of Respondent Huawei to Complaint Under Section 337 of the Tariff Act of 1930, as Amended, and Notice of Investigation, In the Matter of Certain Wireless Devices with 3G Capabilities and Components Thereof, Investigation No. 337-TA-800, Sep. 27, 2011.
- Response of ZTE Corporation and ZTE (USA) to the Amended Complaint of Interdigital Communications, LLC, Interdigital Technology Corp., and IPR Licensing, Inc. under Section 337 of the Tariff Act of 1930, as Amended, and Notice of Investigation, In the Matter of Certain Wireless Devices with 3G Capabilities and Components thereof, Investigation No. 337-TA-800, Jan. 27, 2012.
- Shacham, et al., "A Selective-Repeat-ARQ Protocol for Parallel Channels and Its Resequencing Analysis," IEEE Transactions on Communications, XP000297814, 40 (4): 773-782 (Apr. 1997).
- Simpson, W. (Editor). "RFC 1661—The Point-to-Point Protocol (PPP)." Network Working Group, Jul. 1994, pp. 1-35. <http://www.faqs.org/rfcs/rfc1661.html>.
- Simpson, W. (Editor). "RFC 1662—PPP in HDLC-Like Framing." Network Working Group, Jul. 1994, pp. 1-17. <http://www.faqs.org/rfcs/rfc1662.html>.
- Skinner et al., Performance of Reverse-Link Packet Transmission in Mobile Cellular CDMA Networks, IEEE, 2001, pp. 1019-1023.
- Stage 1 Service Description for Data Services—High Speed Data Services (Version 0.10) CDG RF 38. Dec. 3, 1996.
- Supplemental Response of Respondent Futurewei to Complaint Under Section 337 of the Tariff Act of 1930, as Amended, and Notice of Investigation, In the Matter of Certain Wireless Devices with 3G Capabilities and Components thereof, Investigation No. 337-TA-800, Jan. 12, 2012.
- Support for 14.4 kbps Data Rate and PCS Interaction for Wideband Spread Spectrum Cellular Systems*. TSB74, Dec. 1995. TIA/EIA Telecommunications Systems Bulletin.
- Tantivy Communications, Inc. v. Lucent Technologies, Inc.*, Lucent Technologies Inc.'s Preliminary Invalidity Contentions, Civil Action No. 2-04CV-79(TJW) (Dec. 8, 2004).
- Telecommunications Industry Association Meeting Summary*. Task Group I, Working Group III, Subcommittee TR45.5. Feb. 24-27, 1997. Banff, Alberta.
- Telecommunications Industry Association Meeting Summary*. Task Group I, Working Group III, Subcommittee TR45.5. Jan. 6-8, 1997. Newport Beach, California.
- Torsner & Malmgren, "Radio Network Solutions for HIPERLAN/2," Vehicular Technology Conference (VTC) 1999 IEEE 49th, vol. 2, pp. 1217-1221, May 16-20, 1999.
- Tuch, "An IEEE 802.11 WLAN Primer," Communication Systems Design, Sep. 1997.
- Upper Layer (Layer 3) Signaling Standard for cdma2000 Spread Spectrum Systems, Release C*. TIA/EIA Interim Standard. TIA/EIA/IS-2000.5-C. May 2002.
- Viterbi, "A Constructive (Backward Compatible) Approach for Migration to Wider Band Wireless Services," Qualcomm Incorporated, 3rd Generation Wider Band CDMA Technology Conference (Feb. 25, 1998).
- Viterbi, The Path to Next Generation Services with CDMA, Qualcomm Incorporated, 1998 CDMA Americas Congress, Los Angeles, California, Nov. 19, 1998.
- Wang et al., The Performance of Turbo-Codes in Asynchronous DS-SS-CDMA, IEEE Global Communications Conference, Phoenix, Arizona, USA, Nov. 3-8, 1997, Vol. III, pp. 1548-1551. www.cdg.org/news/press/1997.asp. CDA Press Release Archive, 1997.
- Ylianttila et al., "Handoff Procedure for Heterogeneous Wireless Networks," Future Wireless Communication System, Global Telecommunications Conference—Globecom '99, vol. 5, pp. 2783-2787, 1999.
- Zeisberg et al., "WLAN Evolution from HIPERLAN Type 2 to MEDIAN," Vehicular Technology Conference (VTC) 1999, IEEE VTS 50th, vol. 5, pp. 2656-2660, Sep. 19-22, 1999.
- Zyren & Petrick, "Brief Tutorial on IEEE 802.11 Wireless LANs," Intersil Application Note 9289, Feb. 1999.
- 3GPP Technical Specification—3G TS 23.121 v3.0.0 (Jul. 1999). 3rd Generation Partnership Project; Technical Specification Group Services and Systems Aspects; Architectural Requirements for Release 1999.
- 3GPP Technical Specification—TS 25.201 v2.1.0 (Jun. 1999). 3rd Generation Partnership Project (3GPP); Technical Specification Group (TSG); Radio Access Network (RAN); Working Group 1 (WG1); Physical layer—General description.

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.