


**Digital cellular telecommunications system (Phase 2+);  
Mobile radio interface signalling layer 3;  
General aspects  
(GSM 04.07 version 6.1.0 Release 1997)**

---



**Reference**  
DTS/SMG-030407Q6 (8p0030c3.PDF)

**Keywords**  
Digital cellular telecommunications system,  
Global System for Mobile communications (GSM)

***ETSI***

**Postal address**  
F-06921 Sophia Antipolis Cedex - FRANCE

**Office address**  
650 Route des Lucioles - Sophia Antipolis  
Valbonne - FRANCE  
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16  
Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

**Internet**  
secretariat@etsi.fr  
<http://www.etsi.fr>  
<http://www.etsi.org>

---

***Copyright Notification***

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1998.  
All rights reserved.

***ETSI***

# Contents

Intellectual Property Rights.....	10
Foreword .....	10
1    Scope .....	11
2    Normative references .....	11
3    Abbreviations .....	12
4    Introduction .....	13
4.1    General.....	13
4.2    Applicability of functional blocks.....	14
4.3    Technique of description .....	14
4.3.1    Service description.....	14
4.3.2    Abstract service primitives.....	14
4.3.3    Protocols and peer-to-peer communication.....	14
4.3.4    Contents of layer 3 related Technical Specifications.....	16
5    Structure of layer 3 functions.....	16
5.1    Basic groups of functions.....	16
5.2    Protocol architecture .....	17
6    Services provided by signalling layer 3 at the MS side .....	21
6.1    Registration services .....	21
6.1.1    Service state diagram for MS not supporting GPRS service .....	22
6.1.2    Service primitives.....	22
6.1.2.1    MMR_REG_REQ .....	22
6.1.2.2    MMR_REG_CNF.....	22
6.1.2.3    [reserved].....	22
6.1.2.4    MMR_NREG_REQ.....	22
6.1.2.5    MMR_NREG_IND .....	23
6.2    Call Control services.....	23
6.2.1    Service state diagram .....	23
6.2.2    Service primitives.....	26
6.2.2.1    MNCC_SETUP_REQ .....	26
6.2.2.2    MNCC_SETUP_IND .....	26
6.2.2.3    MNCC_SETUP_RES .....	27
6.2.2.4    MNCC_SETUP_CNF .....	27
6.2.2.5    MNCC_SETUP_COMPL_REQ.....	27
6.2.2.6    MNCC_SETUP_COMPL_IND .....	27
6.2.2.7    MNCC_REJ_REQ.....	27
6.2.2.8    MNCC_REJ_IND .....	27
6.2.2.9    MNCC_CALL_CONF_REQ.....	27
6.2.2.10    MNCC_CALL_PROC_IND .....	27
6.2.2.11    MNCC_PROGRESS_IND .....	27
6.2.2.12    MNCC_ALERT_REQ.....	27
6.2.2.13    MNCC_ALERT_IND .....	27
6.2.2.14    MNCC_NOTIFY_REQ .....	27
6.2.2.15    MNCC_NOTIFY_IND .....	28
6.2.2.16    MNCC_DISC_REQ .....	28
6.2.2.17    MNCC_DISC_IND .....	28
6.2.2.18    MNCC_REL_REQ .....	28
6.2.2.19    MNCC_REL_IND .....	28
6.2.2.20    MNCC_REL_CNF .....	28
6.2.2.21    MNCC_FACILITY_REQ .....	28
6.2.2.22    MNCC_FACILITY_IND .....	28
6.2.2.23    MNCC_START_DTMF_REQ.....	28
6.2.2.24    MNCC_START_DTMF_CNF .....	28

6.2.2.25	MNCC_STOP_DTMF_REQ.....	28
6.2.2.26	MNCC_STOP_DTMF_CNF.....	28
6.2.2.27	MNCC MODIFY REQ.....	29
6.2.2.28	MNCC MODIFY_IND.....	29
6.2.2.29	MNCC MODIFY_RES .....	29
6.2.2.30	MNCC MODIFY_CNF .....	29
6.2.2.31	MNCC_SYNC_IND.....	29
6.3	Call independent Supplementary Services Support .....	29
6.3.1	Service state diagram .....	29
6.3.2	Service primitives.....	30
6.3.2.1	MNSS_BEGIN_REQ .....	30
6.3.2.2	MNSS_BEGIN_IND .....	30
6.3.2.3	MNSS_FACILITY_REQ .....	30
6.3.2.4	MNSS_FACILITY_IND .....	30
6.3.2.5	MNSS_END_REQ .....	30
6.3.2.6	MNSS_END_IND.....	30
6.4	Short Message Services Support.....	30
6.5	Session Management Services for GPRS-Services.....	30
6.5.1	Session Management Services for SMREG-SAP .....	31
6.5.1.1	SMREG-PDP-ACTIVATE-REQ .....	31
6.5.1.2	SMREG-PDP-ACTIVATE-CNF.....	31
6.5.1.3	SMREG-PDP-ACTIVATE-REJ.....	31
6.5.1.4	SMREG-PDP-ACTIVATE-IND .....	31
6.5.1.5	SMREG-PDP-DEACTIVATE-REQ .....	32
6.5.1.6	SMREG-PDP-DEACTIVATE-CNF .....	32
6.5.1.7	SMREG-PDP-DEACTIVATE-IND .....	32
6.5.1.8	SMREG-PDP-MODIFY-IND .....	32
6.5.1.9	SMREG-AA-PDP-ACTIVATE-REQ .....	32
6.5.1.10	SMREG-AA-PDP-ACTIVATE-CNF .....	32
6.5.1.11	SMREG-AA-PDP-ACTIVATE-REJ.....	32
6.5.1.12	SMREG-AA-PDP-DEACTIVATE-REQ .....	32
6.5.1.13	SMREG-AA-PDP-DEACTIVATE-IND .....	32
6.5.2	Session Management Services for SNSM-SAP.....	34
6.5.2.1	Service primitives .....	34
6.5.2.1.1	SNSM-ACTIVATE-IND .....	34
6.5.2.1.2	SNSM-ACTIVATE-RSP .....	34
6.5.2.1.3	SNSM-DEACTIVATE-IND.....	34
6.5.2.1.4	SNSM-DEACTIVATE-RSP .....	34
6.5.2.1.5	SNSM-MODIFY-IND .....	34
6.5.2.1.6	SNSM-MODIFY-RSP .....	34
6.6	Registration Services for GPRS-Services .....	35
6.6.1	Registration Services for GMMREG-SAP .....	35
6.6.1.1	GMMREG-ATTACH-REQ.....	35
6.6.1.2	GMMREG-ATTACH-CNF.....	35
6.6.1.3	GMMREG-ATTACH-REJ.....	35
6.6.1.4	GMMREG-DETACH-REQ.....	35
6.6.1.5	GMMREG-DETACH-CNF .....	35
6.6.1.6	GMMREG-DETACH-IND .....	36
6.7	Services provided to SNDCP entities by GPRS Logical Link Control services .....	36
6.7.1	Service state diagram for QoS1-SAP, QoS2-SAP, QoS3-SAP and QoS4-SAP .....	37
6.7.2	Service primitives for QoS1-SAP, QoS2-SAP, QoS3-SAP and QoS4-SAP .....	38
6.7.2.1	LL-ESTABLISH-REQ .....	38
6.7.2.2	LL-ESTABLISH-CNF .....	38
6.7.2.3	LL-ESTABLISH-IND .....	38
6.7.2.4	LL-ESTABLISH-RSP .....	38
6.7.2.5	LL-RELEASE-REQ .....	38
6.7.2.6	LL-RELEASE-CNF .....	39
6.7.2.7	LL-RELEASE-IND .....	39
6.7.2.8	LL-XID-REQ.....	39
6.7.2.9	LL-XID-IND .....	39

6.7.2.10	LL-XID-RSP .....	39
6.7.2.11	LL-XID-CNF.....	39
6.7.2.12	LL-DATA-REQ.....	39
6.7.2.13	LL-DATA-CNF.....	39
6.7.2.14	LL-DATA-IND.....	39
6.7.2.15	LL-UNITDATA-REQ .....	39
6.7.2.16	LL-UNITDATA-IND.....	39
7	Services provided by signalling layer 3 on the Network side.....	39
7.1	Call control services.....	40
7.1.1	Service state diagram .....	40
7.1.2	Service primitives.....	43
7.1.2.1	MNCC_SETUP_REQ .....	43
7.1.2.2	MNCC_SETUP_IND .....	43
7.1.2.3	MNCC_SETUP_RSP .....	43
7.1.2.4	MNCC_SETUP_CNF .....	44
7.1.2.5	MNCC_SETUP_COMPL_REQ.....	44
7.1.2.6	MNCC_SETUP_COMPL_IND .....	44
7.1.2.7	MNCC_REJ_REQ.....	44
7.1.2.8	MNCC_REJ_IND.....	44
7.1.2.9	MNCC_CALL_CONF_IND .....	44
7.1.2.10	MNCC_CALL_PROC_REQ .....	44
7.1.2.11	MNCC_PROGRESS_REQ .....	44
7.1.2.12	MNCC_ALERT_REQ.....	44
7.1.2.13	MNCC_ALERT_IND .....	44
7.1.2.14	MNCC_NOTIFY_REQ .....	44
7.1.2.15	MNCC_NOTIFY_IND .....	44
7.1.2.16	MNCC_DISC_REQ .....	45
7.1.2.17	MNCC_DISC_IND .....	45
7.1.2.18	MNCC_REL_REQ .....	45
7.1.2.19	MNCC_REL_IND.....	45
7.1.2.20	MNCC_REL_CNF .....	45
7.1.2.21	MNCC_FACILITY_REQ .....	45
7.1.2.22	MNCC_FACILITY_IND .....	45
7.1.2.23	MNCC_START_DTMF_IND.....	45
7.1.2.24	MNCC_START_DTMF_RSP .....	45
7.1.2.25	MNCC_STOP_DTMF_IND .....	45
7.1.2.26	MNCC_STOP_DTMF_RSP .....	45
7.1.2.27	MNCC MODIFY_REQ .....	45
7.1.2.28	MNCC MODIFY_IND .....	45
7.1.2.29	MNCC MODIFY_RES .....	46
7.1.2.30	MNCC MODIFY_CNF .....	46
7.2	Call independent Supplementary Services Support .....	46
7.2.1	Service state diagram .....	46
7.2.2	Service primitives.....	47
7.2.2.1	MNSS_BEGIN_REQ .....	47
7.2.2.2	MNSS_BEGIN_IND .....	47
7.2.2.3	MNSS_FACILITY_REQ .....	47
7.2.2.4	MNSS_FACILITY_IND .....	47
7.2.2.5	MNSS_END_REQ .....	47
7.2.2.6	MNSS_END_IND .....	47
7.3	Short Message Services Support .....	47
7.4	Services provided to SNDCP and SMS entities by GPRS Logical Link Control services .....	47
7.4.1	Service state diagram for QoS1-SAP, QoS2-SAP, QoS3-SAP and QoS4-SAP .....	48
7.4.2	Service primitives for QoS1-SAP, QoS2-SAP, QoS3-SAP and QoS4-SAP .....	48
7.4.2.1	LL-ESTABLISH-REQ .....	48
7.4.2.2	LL-ESTABLISH-CNF .....	48
7.4.2.3	LL-ESTABLISH-IND .....	48
7.4.2.4	LL-ESTABLISH-RSP .....	49
7.4.2.5	LL-RELEASE-REQ .....	49
7.4.2.6	LL-RELEASE-CNF .....	49

# Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

### API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

### LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

### FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

### E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.