

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

*In re* Patent Application of:

Docket No. MP0136.C1

Ravi NARASIMHAN

Confirmation No. 2582

Application No. 10/189,385

Group Art Unit: 2616

Filed: July 5, 2002

Examiner: Steven H. D. NGUYEN

For: MULTICARRIER TRANSMIT DIVERSITY

MAIL STOP AMENDMENT  
Commissioner for Patents  
P.O. BOX 1450  
Alexandria, VA 22313-1450

**REPLY AND AMENDMENT UNDER 37 C.F.R. § 1.111**

Sir:

In response to the Non-Final Office Action mailed May 30, 2007 (Paper No. 20070526) ("Office Action"), Applicant respectfully requests reconsideration of the application in view of the following Amendments and Remarks.

**Amendments to the Claims** are reflected in the listing of claims which begins on page 2.

**Remarks** begin on page 25.

Applicant believes that no extensions of time are required at this time. However, if extensions of time are necessary to prevent abandonment of this application, such extensions of time are hereby petitioned for under 37 C.F.R. §1.136(a).

Applicant believes that no further fees for net addition of claims are required at this time. Alternatively, any fees required for further extensions of time and any fees for the net addition of claims are hereby authorized to be charged to our Deposit Account No. 23-1951.

## AMENDMENTS TO THE CLAIMS

Please **AMEND** claims 1, 3, 9, 11, 13, 15, 22, 24, 26, 28, 34, 36, 38, 40, 47, 49, 51, 56, 57, 59, 65, and 67 as shown below.

Please **CANCEL** claims 2, 10, 27, 35, 52, 58, and 66 as shown below.

The following is a complete list of all claims in this application.

1. (Currently Amended) A diversity transmitter, comprising:  
a symbol encoder to encode data in a multicarrier frequency domain symbol;  
a space frequency encoder responsive to said symbol encoder to derive and output a modified symbol based on the multicarrier frequency domain symbol and output the unmodified multicarrier frequency domain symbol;  
a conversion unit responsive to said space frequency encoder to convert the unmodified multicarrier frequency domain symbol and the modified symbol into corresponding time domain counterparts; and  
first and second RF transmission units to transmit the corresponding time domain counterparts of the unmodified multicarrier frequency domain symbol and the modified symbol respectively,  
wherein the modified symbol comprises a re-ordered subcarrier complex conjugate of the multicarrier frequency domain symbol.

2. (Canceled)

3. (Currently Amended) The transmitter of Claim 1 2, wherein the multicarrier frequency domain symbol comprises an OFDM encoded symbol.

4. (Original) The transmitter of Claim 3, wherein the OFDM encoded symbol is encoded in compliance with at least one of IEEE Standard 802.11a and IEEE Standard 802.11g supplements to the IEEE Standard 802.11 (1999).

5. (Original) The transmitter of Claim 1, wherein the first and second RF transmission units comprise an RF upconverter to modulate the corresponding time domain counterparts of the multicarrier frequency domain symbol and the modified symbol respectively onto first and second carrier signals, the first and second carrier signals operating in a common frequency channel.

6. (Original) The transmitter of Claim 1, wherein the corresponding time domain counterparts are transmitted by the first and second RF transmission units at approximately the same time.

7. (Original) The transmitter of Claim 1, wherein the corresponding time domain counterparts are transmitted by the first and second RF transmission units in a staggered sequence.

8. (Original) The transmitter of Claim 1, wherein said conversion unit comprises first and second conversion units to separately convert the multicarrier frequency domain symbol and the modified symbol into their respective corresponding time domain counterparts.

9. (Currently Amended) A diversity aware receiver, comprising:  
an RF receiver capable of receiving a time domain signal, the time domain signal capable of defining at least one of a multicarrier frequency domain symbol and a modified symbol based on the multicarrier frequency domain signal;

a conversion unit responsive to said RF receiver to generate a composite signal based on the time domain signal, the composite signal including at least an incomplete analog sum of the multicarrier frequency domain symbol and the modified symbol; and

a space frequency decoder responsive to said conversion unit to decode the modified multicarrier frequency domain symbol portion of the composite signal and together with an unmodified multicarrier frequency domain symbol portion of the composite signal recover a corrected multicarrier frequency domain symbol from the composite signal.

wherein the modified symbol comprises a re-ordered subcarrier complex conjugate of the multicarrier frequency domain symbol.

10. (Canceled)

11. (Currently Amended) The receiver of Claim 9 ~~10~~, wherein the multicarrier frequency domain symbol comprises an OFDM encoded symbol.

12. (Original) The receiver of Claim 11, wherein the OFDM encoded symbol is encoded in compliance with at least one of IEEE Standard 802.11a and IEEE Standard 802.11g supplements to the IEEE Standard 802.11 (1999).

13. (Currently Amended) A diversity transceiver, comprising:  
a receiver; and  
a diversity transmitter, comprising:  
a symbol encoder to encode data in a first multicarrier frequency domain symbol;  
a space frequency encoder responsive to said symbol encoder to derive and output a first modified symbol based on the first multicarrier frequency domain signal and to output the unmodified multicarrier frequency domain symbol;  
a conversion unit responsive to said space frequency encoder to convert the first multicarrier frequency domain symbol and the first modified symbol into corresponding time domain counterparts; and  
first and second RF transmission units to transmit the corresponding time domain counterparts of the first multicarrier frequency domain symbol and the first modified symbol respectively,  
wherein the first modified symbol comprises a re-ordered subcarrier complex conjugate of the first multicarrier frequency domain symbol.

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.