Supplement to IEEE Standard for Information technology— Telecommunications and information exchange between systems— Local and metropolitan area networks— Specific requirements—

# Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) specifications:

# High-speed Physical Layer in the 5 GHZ Band

Sponsor

LAN/MAN Standards Committee of the IEEE Computer Society

Approved 16 September 1999

**IEEE-SA Standards Board** 

**Abstract:** Changes and additions to IEEE Std. 802.11-1999 are provided to support the new highrate physical layer (PHY) for operation in the 5 GHz band. **Keywords:** 5 GHz, high speed, local area network (LAN), orthogonal frequency division multiplexing (OFDM), radio frequency, unlicensed national information infrastructure (U-NII), wireless

Copyright © 1999 by the Institute of Electrical and Electronics Engineers, Inc. All rights reserved. Published 30 December 1999. Printed in the United States of America.

Print: ISBN 0-7381-1809-5 SH94787 PDF: ISBN 0-7381-1810-9 SS94787

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

**R M** Find authenticated court documents without watermarks at <u>docketalarm.com</u>.

The Institute of Electrical and Electronics Engineers, Inc. 3 Park Avenue, New York, NY 10016-5997, USA

**IEEE Standards** documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. Members of the committees serve voluntarily and without compensation. They are not necessarily members of the Institute. The standards developed within IEEE represent a consensus of the broad expertise on the subject within the Institute as well as those activities outside of IEEE that have expressed an interest in participating in the development of the standard.

Use of an IEEE Standard is wholly voluntary. The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation. When a document is more than five years old and has not been reaffirmed, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of all concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration.

Comments on standards and requests for interpretations should be addressed to:

DOCKET

Secretary, IEEE-SA Standards Board 445 Hoes Lane P.O. Box 1331 Piscataway, NJ 08855-1331 USA

Note: Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE shall not be responsible for identifying patents for which a license may be required by an IEEE standard or for conducting inquiries into the legal validity or scope of those patents that are brought to its attention.

Authorization to photocopy portions of any individual standard for internal or personal use is granted by the Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; (978) 750-8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

#### Introduction

(This introduction is not part of IEEE Std 802.11a-1999, Supplement to IEEE Standard for Information technology— Telecommunications and information exchange between systems—Local and metropolitan area networks—Specific Requirements—Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) specifications: Highspeed Physical Layer in the 5 GHz Band.)

This standard is part of a family of standards for local and metropolitan area networks. The relationship between the standard and other members of the family is shown below. (The numbers in the figure refer to IEEE standard numbers.)



\* Formerly IEEE Std 802.1A.

DOCKE

Δ

R M

This family of standards deals with the Physical and Data Link layers as defined by the International Organization for Standardization (ISO) Open Systems Interconnection (OSI) Basic Reference Model (ISO/IEC 7498-1:1994). The access standards define seven types of medium access technologies and associated physical media, each appropriate for particular applications or system objectives. Other types are under investigation.

The standards defining the access technologies are as follows:

•	IEEE Std 802	<i>Overview and Architecture</i> . This standard provides an overview to the family of IEEE 802 Standards.
•	ANSI/IEEE Std 802.1B and 802.1k [ISO/IEC 15802-2]	LAN/MAN Management. Defines an OSI management-compatible architec- ture, and services and protocol elements for use in a LAN/MAN environment for performing remote management.
•	ANSI/IEEE Std 802.1D [ISO/IEC 15802-3]	<i>Media Access Control (MAC) Bridges.</i> Specifies an architecture and protocol for the interconnection of IEEE 802 LANs below the MAC service boundary.
•	ANSI/IEEE Std 802.1E [ISO/IEC 15802-4]	<i>System Load Protocol.</i> Specifies a set of services and protocol for those aspects of management concerned with the loading of systems on IEEE 802 LANs.
•	IEEE Std 802.1F	Common Definitions and Procedures for IEEE 802 Management Information
•	ANSI/IEEE Std 802.1G [ISO/IEC 15802-5]	<i>Remote Media Access Control Bridging</i> . Specifies extensions for the interconnection, using non-LAN communication technologies, of geographically separated IEEE 802 LANs below the level of the logical link control protocol.

- ANSI/IEEE Std 802.2 Logical Link Control
   [ISO/IEC 8802-2]
- ANSI/IEEE Std 802.3 CSMA/CD Access Method and Physical Layer Specifications
  [ISO/IEC 8802-3]
- ANSI/IEEE Std 802.4 Token Passing Bus Access Method and Physical Layer Specifications [ISO/IEC 8802-4]
- ANSI/IEEE Std 802.5 Token Ring Access Method and Physical Layer Specifications [ISO/IEC 8802-5]
- ANSI/IEEE Std 802.6 Distributed Queue Dual Bus Access Method and Physical Layer Specifica-[ISO/IEC 8802-6] tions
- ANSI/IEEE Std 802.9 Integrated Services (IS) LAN Interface at the Medium Access Control and [ISO/IEC 8802-9] Physical Layers
- ANSI/IEEE Std 802.10 Interoperable LAN/MAN Security
- IEEE Std 802.11 Wireless LAN Medium Access Control and Physical Layer Specifications
   [ISO/IEC DIS 8802-11]
- ANSI/IEEE Std 802.12 Demand Priority Access Method, Physical Layer and Repeater Specifica-[ISO/IEC DIS 8802-12] tions

In addition to the family of standards, the following is a recommended practice for a common Physical Layer technology:

• IEEE Std 802.7 IEEE Recommended Practice for Broadband Local Area Networks

The following additional working groups have authorized standards projects under development:

- IEEE 802.14 Standard Protocol for Cable-TV Based Broadband Communication Network
- IEEE 802.15 Wireless Personal Area Networks Access Method and Physical Layer
   Specifications
- IEEE 802.16 Broadband Wireless Access Method and Physical Layer Specifications

#### **Editor's Notes**

Clause 4, subclause 9.1, and Clause 17 in this supplement will be inserted into the base standard as an additional PHY specification for the 5 GHz unlicensed national information infrastructure (U-NII) band.

There are three annexes included in this supplement. Following are instructions to merge the information in these annexes into the base document.

**Annex A:** This annex shows a change to the table in A.4.3 of the base standard (IUT configuration) and the addition of a new subclause. Item \*CF6 should be added to the table in A.4.3 of the base standard. The entire subclause A.4.8 (Orthogonal frequency division multiplex PHY functions) should be added to the end of Annex A in the base standard (i.e., after A.4.7).

**Annex D:** This annex contains additions to be made to Annex D (ASN.1 encoding of the MAC and PHY MIB) of the base standard. There are five sections that provide instructions to merge the information contained herein into the appropriate locations in Annex D of the base standard.

**Annex G:** This annex is new to the base standard. The purpose of Annex G is to provide an example of encoding a frame for the OFDM PHY, described in Clause 17, including all intermediate stages.

# DOCKET



# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## **Real-Time Litigation Alerts**



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

### **Advanced Docket Research**



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

# **Analytics At Your Fingertips**



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

### API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

#### LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

#### **FINANCIAL INSTITUTIONS**

Litigation and bankruptcy checks for companies and debtors.

#### **E-DISCOVERY AND LEGAL VENDORS**

Sync your system to PACER to automate legal marketing.

