

Ex. GOOG 1045


Third Edition

INTERNETWORKING WITH
TCP/IP

VOLUME I
PRINCIPLES, PROTOCOLS,
AND ARCHITECTURE

*Includes
IPng and IPv6
over ATM*

IPR2015-00283
Ex. 0006 1045



DOUGLAS E. COMER

Library of Congress Cataloging-in-Publication Data

Comer, Douglas

Internetworking with TCP/IP / Douglas E. Comer. -- 3rd ed.

p. cm.

Includes bibliographical references and index.

Contents: v. 1. Principles, protocols, and architecture

ISBN 0-13-216987-8 (v. 1)

1. TCP/IP (Computer network protocol) 2. Client/server computing.
3. Internetworking (Telecommunication) I. Title.

TK5105.585.C66 1995

005.2--dc20

95-1830

CIP

Acquisitions editor: ALAN APT
Production editor: IRWIN ZUCKER
Cover designer: WENDY ALLING JUDY
Buyer: LORI BULWIN
Editorial assistant: SHIRLEY MCGUIRE



© 1995 by Prentice-Hall, Inc.
A Simon & Schuster Company
Upper Saddle River, New Jersey 07458

All rights reserved. No part of this book may be reproduced, in any form or by any means, without permission in writing from the publisher.

The author and publisher of this book have used their best efforts in preparing this book. These efforts include the development, research, and testing of the theories and programs to determine their effectiveness. The author and publisher make no warranty of any kind, expressed or implied, with regard to these programs or the documentation contained in this book. The author and publisher shall not be liable in any event for incidental or consequential damages in connection with, or arising out of, the furnishing, performance, or use of these programs.

UNIX is a registered trademark of UNIX System Laboratories, Incorporated
proNET-10 is a trademark of Proteon Corporation
LSI 11 is a trademark of Digital Equipment Corporation
Microsoft Windows is a trademark of Microsoft Corporation

Printed in the United States of America

10 9 8 7 6 5 4

ISBN 0-13-216987-8

Prentice-Hall International (UK) Limited, London
Prentice-Hall of Australia Pty. Limited, Sydney
Prentice-Hall Canada Inc., Toronto
Prentice-Hall Hispanoamericana, S.A., Mexico
Prentice-Hall of India Private Limited, New Delhi
Prentice-Hall of Japan, Inc., Tokyo
Simon & Schuster Asia Pte. Ltd., Singapore
Editora Prentice-Hall do Brasil, Ltda., Rio de Janeiro

25

Applications: Electronic Mail (822, SMTP, MIME)

25.1 Introduction

This chapter continues our exploration of internetworking by considering electronic mail service and the protocols that support it. The chapter describes how a mail system is organized, explains alias expansion, and shows how mail system software uses the client-server paradigm to transfer each message.

25.2 Electronic Mail

Many users first encounter computer networks when they send or receive electronic mail (e-mail) to or from a remote site. E-mail is the most widely used application service. Indeed, many computer users access networks only through electronic mail.

E-mail is popular because it offers a fast, convenient method of transferring information. E-mail can accommodate small notes or large voluminous memos with a single mechanism. It should not surprise you to learn that more users send files with electronic mail than with file transfer protocols.

Mail delivery is a new concept because it differs fundamentally from other uses of networks that we have discussed. In all our examples, network protocols send packets directly to destinations, using timeout and retransmission for individual segments if no acknowledgement returns. In the case of electronic mail, however, the system must provide for instances when the remote machine or the network connections have failed. A sender does not want to wait for the remote machine to become available before con-

tinuing work, nor does the user want the transfer to abort merely because communication with the remote machine becomes temporarily unavailable.

To handle delayed delivery, mail systems use a technique known as *spooling*. When the user sends a mail message, the system places a copy in its private storage (spool[†]) area along with identification of the sender, recipient, destination machine, and time of deposit. The system then initiates the transfer to the remote machine as a background activity, allowing the sender to proceed with other computational activities. Figure 25.1 illustrates the idea.




Figure 25.1 Conceptual components of an electronic mail system. The user invokes a user interface to deposit or retrieve mail; all transfers occur in the background.

The background mail transfer process becomes a client. The process first uses the domain name system to map the destination machine name to an IP address, and then attempts to form a TCP connection to the mail server on the destination machine. If it succeeds, the transfer process passes a copy of the message to the remote server, which stores the copy in the remote system's spool area. Once the client and server agree that the copy has been accepted and stored, the client removes the local copy. If it cannot form a TCP connection or if the connection fails, the transfer process records the time delivery was attempted and terminates. The background transfer process sweeps through the spool area periodically, typically once every 30 minutes, checking for undelivered mail. Whenever it finds a message or whenever a user deposits new outgoing mail, the background process attempts delivery again. If it finds that a mail message cannot be delivered after an extended time (e.g., 3 days), the mail software returns the message to the sender.

[†]Mail spool areas are sometimes called *mail queue* areas even though the term is technically inaccurate.

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.