



GSM
TECHNICAL
SPECIFICATION

GSM 07.07

July 1996

Version 5.0.0

Source: ETSI TC-SMG

Reference: TS/SMG-040707Q

ICS: 33.060.50

Key words: Digital cellular telecommunications system, Global System for Mobile communications (GSM)



**Digital cellular telecommunications system (Phase 2+);
AT command set for GSM Mobile Equipment (ME)
(GSM 07.07)**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1996. All rights reserved.

Sony, Ex. 1012, p.1

Whilst every care has been taken in the preparation and publication of this document, errors in content, typographical or otherwise, may occur. If you have comments concerning its accuracy, please write to "ETSI Editing and Committee Support Dept." at the address shown on the title page.

Sony, Ex. 1012, p.2

Contents

Foreword	5
1 Scope	7
2 References	7
3 Abbreviations and definitions	9
3.1 Abbreviations	9
3.2 Definitions	9
4 AT command syntax	10
4.1 Command line.....	10
4.2 Information responses and result codes.....	11
4.3 ITU-T V.25ter [14] TE-TA interface commands.....	11
5 General commands.....	12
5.1 Request manufacturer identification +CGMI.....	12
5.2 Request model identification +CGMM	12
5.3 Request revision identification +CGMR	13
5.4 Request product serial number identification +CGSN	13
5.5 Select TE character set +CSCS	14
5.6 ITU-T V.25ter [14] generic TA control commands.....	15
5.7 PCCA STD-101 [17] select wireless network +WS46	15
5.8 Informative examples.....	15
6 Call control commands and methods.....	17
6.1 Select type of address +CSTA.....	17
6.2 ITU-T V.25ter [14] dial command D.....	17
6.3 Direct dialling from phonebooks	18
6.4 Call mode +CMOD.....	19
6.5 Hangup call +CHUP.....	19
6.6 Alternating mode call control method	20
6.7 Select bearer service type +CBST.....	22
6.8 Radio link protocol +CRLP.....	23
6.9 Service reporting control +CR.....	23
6.10 Extended error report +CEER.....	24
6.11 Cellular result codes +CRC	24
6.12 ITU-T V.25ter [14] call control commands.....	25
6.13 ITU-T V.25ter [14] data compression commands.....	26
6.14 Informative examples.....	26
7 Network service related commands.....	27
7.1 Subscriber number +CNUM.....	27
7.2 Network registration +CREG	28
7.3 Operator selection +COPS	29
7.4 Facility lock +CLCK.....	30
7.5 Change password +CPWD.....	31
7.6 Calling line identification presentation +CLIP.....	32
7.7 Calling line identification restriction +CLIR.....	32
7.8 Connected line identification presentation +COLP	33
7.9 Closed user group +CCUG.....	34
7.10 Call forwarding number and conditions +CCFC	35
7.11 Call waiting +CCWA	36
7.12 Call hold and multiparty +CHLD.....	37
7.13 Call transfer +CTFR.....	37
7.14 Unstructured supplementary service data +CUSD	38
7.15 Advice of Charge +CAOC.....	39

7.16	Supplementary service notifications +CSSN.....	39
7.17	Informative examples.....	40
8	Mobile Equipment control and status commands.....	42
8.1	Phone activity status +CPAS.....	44
8.2	Set phone functionality +CFUN.....	44
8.3	Enter PIN +CPIN.....	45
8.4	Battery charge +CBC.....	46
8.5	Signal quality +CSQ.....	47
8.6	Mobile Equipment control mode +CMEC.....	47
8.7	Keypad control +CKPD.....	48
8.8	Display control +CDIS.....	49
8.9	Indicator control +CIND.....	50
8.10	Mobile Equipment event reporting +CMER.....	51
8.11	Select phonebook memory storage +CPBS.....	52
8.12	Read phonebook entries +CPBR.....	53
8.13	Find phonebook entries +CPBF.....	54
8.14	Write phonebook entry +CPBW.....	55
8.15	Clock +CCLK.....	55
8.16	Alarm +CALA.....	56
8.17	Generic SIM access +CSIM.....	57
8.18	Informative examples.....	57
9	Mobile Equipment errors.....	61
9.1	Report Mobile Equipment error +CMEE.....	61
9.2	Mobile Equipment error result code +CME ERROR.....	62
9.3	Informative examples.....	62
Annex A (normative):	Summary of commands from other standards.....	63
Annex B (normative):	Summary of result codes.....	65
Annex C (informative):	Commands from TIA IS-101.....	66
C.1	Introduction.....	66
C.2	Commands.....	67
C.2.1	Select mode +FCLASS.....	67
C.2.2	Buffer threshold setting +VBT.....	67
C.2.3	Calling number ID presentation +VCID.....	68
C.2.4	Receive gain selection +VGR.....	68
C.2.5	Transmit gain selection +VGT.....	68
C.2.6	Initialise voice parameters +VIP.....	68
C.2.7	Inactivity timer +VIT.....	69
C.2.8	Line selection +VLS.....	69
C.2.9	Receive data state +VRX.....	71
C.2.10	Select compression method +VSM.....	71
C.2.11	DTMF and tone generation +VTS.....	71
C.2.12	Tone duration +VTD.....	72
C.2.13	Transmit data state +VTX.....	72
Annex D (informative):	Bibliography.....	73
Annex E (informative):	Mobile originated alternating voice/data call example.....	74
Annex F (informative):	Mobile terminated voice followed by data call example.....	75
Annex G (informative):	Voice call example.....	76
History.....		77

Foreword

This Global System for Mobile communications Technical Specification (GTS) has been produced by the Special Mobile Group (SMG) Technical Committee (TC) of the European Telecommunications Standards Institute (ETSI).

This GTS specifies the AT command for terminal equipments being used within the digital cellular telecommunications system (Phase 2/Phase 2+).

This GTS is a TC-SMG approved GSM technical specification version 5, which contains GSM Phase 2+ enhancements/features to the version 4 GSM technical specification. The ETS from which this Phase 2+ GTS has evolved is Phase 2 GSM prETS 300 642 (GSM 07.07 version 4.1.0).

GTS are produced by TC-SMG to enable the GSM Phase 2 + specifications to become publicly available, prior to submission for the formal ETSI standards approval procedure to become European Telecommunications Standards (ETS). This ensures the earliest possible access to GSM Phase 2+ specifications for all Manufacturers, Network operators and implementors of the Global System for Mobile communications.

The contents of this GTS are subject to continuing work within TC-SMG and may change following formal TC-SMG approval. Should TC-SMG modify the contents of this GTS it will then be republished by ETSI with an identifying change of release date and an increase in version number as follows:

Version 5.x.y

where:

- y the third digit is incremented when editorial only changes have been incorporated in the specification;
- x the second digit is incremented for all other types of changes, i.e. technical enhancements, corrections, updates, etc.

NOTE: TC-SMG has produced documents which give the technical specifications for the implementation of the digital cellular telecommunications system. Historically, these documents have been identified as GSM Technical Specifications (GSM-TSs). These TSs may have subsequently become I-ETSS (Phase 1), or ETSS/ETSI Technical Reports (ETRs) (Phase 2). TC-SMG has also produced ETSI GSM TSs which give the technical specifications for the implementation of Phase 2+ enhancements of the digital cellular telecommunications system. These version 5.x.x GSM Technical Specifications may be referred to as GTSs.

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.