
R M



Order a FREE Sample Now. Call 855.985.3636


S tronger and lasts longer. A broken file is the one of the worst things that can happen during a procedure. Our revolutionary heat treated Fire-Wire Tru Niti yields performance enhancing durability (PED) that provides not only incredible flexibility, but far out performs even the most expensive files on the market in cyclic fatigue testing; a key indicator of file strength and durability.



Find authenticated court documents without watermarks at docketalarm.com.



*Cyclic fatigue rates conducted by internal testing.



Works with the system you already use.

	Xı	X3	Xs	X7
WAVEONE®				
PROTA PER®	-	~		
GTO OR GT SERIES XO		and the little of sources	~	
VORTEX®		and the second		V
PROFILE®	4904-14-14-14-14-14-14-14-14-14-14-14-14-14			~
K30	artin an antinenti antina tantariak	an-distance and starting		V
SEQUENCE®				~

All our products work interchangeably with the system and technique you already use. For a full list of compatible systems click here.

Directions for Use	Tip Cards	Size Compatibility Chart
Directions for Use:		
EdgeFile™ X1		
EdgeFile™ X3		
EdgeFile™ X5		
EdgeFile™ X7		
EdgeFile™ XR		

Δ

EdgeFileTM | EdgeEndo®

Page 3 of 3

EdgeFile[™] XR Retreatment Files

XR Files enhance and expedite the re-treatment of a root canal. 4 files available - R1 (25.12), R2 (25.08), R3 (25.06), R4 (25.04), each size comes in a 4 pack.

Introducing the revolutionary EdgeFile[™]. Featuring our own Fire-Wire[™] NiTi.

Order a FREE Sample Now. Call 855.985.3636

Please have the following information available when you call:

1. The name of your current rotary system.

2. The millimeter length you are using.



(C) 2014 EdgeEndo®

Δ

