



ANTERIO E PARE INCIDENTE DE CONTRA LA DESCRICA DE CONTRA LA DESCRICA DE CONTRA LA DECENTRA LA CONTRA LA CO





CONSOLIDATED GUIDELINES ON

THE USE OF ANTIRETROVIRAL DRUGS FOR TREATING AND PREVENTING HIV INFECTION

RECOMMENDATIONS FOR A PUBLIC HEALTH APPROACH

JUNE 2013



WHO Library Cataloguing-in-Publication Data

Consolidated guidelines on the use of antiretroviral drugs for treating and preventing HIV infection: Recommendations for a public health approach June 2013.

1.HIV infections – drug therapy. 2.HIV infections – prevention and control. 3.Anti-Retroviral agents – therapeutic use. 4.Guideline. I.World Health Organization.

ISBN 978 92 4 150572 7 (NLM classification: WC 503.2)

© World Health Organization 2013

All rights reserved. Publications of the World Health Organization are available on the WHO web site (www.who.int) or can be purchased from WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel.: +41 22 791 3264; fax: +41 22 791 4857; e-mail: bookorders@who.int).

Requests for permission to reproduce or translate WHO publications – whether for sale or for noncommercial distribution – should be addressed to WHO Press through the WHO web site (http://www.who.int/about/licensing/copyright_form/en/index.html).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

Design and layout by ACW, London

Re-printed in November 2013 with changes.



CONTENTS

	Abbr	Abbreviations and acronyms				
	Defir	Definition of key terms				
	Ackn	Acknowledgements				
	Forev	Foreword				
	Exec	Executive summary				
	Sumr	Summary of new recommendations				
1.	Introduction					
	1.1	Background and context				
	1.2	Rationale for consolidated guidelines				
	1.3	Objectives				
	1.4	Target audience				
	1.5	Scope and components				
		1.5.1	Introductory chapters	40		
		1.5.2	Clinical guidance	40		
		1.5.3	Operational and service delivery guidance	40		
		1.5.4	Guidance for programme managers	41		
		1.5.5	Monitoring and evaluation	41		
2.	Guid	uiding principles				
	2.1	Contribution to global health goals				
	2.2	Public health approach				
	2.3	Strengthening health systems through innovation and learning				
	2.4	Increasing the effectiveness and efficiency of programmes				
	2.5	Promoting human rights and health equity				
	2.6	Implementation based on local context				
3.	Methods and process for developing the guidelines					
	3.1	Overview				
	3.2	Information sources				
	3.3	External participation				
		3.3.1	Guideline Development Groups and peer review process	49		



Continuum of care 4.1 Structure of presentation for new recommendations 58 4.2 Structure of presentation of selected recommendations from existing guidelines 58 4.3 How to use the guidelines for specific populations 59 4.3.1 Pregnant and breastfeeding women 59 4.3.2 Adolescents 61 4.3.3 Children 63 4.3.4 Key populations 70 5.1 HIV testing and counselling 5.1.1 Introduction 68 5.1.2 HIV testing and counselling in health facilities 5.1.3 Community-based HIV testing and counselling 5.1.4 HIV testing and counselling 5.1.5 HIV testing and counselling 5.1.6 AHIV testing and counselling 5.1.7 AHIV testing and counselling 5.1.8 Community-based HIV testing and counselling 5.1.9 Community-based HIV testing and counselling 5.1.1 First populations 5.2.2 ART for prevention among serodiscordant couples 5.2.3 Post-exposure oral prophylaxis 5.2.4 Combination HIV prevention 6. Clinical guidelines across the continuum of care: Linking people diagnosed with HIV infection to HIV care and treatment 6.1 Introduction 6.2 Good practices for linkage to care 6.3 Introduction 6.4 Good practices for linkage to care			3.3.2	Conflicts of interest	49			
4. Organization of the guidelines Continuum of care 4.1 Structure of presentation for new recommendations 58 4.2 Structure of presentation of selected recommendations from existing guidelines 58 4.3 How to use the guidelines for specific populations 59 4.3.1 Pregnant and breastfeeding women 59 4.3.2 Adolescents 61 4.3.3 Children 63 4.3.4 Key populations 64 5. Clinical guidelines across the continuum of care: HIV diagnosis and ARV drugs for HIV prevention 65 5.1 HIV testing and counselling 67 5.1.1 Introduction 68 5.1.2 HIV testing and counselling in health facilities 69 5.1.3 Community-based HIV testing and counselling 70 5.1.4 HIV testing and counselling 71 5.2 HIV prevention based on ARV drugs 5.2.1 Oral pre-exposure oral prophylaxis 5.2.2 ART for prevention among serodiscordant couples 5.2.3 Post-exposure prophylaxis for occupational and non-occupational exposure to HIV 6. Clinical guidelines across the continuum of care: Linking people diagnosed with HIV prevention 6. Clinical guidelines across the continuum of care: Linking people diagnosed with HIV infection to HIV care and treatment 6.1 Introduction 6.2 Good practices for linkage to care 6.3 Good practices for linkage to care		3.4	Process of formulating recommendations		50			
4. Organization of the guidelines Continuum of care 4.1 Structure of presentation for new recommendations 58 4.2 Structure of presentation of selected recommendations from existing guidelines 58 4.3 How to use the guidelines for specific populations 59 4.3.1 Pregnant and breastfeeding women 59 4.3.2 Adolescents 4.3.3 Children 50 4.3.4 Key populations 51 51.1 Introduction 51.1 Introduction 51.1 Introduction 51.1 HIV testing and counselling 51.1 Introduction 51.1 HIV testing and counselling in health facilities 51.1 Community-based HIV testing and counselling 51.1 HIV testing and counselling 51.1 HIV testing and counselling 51.2 HIV testing and counselling 51.3 Community-based HIV testing and counselling 51.4 HIV testing and counselling 51.5 Community-based on ARV drugs 51.1 Oral pre-exposure oral prophylaxis 51.2 ART for prevention among serodiscordant couples 51.3 Post-exposure prophylaxis for occupational and non-occupational exposure to HIV 51.2 Combination HIV prevention 61. Introduction 62. Good practices for linkage to care 63 64 65 65 66 67 67 68 68 68 68 68		3.5	Other methods					
Continuum of care 4.1 Structure of presentation for new recommendations 4.2 Structure of presentation of selected recommendations from existing guidelines 4.3 How to use the guidelines for specific populations 4.3.1 Pregnant and breastfeeding women 4.3.2 Adolescents 4.3.3 Children 4.3.4 Key populations 5. Clinical guidelines across the continuum of care: HIV diagnosis and ARV drugs for HIV prevention 5.1 HIV testing and counselling 5.1.1 Introduction 5.1.2 HIV testing and counselling in health facilities 5.1.3 Community-based HIV testing and counselling 5.1.4 HIV testing and counselling 5.1.5 HIV prevention based on ARV drugs 5.2 HIV prevention based on ARV drugs 5.2.1 Oral pre-exposure oral prophylaxis 5.2.2 ART for prevention among serodiscordant couples 5.2.3 Post-exposure prophylaxis for occupational and non-occupational exposure to HIV 5.2.4 Combination HIV prevention 6. Clinical guidelines across the continuum of care: Linking people diagnosed with HIV infection to HIV care and treatment 6.1 Introduction 86 6.2 Good practices for linkage to care 86		3.6	Dissemination					
4.1 Structure of presentation for new recommendations 4.2 Structure of presentation of selected recommendations from existing guidelines 58 4.3 How to use the guidelines for specific populations 59 4.3.1 Pregnant and breastfeeding women 59 4.3.2 Adolescents 61 4.3.3 Children 63 4.3.4 Key populations 65 Clinical guidelines across the continuum of care: HIV diagnosis and ARV drugs for HIV prevention 68 5.1 HIV testing and counselling 68 5.1.1 Introduction 68 5.1.2 HIV testing and counselling in health facilities 69 5.1.3 Community-based HIV testing and counselling 70 5.1.4 HIV testing and counselling in specific populations 72 5.2 HIV prevention based on ARV drugs 72 5.2.1 Oral pre-exposure oral prophylaxis 72 5.2.2 ART for prevention among serodiscordant couples 73 5.2.3 Post-exposure prophylaxis for occupational and non-occupational exposure to HIV 75 6. Clinical guidelines across the continuum of care: Linking people diagnosed with HIV infection 76 77 78 78 79 70 70 71 71 72 72 73 74 75 75 76 77 77 78 78 79 70 70 71 71 72 72 73 74 75 75 76 77 77 78 78 79 70 70 70 71 71 71 72 72 73 74 75 75 76 77 77 78 78 79 70 70 70 71 71 71 71 71 71 71 71 71 71 71 71 71	4.	Orga	ganization of the guidelines					
4.2 Structure of presentation of selected recommendations from existing guidelines 4.3 How to use the guidelines for specific populations 4.3.1 Pregnant and breastfeeding women 4.3.2 Adolescents 4.3.3 Children 4.3.4 Key populations 5. Clinical guidelines across the continuum of care: HIV diagnosis and ARV drugs for HIV prevention 5.1 HIV testing and counselling 5.1.1 Introduction 5.1.2 HIV testing and counselling in health facilities 5.1.3 Community-based HIV testing and counselling 5.1.4 HIV testing and counselling 5.1.5 HIV prevention based on ARV drugs 5.2 HIV prevention based on ARV drugs 5.2.1 Oral pre-exposure oral prophylaxis 5.2.2 ART for prevention among serodiscordant couples 5.2.3 Post-exposure prophylaxis for occupational and non-occupational exposure to HIV 5.2.4 Combination HIV prevention 6. Clinical guidelines across the continuum of care: Linking people diagnosed with HIV infection to HIV care and treatment 6.1 Introduction 6.2 Good practices for linkage to care 86			Continu	ium of care	56			
from existing guidelines 4.3 How to use the guidelines for specific populations 59 4.3.1 Pregnant and breastfeeding women 4.3.2 Adolescents 4.3.3 Children 4.3.4 Key populations 64 5. Clinical guidelines across the continuum of care: HIV diagnosis and ARV drugs for HIV prevention 5.1 HIV testing and counselling 5.1.1 Introduction 68 5.1.2 HIV testing and counselling in health facilities 69 5.1.3 Community-based HIV testing and counselling 70 5.1.4 HIV testing and counselling in specific populations 72 5.2 HIV prevention based on ARV drugs 5.2.1 Oral pre-exposure oral prophylaxis 5.2.2 ART for prevention among serodiscordant couples 5.2.3 Post-exposure prophylaxis for occupational and non-occupational exposure to HIV 5.2.4 Combination HIV prevention 6. Clinical guidelines across the continuum of care: Linking people diagnosed with HIV infection to HIV care and treatment 6.1 Introduction 6.2 Good practices for linkage to care 86		4.1	Structure of presentation for new recommendations					
4.3.1 Pregnant and breastfeeding women 4.3.2 Adolescents 4.3.3 Children 4.3.4 Key populations 6.2 Clinical guidelines across the continuum of care: HIV diagnosis and ARV drugs for HIV prevention 6.1 HIV testing and counselling 6.2 Good practices for linkage to care 6.1 Clinical guidelines across the continuum of care: 4.3.4 Key populations 6.1 HIV testing and counselling 6.2 Good practices for linkage to care 6.1 Adolescents 6.2 Good practices for linkage to care 6.2 Good practices for linkage to care 6.3 Adolescents 6.4 Adolescents 6.5 Good practices for linkage to care 6.5 Clinical guidelines across the continuum of care: 6.6 Linking people diagnosed with HIV infection 6.7 Clinical guidelines across the continuum of care: 6.8 Linking people diagnosed with HIV infection 6.9 Good practices for linkage to care 6.9 Clinical guidelines across the continuum of care: 6.1 Introduction 6.2 Good practices for linkage to care 6.4 Clinical guidelines across for linkage to care 6.5 Clinical guidelines across for linkage to care 6.6 Clinical guidelines across for linkage to care 8.6 Clinical guidelines across for linkage to care 8.7 Clinical guidelines across for linkage to care 8.7 Clinical guidelines across for linkage to care 8.8 Clinical guidelines across for linkage to care		4.2	·					
4.3.2 Adolescents 4.3.3 Children 4.3.4 Key populations Clinical guidelines across the continuum of care: HIV diagnosis and ARV drugs for HIV prevention 5.1 HIV testing and counselling 5.1.1 Introduction 68 5.1.2 HIV testing and counselling in health facilities 69 5.1.3 Community-based HIV testing and counselling 70 5.1.4 HIV testing and counselling in specific populations 72 5.2 HIV prevention based on ARV drugs 5.2.1 Oral pre-exposure oral prophylaxis 82 5.2.2 ART for prevention among serodiscordant couples 83 5.2.3 Post-exposure prophylaxis for occupational and non-occupational exposure to HIV 83 5.2.4 Combination HIV prevention 6. Clinical guidelines across the continuum of care: Linking people diagnosed with HIV infection to HIV care and treatment 6.1 Introduction 86 6.2 Good practices for linkage to care 86		4.3	How to use the guidelines for specific populations					
4.3.4 Key populations 2 64 5. Clinical guidelines across the continuum of care: HIV diagnosis and ARV drugs for HIV prevention 68 5.1 HIV testing and counselling 68 5.1.1 Introduction 68 5.1.2 HIV testing and counselling in health facilities 69 5.1.3 Community-based HIV testing and counselling 70 5.1.4 HIV testing and counselling 70 5.1.5 HIV prevention based on ARV drugs 82 5.2.1 Oral pre-exposure oral prophylaxis 82 5.2.2 ART for prevention among serodiscordant couples 83 5.2.3 Post-exposure prophylaxis for occupational and 700-occupational exposure to HIV 83 5.2.4 Combination HIV prevention 84 6. Clinical guidelines across the continuum of care: Linking people diagnosed with HIV infection 70 71 71 71 71 71 71 71 71 71 71 71 71 71			4.3.1	Pregnant and breastfeeding women	59			
4.3.4 Key populations 6 Clinical guidelines across the continuum of care: HIV diagnosis and ARV drugs for HIV prevention 67 5.1 HIV testing and counselling 68 5.1.1 Introduction 68 5.1.2 HIV testing and counselling in health facilities 69 5.1.3 Community-based HIV testing and counselling 70 5.1.4 HIV testing and counselling in specific populations 72 5.2 HIV prevention based on ARV drugs 82 5.2.1 Oral pre-exposure oral prophylaxis 82 5.2.2 ART for prevention among serodiscordant couples 83 5.2.3 Post-exposure prophylaxis for occupational and non-occupational exposure to HIV 83 5.2.4 Combination HIV prevention 84 6. Clinical guidelines across the continuum of care: Linking people diagnosed with HIV infection to HIV care and treatment 85 6.1 Introduction 86 6.2 Good practices for linkage to care 86			4.3.2	Adolescents	61			
5. Clinical guidelines across the continuum of care: HIV diagnosis and ARV drugs for HIV prevention 5.1 HIV testing and counselling 5.1.1 Introduction 68 5.1.2 HIV testing and counselling in health facilities 69 5.1.3 Community-based HIV testing and counselling 5.1.4 HIV testing and counselling in specific populations 72 5.2 HIV prevention based on ARV drugs 5.2.1 Oral pre-exposure oral prophylaxis 5.2.2 ART for prevention among serodiscordant couples 5.2.3 Post-exposure prophylaxis for occupational and non-occupational exposure to HIV 83 5.2.4 Combination HIV prevention 6. Clinical guidelines across the continuum of care: Linking people diagnosed with HIV infection to HIV care and treatment 6.1 Introduction 86 6.2 Good practices for linkage to care 86			4.3.3	Children 🐇	63			
HIV diagnosis and ARV drugs for HIV prevention 5.1 HIV testing and counselling 5.1.1 Introduction 5.1.2 HIV testing and counselling in health facilities 5.1.3 Community-based HIV testing and counselling 5.1.4 HIV testing and counselling in specific populations 72 5.2 HIV prevention based on ARV drugs 5.2.1 Oral pre-exposure oral prophylaxis 5.2.2 ART for prevention among serodiscordant couples 5.2.3 Post-exposure prophylaxis for occupational and non-occupational exposure to HIV 83 5.2.4 Combination HIV prevention 6. Clinical guidelines across the continuum of care: Linking people diagnosed with HIV infection to HIV care and treatment 6.1 Introduction 86 6.2 Good practices for linkage to care 86			4.3.4	Key populations 🥻	64			
5.1.1 Introduction 68 5.1.2 HIV testing and counselling in health facilities 69 5.1.3 Community-based HIV testing and counselling 70 5.1.4 HIV testing and counselling in specific populations 72 5.2 HIV prevention based on ARV drugs 82 5.2.1 Oral pre-exposure oral prophylaxis 82 5.2.2 ART for prevention among serodiscordant couples 83 5.2.3 Post-exposure prophylaxis for occupational and non-occupational exposure to HIV 83 5.2.4 Combination HIV prevention 84 6. Clinical guidelines across the continuum of care: Linking people diagnosed with HIV infection to HIV care and treatment 85 6.1 Introduction 86 6.2 Good practices for linkage to care 86	5.	X 69 Y 2000 X 1 X						
5.1.2 HIV testing and counselling in health facilities 5.1.3 Community-based HIV testing and counselling 5.1.4 HIV testing and counselling in specific populations 72 5.2 HIV prevention based on ARV drugs 5.2.1 Oral pre-exposure oral prophylaxis 5.2.2 ART for prevention among serodiscordant couples 5.2.3 Post-exposure prophylaxis for occupational and non-occupational exposure to HIV 83 5.2.4 Combination HIV prevention 84 6. Clinical guidelines across the continuum of care: Linking people diagnosed with HIV infection to HIV care and treatment 6.1 Introduction 86 6.2 Good practices for linkage to care		5.1	HIV testing and counselling					
5.1.3 Community-based HIV testing and counselling 5.1.4 HIV testing and counselling in specific populations 72 5.2 HIV prevention based on ARV drugs 5.2.1 Oral pre-exposure oral prophylaxis 82 5.2.2 ART for prevention among serodiscordant couples 83 5.2.3 Post-exposure prophylaxis for occupational and non-occupational exposure to HIV 83 5.2.4 Combination HIV prevention 84 6. Clinical guidelines across the continuum of care: Linking people diagnosed with HIV infection to HIV care and treatment 85 6.1 Introduction 86 6.2 Good practices for linkage to care			5.1.1	Introduction	68			
5.1.4 HIV testing and counselling in specific populations 72 5.2 HIV prevention based on ARV drugs 5.2.1 Oral pre-exposure oral prophylaxis 5.2.2 ART for prevention among serodiscordant couples 5.2.3 Post-exposure prophylaxis for occupational and non-occupational exposure to HIV 83 5.2.4 Combination HIV prevention 84 6. Clinical guidelines across the continuum of care: Linking people diagnosed with HIV infection to HIV care and treatment 6.1 Introduction 86 6.2 Good practices for linkage to care 86			5.1.2	HIV testing and counselling in health facilities	69			
5.2 HIV prevention based on ARV drugs 5.2.1 Oral pre-exposure oral prophylaxis 5.2.2 ART for prevention among serodiscordant couples 5.2.3 Post-exposure prophylaxis for occupational and non-occupational exposure to HIV 83 5.2.4 Combination HIV prevention 6. Clinical guidelines across the continuum of care: Linking people diagnosed with HIV infection to HIV care and treatment 6.1 Introduction 86 6.2 Good practices for linkage to care 86			5.1.3	Community-based HIV testing and counselling	70			
5.2.1 Oral pre-exposure oral prophylaxis 82 5.2.2 ART for prevention among serodiscordant couples 83 5.2.3 Post-exposure prophylaxis for occupational and non-occupational exposure to HIV 83 5.2.4 Combination HIV prevention 84 6. Clinical guidelines across the continuum of care: Linking people diagnosed with HIV infection to HIV care and treatment 85 6.1 Introduction 86 6.2 Good practices for linkage to care 86			5.1.4		72			
5.2.2 ART for prevention among serodiscordant couples 5.2.3 Post-exposure prophylaxis for occupational and non-occupational exposure to HIV 83 5.2.4 Combination HIV prevention 84 6. Clinical guidelines across the continuum of care: Linking people diagnosed with HIV infection to HIV care and treatment 85 6.1 Introduction 86 6.2 Good practices for linkage to care		5.2	HIV prevention based on ARV drugs					
5.2.3 Post-exposure prophylaxis for occupational and non-occupational exposure to HIV 83 5.2.4 Combination HIV prevention 84 6. Clinical guidelines across the continuum of care: Linking people diagnosed with HIV infection to HIV care and treatment 85 6.1 Introduction 86 6.2 Good practices for linkage to care			5.2.1	Oral pre-exposure oral prophylaxis	82			
non-occupational exposure to HIV 5.2.4 Combination HIV prevention 84 6. Clinical guidelines across the continuum of care: Linking people diagnosed with HIV infection to HIV care and treatment 6.1 Introduction 6.2 Good practices for linkage to care 86			5.2.2	ART for prevention among serodiscordant couples	83			
6. Clinical guidelines across the continuum of care: Linking people diagnosed with HIV infection to HIV care and treatment 6.1 Introduction 6.2 Good practices for linkage to care 86			5.2.3		83			
Linking people diagnosed with HIV infection to HIV care and treatment 6.1 Introduction 6.2 Good practices for linkage to care 86			5.2.4	Combination HIV prevention	84			
6.1 Introduction 86 6.2 Good practices for linkage to care 86	6.	Linking people diagnosed with HIV infection						
6.2 Good practices for linkage to care 86								
,								
0.3 Geliefal Cafe for Decidie invitio with this		6.3	General care for people living with HIV					



DOCKET

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

