

HANDBOOK OF
PHARMACEUTICAL

EXCIPIENTS

THIRD EDITION



APhA
American
Pharmaceutical
Association



Pharmaceutical Press

EDITED BY

ARTHUR H. KIBBE

Handbook of PHARMACEUTICAL EXCIPIENTS

Third Edition

Edited by

Arthur H. Kibbe, Ph.D.

Professor and Chair
Department of Pharmaceutical Sciences
Wilkes University School of Pharmacy
Wilkes-Barre, Pennsylvania



American Pharmaceutical Association
Washington, D.C.



London, United Kingdom

Published by the American Pharmaceutical Association
2215 Constitution Avenue NW, Washington, DC 20037-2985, USA
www.aphanet.org
and the Pharmaceutical Press
1 Lambeth High Street, London SE1 7JN, UK
www.pharmpress.com

© 1986, 1994, 2000 American Pharmaceutical Association and Pharmaceutical Press

First edition 1986
Second edition 1994
Third edition 2000

Printed in the United States of America

ISBN: 0-85369-381-1 (UK)
ISBN: 0-917330-96-X (USA)

Library of Congress Cataloging-in-Publication Data

Handbook of pharmaceutical excipients / edited by Arthur H. Kibbe.--3rd ed.
p. ; cm.

Includes bibliographical references and index.

ISBN 0-917330-96-X

I. Excipients--Handbooks, manuals, etc. I. Kibbe, Arthur H. II. American
Pharmaceutical Association.

[DNLM: 1. Excipients--Handbooks. QV 735 H236 2000]

RS201.E87 H36 2000

615'.19--dc21

99-044554

A catalogue record for this book is available from the British Library.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, without the prior written permission of the copyright holder. The publisher makes no representation, express or implied, with regard to the accuracy of the information contained in this book and cannot accept any legal responsibility or liability for any errors or omissions that may be made.

Managing Editor: Melanie Segala
Copyeditor: Paul Gottehrer
Indexer: Lillian Rodberg
Compositor: Roy Barnhill
Cover Designer: Tim Kaage


Methylparaben

SEM: 1

Excipient: Methylparaben

Supplier: Bate Chemical Co Ltd

Magnification: 600×



Methylparaben (0.18%) together with propylparaben (0.02%) has been used for the preservation of various parenteral pharmaceutical formulations, *see* Section 14.

Use	Concentration (%)
IM, IV, SC injections ^(a)	0.065-0.25
Inhalation solutions	0.025-0.07
Intradermal injections	0.10
Nasal solutions	0.033
Ophthalmic preparations ^(a)	0.015-0.2
Oral solutions and suspensions	0.015-0.2
Rectal preparations	0.1-0.18
Topical preparations	0.02-0.3
Vaginal preparations	0.1-0.18

^(a) *See* Section 14.

1. Nonproprietary Names

BP: Methyl hydroxybenzoate

JP: Methyl parahydroxybenzoate

PhEur: Methylis parahydroxybenzoas

USP: Methylparaben

2. Synonyms

E218; 4-hydroxybenzoic acid methyl ester; *Methyl Chemosept*; methyl *p*-hydroxybenzoate; *Methyl Parasept*; *Nipagin M*; *Solbrol M*; *Tegosept M*.

3. Chemical Name and CAS Registry Number


Methyl 4-hydroxybenzoate [99-76-3]

4. Empirical Formula Molecular Weight

C₈H₈O₃

152.15

5. Structural Formula



6. Functional Category

Antimicrobial preservative.

7. Applications in Pharmaceutical Formulation or Technology

Methylparaben is widely used as an antimicrobial preservative in cosmetics, food products, and pharmaceutical formulations. It may be used either alone, in combination with other parabens, or with other antimicrobial agents. In cosmetics, methylparaben is the most frequently used antimicrobial preservative.⁽¹⁾

The parabens are effective over a wide pH range and have a broad spectrum of antimicrobial activity although they are most effective against yeasts and molds. Antimicrobial activity increases as the chain length of the alkyl moiety is increased; aqueous solubility however decreases. A mixture of parabens is thus frequently used to provide effective preservation. Preservative efficacy is also improved by the addition of 2-5% propylene glycol, or by using parabens in combination with other antimicrobial agents such as imidurea, *see* Section 10.

8. Description

Methylparaben occurs as colorless crystals or a white crystalline powder. It is odorless or almost odorless and has a slight burning taste.

9. Pharmacopeial Specifications

Test	JP	PhEur	USP
Identification	+	+	+
Characters	+	+	—
Melting range	125-128°C	125-128°C	125-128°C
Acidity	—	+	+
Loss on drying	≤ 0.5%	—	≤ 0.5%
Residue on ignition	≤ 0.10%	—	≤ 0.05%

(Continued)

Test	JP	PhEur	USP
Sulfate	≤ 0.024%	—	—
Heavy metals	≤ 20 ppm	—	—
Readily carbonizable substances	+	—	—
Appearance of solution	—	+	+
Related substances	+	+	—
Assay (dried basis)	≥ 99.0%	99.0-100.5%	99.0-100.5%

10. Typical Properties

Antimicrobial activity: methylparaben exhibits antimicrobial activity between pH 4-8. Preservative efficacy decreases with increasing pH due to the formation of the phenolate anion. Parabens are more active against yeasts and molds than against bacteria. They are also more active against Gram-positive bacteria than against Gram-negative bacteria.

Methylparaben is the least active of the parabens; antimicrobial activity increases with increasing chain length of the alkyl moiety. Activity may be improved by using combinations of parabens, since additive effects occur. Therefore, combinations of methyl, ethyl, propyl, and butylparaben are often used together. Activity has also been reported to be enhanced by the addition of other excipients such as: propylene glycol (2-5%);⁽²⁾ phenylethyl alcohol;⁽³⁾ and edetic acid.⁽⁴⁾ Activity may also be enhanced, due to synergistic effects, by using combinations of parabens with other antimicrobial preservatives such as imidurea.⁽⁵⁾

The hydrolysis product, *p*-hydroxybenzoic acid, has practically no antimicrobial activity.

See also Section 12.

Reported minimum inhibitory concentrations (MICs) for methylparaben are shown in Table I.⁽⁴⁾

Density (true): 1.352 g/cm^{3(a)}

Dissociation constant: pK_a = 8.4 at 22°C

Melting point: 125-128°C

Partition coefficients: values for different vegetable oils vary considerably and are affected by the purity of the oil, see Table II.

Solubility: see Table III

^(a) Results of laboratory project for third edition.

11. Stability and Storage Conditions

Aqueous solutions of methylparaben, at pH 3-6, may be sterilized by autoclaving at 120°C for 20 minutes, without decomposition.⁽⁸⁾ Aqueous solutions at pH 3-6 are stable (less than 10% decomposition) for up to about 4 years at room temperature, while aqueous solutions at pH 8 or above are subject to rapid hydrolysis (10% or more after about 60 days storage at room temperature).⁽⁹⁾

Predicted rate constants and half-lives at 25°C, for methylparaben dissolved in dilute hydrochloric acid solution at the initial pH shown below:⁽⁹⁾

Initial pH of solution	Rate constant k ± σ ^(a) (hour ⁻¹)	Half-life t _{1/2} ± σ ^(a) (day)
1	(1.086 ± 0.005) × 10 ⁻⁴	266 ± 13
2	(1.16 ± 0.12) × 10 ⁻⁵	2490 ± 260
3	(6.1 ± 1.5) × 10 ⁻⁷	47000 ± 12000

Table I: Minimum inhibitory concentrations (MICs) of methylparaben in aqueous solution.⁽⁴⁾

Microorganism	MIC (μg/mL)
<i>Aerobacter aerogenes</i> ATCC 8308	2000
<i>Aspergillus oryzae</i>	600
<i>Aspergillus niger</i> ATCC 9642	1000
<i>Aspergillus niger</i> ATCC 10254	1000
<i>Bacillus cereus</i> var. <i>mycoides</i> ATCC 6462	2000
<i>Bacillus subtilis</i> ATCC 6633	2000
<i>Candida albicans</i> ATCC 10231	2000
<i>Enterobacter cloacae</i> ATCC 23355	1000
<i>Escherichia coli</i> ATCC 8739	1000
<i>Escherichia coli</i> ATCC 9637	1000
<i>Klebsiella pneumoniae</i> ATCC 8308	1000
<i>Penicillium chrysogenum</i> ATCC 9480	500
<i>Penicillium digitatum</i> ATCC 10030	500
<i>Proteus vulgaris</i> ATCC 8427	2000
<i>Proteus vulgaris</i> ATCC 13315	1000
<i>Pseudomonas aeruginosa</i> ATCC 9027	4000
<i>Pseudomonas aeruginosa</i> ATCC 15442	4000
<i>Pseudomonas stutzeri</i>	2000
<i>Rhizopus nigricans</i> ATCC 6227A	500
<i>Saccharomyces cerevisiae</i> ATCC 9763	1000
<i>Salmonella typhosa</i> ATCC 6539	1000
<i>Sarcina lutea</i>	4000
<i>Serratia marcescens</i> ATCC 8100	1000
<i>Staphylococcus aureus</i> ATCC 6538P	2000
<i>Staphylococcus epidermidis</i> ATCC 12228	2000
<i>Trichoderma lignorum</i> ATCC 8678	250
<i>Trichoderma mentagrophytes</i>	250

Table II: Partition coefficients of methylparaben in vegetable oil and water.^(6,7)

Solvent	Partition coefficient Oil: water
Almond oil	7.5
Castor oil	6.0
Corn oil	4.1
Diethyl adipate	200
Isopropyl myristate	18.0
Lanolin	7.0
Mineral oil	0.1
Peanut oil	4.2
Soybean oil	6.1

Table III: Solubility of methylparaben in various solvents.⁽⁴⁾

Solvent	Solubility at 25°C Unless otherwise stated
Ethanol	1 in 2
Ethanol (95%)	1 in 3
Ethanol (50%)	1 in 6
Ether	1 in 10
Glycerin	1 in 60
Mineral oil	Practically insoluble
Peanut oil	1 in 200
Propylene glycol	1 in 5
Water	1 in 400

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.