

1. *trans*-Cycloalkenes. Part IV. Some aspects of the chemistry of *trans*-cyclo-octene
K. T. Burgoine, **S. G. Davies**, M. J. Peagram and G. H. Whitham, *J. Chem. Soc., Perkin Trans. 1*, **1974**, 2629
2. Carbon-13 nuclear magnetic resonance spectra of some epoxides
S. G. Davies, G. H. Whitham, *J. Chem. Soc., Perkin Trans. 2*, **1975**, 861
3. A convenient synthesis of β,γ -unsaturated carboxylic acids and esters. The isomeric 5-*t*-butylcyclohex-2-enecarboxylic acids
S. G. Davies, G. H. Whitham, *J. Chem. Soc., Perkin Trans. 1*, **1976**, 2279
4. Inorgano-Grignard Reagents: Preparation, Reactions and X-ray Crystal Structure of Bis-(η -cyclopentadienyl)-hydridomolybdenum[bromo(bis-tetrahydrofuran)magnesium]
S. G. Davies, M. L. H. Green, K. Prout, A. Coda and V. Tazzoli, *Chem. Commun.*, **1977**, 135
5. Stereoselectivity in the Epoxidation of $\beta\gamma$ -Unsaturated Carboxylic Acids
S. G. Davies, G. H. Whitham, *J. Chem. Soc., Perkin Trans. 1*, **1977**, 572
6. Benzene Oxide-Oxepin. Oxidation to Muconaldehyde
S. G. Davies, G. H. Whitham, *J. Chem. Soc., Perkin Trans. 1*, **1977**, 1346
7. *trans*-Cycloalkenes Part 7. Variable Temperature ^{13}C Nuclear Magnetic Resonance Studies on *cis,trans*-Cyclo-octa-1,5-diene and Related Compounds
S. G. Davies, P. F. Newton, G. H. Whitham, *J. Chem. Soc., Perkin Trans. 2*, **1977**, 1371
8. Rules for Predicting the Regioselectivity of Nucleophilic Attack on 18-Electron Organotransition Metal Cations Containing Polyene Ligands
S. G. Davies, M. L. H. Green, D. M. P. Mingos, *Nouveau Journal de Chimie*, **1977**, 1, 445
9. Photoinduced Synthesis of Binuclear Molybdenocene and Tungstenocene Derivatives: Catalytic Deoxygenation of Epoxides by Metallocenes
M. Berry, **S. G. Davies**, M. L. H. Green, *J. Chem. Soc., Chem. Commun.*, **1978**, 99
10. Nucleophilic addition to organotransition metal cations containing unsaturated hydrocarbon ligands: a survey and interpretation
S. G. Davies, M. L. H. Green, D. M. P. Mingos, *Tetrahedron*, **1978**, 34, 3047
11. Inorgano-Grignard Reagents. Preparations and Reactions of [Bromobis(tetrahydrofuran)-magnesium]bis(η -cyclopentadienyl)-hydridomolybdenum.
S. G. Davies, M. L. H. Green, *J. Chem. Soc., Dalton*, **1978**, 1510
12. Indane 3a,4-Oxide: Formation by Isomerisation of Indane-3a,7a-Oxide and Confirmation of Structure by an Alternative Synthesis.
S. G. Davies, G. H. Whitham, *J. Chem. Soc., Perkin Trans. 1*, **1978**, 1479
13. Chromium Hexacarbonyl Isomerisation of Ergosterol and Related Dienes
D. H. R. Barton, **S. G. Davies**, W. B. Motherwell, *Synthesis*, **1979**, 265
14. Stepwise Oxidative Decarbonylations of Organometallic Cations of Iron.
S. G. Davies, *J. Organometal. Chem.*, **1979**, 179, C5
15. Thermally Induced Formation of Neoergosteryl Benzoate and Ergosta-8(14)-22-dienyl Benzoate from Ergosteryl Benzoate Iron Tricarbonyl.
A. F. Mateos, **S. G. Davies**, *Anales de Quimica*, **1979**, 75, 385
16. Hydride Reduction of the Cation $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{triphos})]\text{PF}_6$: Direct Nucleophilic Attack on the Metal and Hydrogen Exchange in the Product Hydride $(\eta^5\text{-C}_5\text{H}_5)\text{FeH}(\text{triphos})$. (triphos = $\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPhCH}_2\text{CH}_2\text{PPh}_2$)
S. G. Davies, H. Felkin, O. Watts. *Chem. Commun.*, **1980**, 159
17. Chemistry of $(\eta^5\text{-C}_5\text{H}_5)\text{Ru}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)\text{Cl}$: Preparation of Cationic Ruthenium Olefin Complexes.
S. G. Davies, F. Scott. *J. Organometal. Chem.* **1980**, 188, C41

18. Synthesis of 10 (S)-Methyl-Cocaine and 10 (S)-Methyl-Morphine
H. B. Arzeno, D. H. R. Barton, **S. G. Davies**, X. Lusinch, B. Meunier, C. Pascard, *Nouveau J. Chimie*, **1980**, 4, 369
19. Synthesis and Reactions of Alkyl- and Aryl-substituted Metallacyclobutane Derivatives of Molybdenum and Tungsten
G. A. Adam, **S. G. Davies**, M. Ephritikine, K. A. Ford, M. L. H. Green, P. F. Todd, *J. Molecular Catal.*, **1980**, 8, 15
20. Epoxide Opening with Organocuprates and Grignard Reagents in the Presence of Chiral Ligands
S. G. Davies, S. Wollowitz, *Tetrahedron Lett.*, **1980**, 21, 4175
21. Hydride Reduction of the Cations $\{(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{Ph}_2\text{PCH}_2)_3\text{CMe}\}\text{PF}_6$, $\{(\eta^5\text{-C}_5\text{H}_5)\text{Ru}[(\text{Ph}_2\text{PCH}_2\text{CH}_2)_2\text{PPh}]\}\text{PF}_6$ and $\{(\eta^5\text{-C}_5\text{H}_5)\text{Ru}[(\text{Ph}_2\text{PCH}_2)_3\text{CMe}]\}\text{PF}_6$: Regioselectivity and Mechanism
S. G. Davies, H. Felkin, T. Fillebeen-Khan, F. Tadj, O. Watts, *Chem. Commun.*, **1981**, 341
22. Stereochemical and Mechanistic Aspects of the Nickel Complex Catalysed Formation of Olefins from Allylic Alcohols and Grignard Reagents.
H. Felkin, M. Joly-Goudket, **S. G. Davies**, *Tetrahedron Lett.*, **1981**, 22, 1157
23. Reactivity of the Inorgano-Grignard $(\eta^5\text{-C}_5\text{H}_5)(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)\text{FeMgBr}$ Towards Halogenogermanes.
N. Aktogu, **S. G. Davies**, J. Dubac, P. Mazerolles, *J. Organomet. Chem.*, **1981**, 212, C13
24. Asymmetric Synthesis in the Nickel Complex Catalysed Formation of Olefins from Allyl Alcohols and Grignard Reagents.
M. Cherest, H. Felkin J. D. Umpleby, **S. G. Davies**, *Chem. Commun.*, **1981**, 681
25. Intramolecular General Acid Catalysis in the Binding Reactions of α_2 -Macroglobulin and Complement Components C3 and C4
S. G. Davies, R. B. Sim, *Bioscience Reports*, **1981**, 1, 461
26. 2-Substituted Bicyclo[3. 1.0]hexanes: Determination of Stereochemistry.
S. G. Davies, *J. Chem. Res. S.*, **1982**, 197
27. Hydride reduction of the cation $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)\text{CO}]\text{PF}_6$; formation of $(\eta^5\text{-C}_5\text{H}_5)\text{FeH}(\text{CO})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)$ and elimination of H_2 from $[(\eta^5\text{-C}_5\text{H}_5)\text{FeH}(\text{CO})]_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)$
S. G. Davies, J. Hibberd, S. J. Simpson, O. Watts *J. Organomet. Chem.*, **1982**, 238, C7
28. Organotransition Metal Chemistry: Applications to Organic Synthesis.
S. G. Davies, Pergamon Press, Nov. **1982**, 1
29. Preparation and Reactivity of the Anion $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)(\text{COCH}_2)]\text{Li}$.
N. Aktogu H. Felkin, **S. G. Davies**, *Chem. Commun.*, **1982**, 1303
30. Evidence for the Iron Formyl $(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)(\text{CHO})$.
S. G. Davies, S. J. Simpson, *J. Organomet. Chem.*, **1982**, 240, C48
31. Disproportionation of the Iron Carbonyl Hydride $(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})\text{H}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)$ to the Iron Methyl $(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)\text{Me}$
S. G. Davies, J. Hibberd, S. J. Simpson, *Chem. Commun.*, **1982**, 1404
32. Hydride Reduction of the Cation $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)\text{CO}]\text{PF}_6$; Formation of $(\eta^5\text{-C}_5\text{H}_5)\text{-FeH}(\text{CO})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)$ and Elimination of H_2 from $[(\eta^5\text{-C}_5\text{H}_5)\text{FeH}(\text{CO})]_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)$
S. G. Davies, J. Hibberd, S. J. Simpson, O. Watts, *J. Organomet. Chem.*, **1983**, 241, C31
33. Fragmentation of $(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)(\text{COCH}_2\text{COR})$ Complexes to the Cation $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})_2\text{-}(\text{PPh}_3)]^+$
S. G. Davies, O. Watts, N. Aktogu, H. Felkin, *J. Organometal. Chem.*, **1983**, 243, C51
34. Regioselectivity of Hydride Addition to $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)\text{CO}]\text{PF}_6$ and Rearrangement of $(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)(\text{CO})\text{H}$ to $(\eta^4\text{-C}_5\text{H}_6)\text{Fe}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)\text{CO}$
S. G. Davies, J. Hibberd, S. J. Simpson, *J. Organometal. Chem.*, **1983**, 246, C16
35. Electron-rich Cations: Preparation and Hydride Reductions of the Cations $[\text{Fe}(\eta^5\text{-C}_5\text{H}_5)\text{-}[\text{PhP}(\text{CH}_2\text{CH}_2\text{PPh}_2)_2]]^+$, $[\text{Fe}(\eta^5\text{-C}_5\text{H}_5)[\text{MeC}(\text{CH}_2\text{PPh}_2)_3]]^+$ and $[\text{Fe}(\eta^5\text{-C}_5\text{H}_5)[\text{C}(\text{CH}_2\text{-PPh}_2)_4]]^+$
S. G. Davies, S. J. Simpson, H. Felkin, F. Tadi, O. Watts, *J. Chem. Soc., Dalton*, **1983**, 981

36. Disubstituted Vinylidene Complexes of Iron and Ruthenium: Nucleophilic Properties of η^1 -Acetylide Ligands.
S. Abbott, **S. G. Davies**, P. Warner, *J. Organometal. Chem.*, **1983**, 246, C65
37. Electron-rich cations: Preparation and Hydride Reductions of the Cations $\{(\eta^5\text{-C}_5\text{H}_5)\text{Ru}[\text{MeC}-(\text{CH}_2\text{PPh}_2)_3]\}^+$ and $\{(\eta^5\text{-C}_5\text{H}_5)\text{Ru}[\text{PhP}(\text{CH}_2\text{CH}_2\text{PPh}_2)_2]\}^+$.
S. G. Davies, S. J. Simpson, H. Felkin, T. Fillebeen-Khan, *Organometallics*, **1983**, 2, 539
38. Stereoselective Elaboration of the Acyl Ligand in $(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)(\text{COCH}_2\text{R})$ via the Alkylation of the Anions $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)(\text{COCHR})]\text{Li}$ (R=Me, Et).
G. J. Baird, **S. G. Davies**, *J. Organometal. Chem.*, **1983**, 248, C1
39. Stereochemistry of 5-Substituted η^4 -Cyclopentadiene Transition-metal Complexes
S. G. Davies, S. D. Moon, S. J. Simpson, S. E. Thomas, *J. Chem. Soc., Dalton*, **1983**, 1805
40. Preparation and Hydride Reduction of the Electron-Rich Cations $[(\text{Me}_5\text{C}_5)\text{Fe}(\text{CO})_2\text{L}]^+$ (L=CO, PPh₃, PMe₃) and $[(\text{Me}_5\text{C}_5)\text{Fe}(\text{CO})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)]^+$
S. G. Davies, S. J. Simpson, S. E. Thomas, *J. Organometal. Chem.*, **1983**, 254, C29
41. Stereochemical Control and Mechanistic Aspects of the Alkylation of $(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{L})(\text{CO})(\text{COCHR})\text{Li}^+$ (L=PPh₃, PPh₂NEt₂; R=Me, Et): X-Ray Crystal Structure of $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{PPh}_3)(\text{CO})\{\text{COCH}(\text{Me})\text{Et}\}]$.
G. J. Baird, J. A. Bandy, **S. G. Davies**, K. Prout, *Chem. Commun.*, **1983**, 1202
42. $(\eta^5\text{-C}_5\text{H}_5)\text{Ru}(\text{PPh}_3)_3\text{H}_3$: A Stable Ruthenium (IV) Trihydride.
S. G. Davies, S. D. Moon, S. J. Simpson, *Chem. Commun.*, **1983**, 1278
43. Elaboration of α -Substituted Benzyl Ethers and Sulphides by Suppression of the Wittig and Related Rearrangements.
S. G. Davies, N. J. Holman, C. A. Laughton, B. E. Mobbs *Chem. Commun.*, **1983**, 1316
44. Elaboration of Acyl Ligands: Preparation and Reactivity of the Anion $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)(\text{COCH}_2)]^-$.
S. G. Davies, N. Aktogu, H. Felkin, G. J. Baird, O. Watts, *J. Organometal. Chem.*, **1984**, 262, 49
45. Electron-Rich η^1 -Cyano Complexes of Iron and Ruthenium: Preparation and Nucleophilic Properties.
G. J. Baird, **S. G. Davies**, *J. Organometal. Chem.*, **1984**, 262, 215
46. The Rate and Activation Parameters for the Cleavage of the Metal-Metal Bond of the Anion Radical of a Di-iron Carbonyl Complex.
S. G. Davies, S. J. Simpson, V. D. Parker, *Chem. Commun.*, **1984**, 352
47. Stereoselective Preparation of β -Amino-Acyl Iron Complexes for β -Lactam Synthesis.
K. Broadley, **S. G. Davies**, *Tetrahedron Lett.*, **1984**, 25, 1743
48. Carbon Monoxide Reduction: $[\text{Fe}(\eta^5\text{-C}_5\text{H}_5)(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)(\text{CO})\text{H}]$; Reactions and Formation by Reduction of the Complex $[\text{Fe}(\eta^5\text{-C}_5\text{H}_5)(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)(\text{CO})]\text{PF}_6$.
S. G. Davies, J. Hibberd, S. J. Simpson, S. E. Thomas, O. Watts, *J. Chem. Soc., Dalton*, **1984**, 701
49. Rules Governing Asymmetric Synthesis with Organotransition Metal Complexes.
S. G. Davies, J. I. Seeman, *Tetrahedron Lett.*, **1984**, 25, 1845
50. Hydride addition to the Cations $[(\eta^5\text{-C}_5\text{H}_5)\text{Ru}(\text{L})_2\text{CO}]^+$. (L = PPh₃, L₂ = Ph₂PCH₂CH₂PPh₂)
S. G. Davies, S. D. Moon, S. J. Simpson, *Nouveau J. Chimie*, **1984**, 8, 139
51. A Convenient Synthesis of $[\text{Ru}(\eta\text{-C}_5\text{H}_5)(\text{PPh}_3)(\text{CO})\text{Cl}]$ and the Cations $[\text{Ru}(\eta\text{-C}_5\text{H}_5)(\text{PPh}_3)\text{L}(\text{CO})]^+$ [L=CO, PMe₃, or P(OPh)₃]
S. G. Davies, S. J. Simpson, *J. Chem. Soc., Dalton*, **1984**, 993
52. Stereoselective Synthesis of Erythro- β -Hydroxy Carboxylic Acids via Iron Acyl Complexes.
S. G. Davies, I. M. Dordor, J. C. Walker, P. Warner, *Tetrahedron Lett.*, **1984**, 25, 2709
53. Stereoselective Carbon-Carbon Bond Formation via Alkylation of $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{PPh}_3)(\text{CO})(\text{COMe})=\text{CHR}]$ (R = Me, Prⁿ, Ph): X-Ray Crystal Structure of (Z)- $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{PPh}_3)(\text{CO})(\text{COMe})=\text{CHMe}]$.
G. J. Baird, **S. G. Davies**, R. H. Jones, K. Prout, P. Warner, *Chem. Commun.*, **1984**, 745

54. Stereoselective Synthesis of Quaternary Carbon Atoms
P. J. Curtis, **S. G. Davies**, *Chem. Commun.*, **1984**, 747
55. Reductions of the Cations $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{L})_2\text{CO}]^+$ (L=tertiary phosphine): Product Control by Variation of Phosphine Ligands.
S. G. Davies, S. J. Simpson, *J. Organometal. Chem.*, **1984**, 268, C53
56. Chiral Acetate Enolate Equivalent for the Synthesis of β -Hydroxy Acids.
S. G. Davies, I. M. Dordor, P. Warner, *Chem. Commun.*, **1984**, 956
57. Conformational Analysis for the Alkyl Ligands (R) in Complexes of the Type $(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)\text{R}$.
J. I. Seeman, **S. G. Davies**, *Chem. Commun.*, **1984**, 1019.
58. Stereoselective Additions to the Alkoxy-carbene Cations $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)(=\text{CROMe})]^+$ (R=H, Et).
G. J. Baird, **S. G. Davies**, T. R. Maberly, *Organometallics*, **1984**, **3**, 1764.
59. Titanium Catalysed Reduction of 1,2-Dibromides to Olefins.
S. G. Davies, S. E. Thomas, *Synthesis*, **1984**, 1027.
60. Stereocontrolled Tandem Alkylations: Michael Additions and Subsequent Alkylations of α,β -Unsaturated Acyl Ligands bound to $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)]$.
S. G. Davies, J. C. Walker, *Chem. Commun.*, **1985**, 209
61. Stereoselective Synthesis of Cyclic Ethers via Bromine Assisted Epoxide Ring Expansion.
S. G. Davies, M. E. C. Polywka, S. E. Thomas, *Tetrahedron Lett.*, **1985**, **26**, 1461
62. Chiral Propionate Enolate Equivalents for the Stereoselective Synthesis of *Threo*- or *Erythro*- α -Methyl- β -Hydroxy Acids.
S. G. Davies, I. M. Dordor-Hedgecock, P. Warner, *Tetrahedron Lett.*, **1985**, **26**, 2125.
63. Chiral Propionate Enolate Equivalent for Stereoselective Additions to Symmetrical Ketones.
P. W. Ambler, **S. G. Davies**, *Tetrahedron Lett.*, **1985**, **26**, 2129.
64. 4-Substituted *N*-Methyl-1,2,3,4-tetrahydroisoquinolines: Synthesis *via* Stereoselective Substitution of Tricarbonyl-(*N*-methyl-1,2,3,4-tetrahydroisoquinoline)chromium.
J. Blagg, **S. G. Davies**, B. E. Mobbs, *Chem. Commun.*, **1985**, 619.
65. Chiral Acetate Enolate Equivalent for the Synthesis of β -Hydroxy Acids and Esters: X-Ray Crystal Structure of *RR,SS*- $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)(\text{COCH}_2\text{CH}(\text{OH})\text{CH}_2\text{CH}_3)]$.
S. G. Davies, I. M. Dordor-Hedgecock, P. Warner, R. H. Jones, K. Prout, *J. Organomet. Chem.*, **1985**, 285, 213.
66. Stereospecific Conversion of *N,N*-Dimethylamphetamine into *N*-Methylpseudoephedrine.
J. Blagg, **S. G. Davies**, *Chem. Commun.*, **1985**, 653.
67. Bimetallic Cyano-bridged Cations: Preparation and Hydride Reduction of $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Ru}(\mu\text{-CN})\text{ML}'_2(\eta^5\text{-C}_5\text{H}_5)\text{PF}_6]$ [$\text{L}_2, \text{L}'_2 = (\text{PPh}_3)_2; \text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2; \text{M} = \text{Ru}$ or Fe]. Formation of $[\text{Ru}(\eta^5\text{-C}_5\text{H}_5)(\text{PPh}_3)\text{H}_3]$ and X-ray Crystal Structure of $[(\eta^5\text{-C}_5\text{H}_5)(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)\text{Ru}(\mu\text{-CN})\text{Ru}(\text{PPh}_3)_2(\eta^5\text{-C}_5\text{H}_5)]\text{PF}_6^-$
G. J. Baird **S. G. Davies**, S. D. Moon, S. J. Simpson, R. H. Jones, *J. Chem. Soc., Dalton*, **1985**, 1479
68. Base Promoted Rearrangements of Cyclopentadienylacyl and Carboxyalkyl-metal Complexes.
S. Abbott, G. J. Baird, **S. G. Davies**, I. M. Dordor-Hedgecock, T. R. Maberly, J. C. Walker, P. Warner, *J. Organometal. Chem.*, **1985**, **289**, C13
69. Chiral Discrimination in the Reactions of the Enolate $\text{E}-[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)\text{COCHMe}]^- \text{Li}^+$ with *cis*- and *trans*-But-2-ene oxides in the presence of $\text{BF}_3\text{-OEt}_2$.
S. G. Davies, P. Warner, *Tetrahedron Lett.*, **1985**, **26**, 4815
70. Chiral discrimination in the Reaction of the Enolate $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)(\text{COCH}_2)]^- \text{Li}^+$ with Monosubstituted Epoxides: X-Ray Crystal Structure of *(RS,SR)*- $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)\{\text{COCH}_2\text{CH}_2\text{CH}(\text{OH})\text{Me}\}]$
S. L. Brown, **S. G. Davies**, P. Warner, R. H. Jones, K. Prout, *Chem. Commun.*, **1985**, 1446

71. Conformational-Reactivity Relationships for the Organotransition-Metal Complexes $(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)\text{R}$ and $(\eta^5\text{-C}_5\text{H}_5)\text{Re}(\text{NO})(\text{PPh}_3)\text{R}$ (R=Alkyl and Aryl)
J. I. Seeman, **S. G. Davies**, *J. Am. Chem. Soc.*, **1985**, *107*, 6522
72. Mechanism of the Formation of Methyliron Complexes by Protonation of Methoxymethyliron Complexes.
S. G. Davies, T. R. Maberly, *J. Organomet. Chem.*, **1985**, **296**, C37.
73. Synthesis of α,β -Unsaturated Acyl Ligands bound to the Chiral Auxiliary $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)]$.
S. G. Davies, R. J. C. Easton, J. C. Walker, P. Warner, *J. Organomet. Chem.*, **1985**, **296**, C40.
74. Conformational Analysis of Compounds of the Type $[\text{Fe}(\eta^5\text{-C}_5\text{H}_5)(\text{CO})(\text{PPh}_3)(\text{CH}_2\text{R})]$ (R=Alkyl or aryl).
S. G. Davies, J. I. Seeman, *J. Chem. Soc., Dalton*, **1985**, 2691.
75. Resynthesis of Histone Peptide Bonds on a DNA Matrix.
S. G. Davies, I. O. Walker, P. N. Schofield, in "Chromosomal Proteins and Gene Expression", Eds. G. R. Reeck, G. H. Goodwin and P. Puigdomenech, NATO-ASI Series Plenum, New York, **1985**, **101**, 17.
76. Reductive Polymerisation of Carbon Monoxide: Synthesis of Entirely CO-derived Pentanoic Acid.
S. L. Brown, **S. G. Davies**, *Chem. Commun.*, **1986**, 84.
77. Conformational Analysis of the Iron Acetyl Complex $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)\text{COCH}_3]$.
S. G. Davies, J. I. Seeman, I. H. Williams, *Tetrahedron Lett.*, **1986**, *27*, 619.
78. Improved Stereochemical Control and Mechanistic Aspects of the Alkylation of Enolates Derived from $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)\text{COCH}_2\text{R}]$.
S. L. Brown, **S. G. Davies**, D. F. Foster, J. I. Seeman, P. Warner, *Tetrahedron Lett.*, **1986**, *27*, 623.
79. Synthesis and Characterisation of E and Z α,β -Unsaturated Acyl Complexes $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)\text{COCH}=\text{CHR}]$ (R=H, Me, Et, *n*-Bu, *t*-Bu, Ph, vinyl, 2-furyl).
S. G. Davies, R. J. C. Easton, J. C. Walker, P. Warner, *Tetrahedron*, **1986**, *42*, 175.
80. The Stereoselective Synthesis of (-)-(8*R*)-Methylcanadine *via* Selective Monocomplexation of Canadine to Chromium Tricarbonyl.
J. Blagg, **S. G. Davies**, *Chem. Commun.*, **1986**, 492
81. Stereoselective Synthesis of Quaternary Carbon Centres
S. G. Davies, J. C. Walker, *Chem. Commun.*, **1986**, 495
82. Determination of the Absolute Configuration and Optical Purity of $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)\text{COMe}]$; X-Ray Crystal Structure of (*R*)- $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)\text{COCH}_2\text{CH}_2\text{O}[(\text{R})\text{-menthyl}]]$.
S. G. Davies, I. M. Dordor-Hedgcock, K. H. Sutton, J. C. Walker, C. Bourne, R. H. Jones, K. Prout, *Chem. Commun.*, **1986**, 607
83. Asymmetric Diels-Alder Reactions: (*S*)-(+)- $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)\text{COCH}=\text{CH}_2]$ as a Chiral Acrylate Dienophile Equivalent.
S. G. Davies, J. C. Walker, *Chem. Commun.*, **1986**, 609
84. Bromo(η^5 -cyclopentadienyl)[1,2-ethanediylbis(diphenylphosphine)]iron and Bromo(η^5 -cyclopentadienyl)[1,2-ethanediylbis(diphenylphosphine)]bis(tetrahydrofuran)ironmagnesium. (*Fe-Mg*)
S. G. Davies, H. Felkin, O. Watts, *Inorganic Syntheses*, **1986**, *24*, 170
85. Synthesis of Cyclic Ethers *via* Bromine Assisted Epoxide Ring Expansion.
S. G. Davies, M. E. C. Polywka, S. E. Thomas, *J. Chem. Soc., Perkin Trans. 1*, **1986**, 1277
86. Chiral Dienolates: Stereoselective Formation and α -Alkylation of the Lithium Dienolates Derived from (*RS*)-Z- $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)\text{COCH}=\text{CHCH}_2\text{R}]$ (R=Me, Et, *n*-Pr) and (*RS*)- $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)\text{COCH}=\text{CMe}_2]$.
S. G. Davies, R. J. C. Easton, A. Gonzalez, S. C. Preston, K. H. Sutton, J. C. Walker, *Tetrahedron*, **1986**, *42*, 3987
87. Organometallics in Synthesis: Part I: The Transition Elements,
S. G. Davies, S. E. Thomas, *SPR Gen. and Synth. Methods.*, Ed. G. Pattenden, **1986**, *8*, 312.

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.