

SEE IF YOU QUALIFY FOR THE TRADJENTA SAVINGS CARD

GREAT!

YOU ARE ELIGIBLE FOR THE TRADJENTA SAVINGS CARD. FILL IN THE INFORMATION BELOW.

***Required Fields**

Please tell us about yourself:

I need a Savings Card

I have a Savings Card and need to activate it

My Savings Card has expired and I need to re-activate it

CONTACT INFORMATION

***First Name**

***Last Name**

***Email Address**

***Confirm Email Address**

*Address Line 1

Address Line 2 (optional)

*City

*State

*Zip Code

*Date of Birth

Phone Number (optional)

*Please select the statement that best applies to you:

FOR U.S. RESIDENTS ONLY
AGE 18 AND OVER

What medications are you currently taking? (optional)

Tradjenta®
(linagliptin) tablets 5mg

Biguanide ? <https://www.tradjenta.com> ?

DPP-4 Inhibitor ? Insulin ?

En Español (<http://www.espanol.tradjenta.com/>)

Important Safety Information

Sulfonylurea ? [Prescribing Information & Medication Guide \(http://bidocs.boehringer-ingelheim.com/BIWebAccess/ViewServlet.ser?docBase=renetnt&folderPath=/Prescribing+Information/PIs/Tradjenta/Tradjenta.pdf\)](http://bidocs.boehringer-ingelheim.com/BIWebAccess/ViewServlet.ser?docBase=renetnt&folderPath=/Prescribing+Information/PIs/Tradjenta/Tradjenta.pdf)

Thiazolidinedione ? [Other Medication Options \(http://www.tradjenta.com\)](http://www.tradjenta.com) [For Healthcare Professionals \(http://hcp.tradjenta.com/\)](http://hcp.tradjenta.com/)

Not taking any medications

^{Why} Would you like to sign up for other offers and information?
[TRADJENTA? \(https://www.tradjenta.com/about\)](https://www.tradjenta.com/about)

Yes, I allow Boehringer Ingelheim Pharmaceuticals, Inc. and
^{ASK ABOUT} [Boehringer Ingelheim USA, LLC and companies working with them to send me](https://www.tradjenta.com/ask-about-tradjenta)
[TRADJENTA \(https://www.tradjenta.com/ask-about-tradjenta\)](https://www.tradjenta.com/ask-about-tradjenta)
health and product related information and offers regarding

TERMS AND CONDITIONSTYPE 2 DIABETES ([HTTPS://WWW.TRADJENTA.COM/MANAGE-TYPE-2-DIABETES](https://www.tradjenta.com/manage-type-2-diabetes))

Eligible patients 18 years or older may pay as little as \$10/month with a maximum savings up to \$150/monthly prescription. Card valid for 12 consecutive months from activation date. Eligible patients may re-enroll for additional 12 consecutive-month periods by reactivating expired card, benefits not to exceed program expiration on May 31, 2018. If you live in Massachusetts, card expires on the earlier of June 30, 2017, or date AB-rated generic equivalent is available. One card per patient, not transferable, and cannot be combined with any other offer. Program not health insurance. Only valid for commercially insured patients in the 50 United States, DC, and Puerto Rico. **Not eligible if prescriptions are paid for in part/full by state or federally funded program(s)**, like Medicare Part D, Medicaid, Vet. Aff., Dept. of Def., or TRICARE and where prohibited by law. Offer may change at any time, without notice.

REGISTER NOW

Boehringer Ingelheim Pharmaceuticals, Inc. and Lilly USA, LLC respect your privacy. By downloading or activating a savings card, you allow Boehringer Ingelheim Pharmaceuticals, Inc. and Lilly USA, LLC and companies working with us, to use your registration information to: (1) administer your benefits; (2) contact you about the Savings Card; and (3) evaluate the Savings Card program in relation to your card usage received from the pharmacy.

*PREVIOUS PAGE**BACK TO TOP***IMPORTANT SAFETY INFORMATION AND INDICATION****WHAT IS THE MOST IMPORTANT INFORMATION I SHOULD KNOW ABOUT TRADJENTA?**FOR U.S. RESIDENTS ONLY
AGE 18 AND OVER

Serious side effects can happen to people taking TRADJENTA, including inflammation of the pancreas (pancreatitis) which may be severe and lead to death. Before you start taking TRADJENTA, tell your doctor if you have ever had pancreatitis, gallstones, a history of alcoholism, or high triglyceride levels.

*Tradjenta
(linagliptin) tablets 5mg*

Stop taking TRADJENTA and call your doctor right away if you have pain in your stomach area (abdomen) that is severe and will not go away. The pain may be felt going from your abdomen through to your back. The pain may happen with or without vomiting. These may be symptoms of pancreatitis.

[Prescribing Information & Medication Guide \(http://www.espanol.tradjenta.com\)](http://www.espanol.tradjenta.com) [Important Safety Information](http://hides.boehringer-ingelheim.com/BIWebAccess/ViewServlet.ser?docBase=renetnt&folderPath=/Prescribing+Information/PIs/Tradjenta/Tradjenta.pdf)

WHO SHOULD NOT TAKE TRADJENTA?[Drug Medication Options \(http://www.jentadueto.com\)](http://www.jentadueto.com)[For Healthcare Professionals \(http://hcp.tradjenta.com/\)](http://hcp.tradjenta.com/)

Do not take TRADJENTA if you are allergic to linagliptin or any of the ingredients in TRADJENTA.

Why Symptoms of a serious allergic reaction to TRADJENTA may include rash, itching, flaking or peeling; raised red patches on your skin (hives); swelling of your face, lips, tongue and throat that may cause difficulty breathing or swallowing. If you have any symptoms of a serious allergic reaction, stop taking TRADJENTA and call your doctor or go to the emergency room right away.

[ASK ABOUT TRADJENTA? \(HTTPS://WWW.TRADJENTA.COM/ASK-ABOUT-TRADJENTA\)](https://www.tradjenta.com/ask-about-tradjenta)

Tell your doctor about all your medical conditions, including if you have or have had inflammation of your pancreas (pancreatitis).

MANAGING TYPE 2 DIABETES ([HTTPS://WWW.TRADJENTA.COM/MANAGE-TYPE-2-DIABETES](https://www.tradjenta.com/Manage-Type-2-Diabetes))

Tell your doctor about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. TRADJENTA may affect the way other medicines work, and other medicines may affect how TRADJENTA works. Especially tell your doctor if you take

TALK TO YOUR DOCTOR ([HTTPS://WWW.TRADJENTA.COM/DOCTOR-DISCUSSION-CARD](https://www.tradjenta.com/Doctor-Discussion-Card))

- Other medicines that can lower your blood sugar. If you take TRADJENTA with another medicine that can cause low blood sugar, such as sulfonylurea or insulin, your risk of getting low blood sugar is higher. The dose of your sulfonylurea or insulin may need to be lowered while you take TRADJENTA.
- rifampin (Rifadin®, Rimactane®, Rifater®, Rifamate®)*, an antibiotic that is used to treat tuberculosis.

*These trademarks are owned by third parties not affiliated with TRADJENTA.

Tell your doctor if you are pregnant or planning to become pregnant or are breastfeeding or plan to breastfeed.

WHAT ARE THE POSSIBLE SIDE EFFECTS OF TRADJENTA?

TRADJENTA may cause serious side effects, including

- Inflammation of the pancreas (pancreatitis).
- Low blood sugar (hypoglycemia), especially if you take TRADJENTA with another medicine that can cause low blood sugar. Signs and symptoms of low blood sugar may include headache, drowsiness, weakness, dizziness, confusion, irritability, hunger, fast heartbeat, sweating, or feeling jittery.
- Allergic (hypersensitivity) reactions can happen after your first dose or up to 3 months after starting TRADJENTA. Symptoms may include swelling of your face, lips, throat, and other areas on your skin; difficulty with swallowing or breathing; raised, red areas on your skin (hives); skin rash, itching, flaking, or peeling.
- Joint pain. Some people who take medicines called DPP-4 inhibitors like TRADJENTA, may develop joint pain that can be severe. Call your doctor if you have severe joint pain.

The most common side effects of TRADJENTA include stuffy or runny nose, sore throat, cough and diarrhea.

These are not all the possible side effects of TRADJENTA. For more information, ask your doctor or pharmacist.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit

FOR U.S. RESIDENTS ONLY

AGE 18 AND OLDER www.fda.gov/medwatch (<http://www.fda.gov/medwatch>) or call 1-800-FDA-1088.

Tradjenta
WHAT IS TRADJENTA? (<https://www.tradjenta.com>)
TRADJENTA is a prescription medicine that is used along with diet and exercise to lower blood sugar in adults with type 2 diabetes.

En Español (<http://www.espanol.tradjenta.com/>)

Important Safety Information

TRADJENTA is not for people with type 1 diabetes or for people with diabetic ketoacidosis (increased ketones in the blood or urine).

Prescribing Information & Medication Guide (<http://bidocs.boehringer-ingelheim.com/BWebAccess/ViewServlet.ser?docBase=renetnt&folderPath=/Prescribing+Information/PIs/Tradjenta/Tradjenta.pdf>)

If you have had inflammation of the pancreas (pancreatitis) in the past, it is not known if you have a higher chance of getting pancreatitis while you take TRADJENTA.

WHY

TRADJENTA? ([HTTPS://WWW.TRADJENTA.COM/ABOUT](https://www.tradjenta.com/about))

TJ CONS ISI 31AUG2015

For more safety information, please see **Medication Guide** and full **Prescribing Information**

TRADJENTA ([HTTPS://WWW.TRADJENTA.COM/ASK-ABOUT-TRADJENTA](https://www.tradjenta.com/ask-about-tradjenta)) (<http://bidocs.boehringer-ingelheim.com/BWebAccess/ViewServlet.ser?>

MANAGINGTYPE 2 DIABETES ([HTTPS://WWW.TRADJENTA.COM/MANAGE-TYPE-2-DIABETES](https://www.tradjenta.com/Manage-Type-2-Diabetes))SAVINGS CARD (<http://us.boehringer-ingenelheim.com/>)ELIGIBILITY ([HTTPS://WWW.TRADJENTA.COM/SAVINGS-CARD](https://www.tradjenta.com/savings-card))**TALK TO**YOUR DOCTOR ([HTTPS://WWW.TRADJENTA.COM/DOCTOR-DISCUSSION-GUIDE](https://www.tradjenta.com/doctor-discussion-guide))(<http://www.lilly.com/Pages/home.aspx>)Privacy Statement (<http://bidocs.boehringer-ingenelheim.com/BIWebAccess/ViewServlet.ser?docBase=renetnt&folderPath=/Privacy+Statements/Diabetes++Alliance+Privacy+Statement.htm>)Terms of Use (http://bidocs.boehringer-ingenelheim.com/BIWebAccess/ViewServlet.ser?docBase=renetnt&folderPath=/Privacy+Statements/PC-BDFR-0009-CONS_BI+Terms+of+Use_Alliance.pdf)Data Use (https://www.boehringer-ingenelheim.com/BIWebAccess/ViewServlet.ser?docBase=renetnt&folderPath=/Privacy+Statements/PC-BDFR-0009-CONS_BI+Terms+of+Use_Alliance.pdf)Contact Us (<https://www.tradjenta.com/contact-us>)

TRADJENTA® is a registered trademark of Boehringer Ingelheim International GmbH & Co. KG and used under license.

Copyright © 2015 Boehringer Ingelheim Pharmaceuticals, Inc. All rights reserved. Use of this Site is subject to the Internet Site Legal Notices and Disclaimers and Privacy Statement.

PC-TJ-0118-CONS

(http://us.boehringer-ingenelheim.com/our_responsibility/patients-families.html)

Working hard to make our medicines available to people who need them.

Visit site > (http://us.boehringer-ingenelheim.com/our_responsibility/patients-families.html)FOR U.S. RESIDENTS ONLY
AGE 18 AND OVER

Tradjenta[®]
(linagliptin) tablets 5mg

(<https://www.tradjenta.com>)En Español (<http://www.espanol.tradjenta.com/>)

Important Safety Information

Prescribing Information & Medication Guide (<http://bidocs.boehringer-ingenelheim.com/BIWebAccess/ViewServlet.ser?docBase=renetnt&folderPath=/Prescribing+Information/Pis/Tradjenta/Tradjenta.pdf>)Other Medication Options (<http://www.jentadueto.com>) For Healthcare Professionals (<http://hcp.tradjenta.com/>)**WHY**TRADJENTA? ([HTTPS://WWW.TRADJENTA.COM/ABOUT](https://www.tradjenta.com/about))**ASK ABOUT**TRADJENTA ([HTTPS://WWW.TRADJENTA.COM/ASK-ABOUT-TRADJENTA](https://www.tradjenta.com/ask-about-tradjenta))