Long-term Trends in Diabetes

April 2016

CDC's Division of Diabetes Translation. United States Diabetes Surveillance System available at http://www.cdc.gov/diabetes/data

MYLAN - EXHIBIT 1039

Mulan at al w Actra 7 anaca



This slide shows the trend in diagnosed diabetes in the United States from 1958 through 2014. The prevalence of diagnosed diabetes increased from 0.93% in 1958 to 7.02% in 2014. In 2014, 21.9 million people had diagnosed diabetes, compared to only 1.6 million in 1958. How the trend has changed was described in detail elsewhere¹.

Data Source and Methodology


Number and percentage of the U.S. population with diagnosed diabetes were obtained from the National Health Interview Survey (NHIS, available at http://www.cdc.gov/nchs/nhis.htm) of the National Center for Health Statistics (NCHS), Centers for Disease Control and Prevention (CDC). Conducted continuously since 1957, the NHIS is a health survey of the civilian, noninstitutionalized population of the United States. The survey provides information on the health of the United States population, including information on the prevalence and incidence of disease, the extent of disability, and the use of health care services. The multistage probability design of the survey has been described elsewhere. 2.3,4 Estimates for years 1958–1979 were obtained from published data, and estimates from 1980 forward were derived directly from the NHIS survey data. Because diabetes questions were not included in the survey for some years before 1980, the estimates were missing for these years.

References:

- 1. Geiss LS, Wang J, Cheng YJ. Thompson TJ, Barker L; Li Y, Albright AL, Gregg EW. Prevalence and incidence trends for diagnosed diabetes among adults aged 20 to 79 years, United States, 1980-2012. JAMA 2014; 312:1218-1226.
- 2. Massey JT, Moore TF, Parsons VL, Tadros W. Design and estimation for the National Health Interview Survey, 1985–1994. Hyattsville, MD: National Center for Health Statistics. *Vital and Health Statistics* 1989;2(110).
- 3. Botman SL, Moore TF, Moriarity CL, Parsons VL. Design and estimation for the National Health Interview Survey, 1995–2004. National Center for Health Statistics. *Vital and Health Statistics* 2000;2(130).
- 4. Parsons VL, Moriarity C, Jonas K, et al. Design and estimation for the National Health Interview Survey, 2006–2015. National Center for Health Statistics. Vital Health Stat Vital and Health Statistics 2014; 2(165).
- 5. Harris MI: Prevalence of noninsulin-dependent diabetes and impaired glucose tolerance. Chapter VI In: *Diabetes in America*, Harris MI, Hamman RF, eds. NIH publ. no. 85-1468, 1985.



Number and Percentage of U.S. Population with Diagnosed Diabetes, 1958-2014





 ${\tt CDC's\ Division\ of\ Diabetes\ Translation.\ United\ States\ Diabetes\ Surveillance\ System\ available\ at\ http://www.cdc.gov/diabetes/data}$



Data for the Graph

Number and Percentage of U.S. Population with Diagnosed Diabetes 1958-2014

| Year | Percentage | Number (in millions) |
|------|------------|----------------------|
| 1958 | 0.93 | 1.58 |
| 1959 | 0.87 | 1.49 |
| 1960 | 0.91 | 1.59 |
| 1961 | 1.05 | 1.87 |
| 1962 | 1.06 | 1.91 |
| 1963 | 1.15 | 2.10 |
| 1964 | 1.24 | 2.31 |



| 1965 | 1.27 | 2.39 |
|------|------|------|
| 1966 | 1.45 | 2.77 |
| 1967 | 1.61 | 3.09 |
| 1968 | 1.62 | 3.18 |
| 1969 | _ | _ |
| 1970 | _ | _ |
| 1971 | _ | _ |
| 1972 | _ | _ |
| 1973 | 2.04 | 4.19 |
| 1974 | _ | _ |
| 1975 | 2.29 | 4.78 |
| 1976 | 2.36 | 4.97 |
| 1977 | _ | _ |
| 1978 | 2.37 | 5.19 |
| 1979 | 2.49 | 5.47 |
| 1980 | 2.54 | 5.53 |
| 1981 | 2.51 | 5.65 |
| 1982 | 2.52 | 5.73 |
| 1983 | 2.45 | 5.61 |
| 1984 | 2.59 | 6.00 |
| 1985 | 2.62 | 6.13 |
| 1986 | 2.78 | 6.56 |
| 1987 | 2.77 | 6.61 |



| 1988 | 2.56 | 6.16 |
|------|------|-------|
| 1989 | 2.66 | 6.47 |
| 1990 | 2.52 | 6.21 |
| 1991 | 2.90 | 7.21 |
| 1992 | 2.93 | 7.37 |
| 1993 | 3.06 | 7.78 |
| 1994 | 2.98 | 7.74 |
| 1995 | 3.30 | 8.66 |
| 1996 | 2.89 | 7.63 |
| 1997 | 3.80 | 10.11 |
| 1998 | 3.90 | 10.48 |
| 1999 | 4.00 | 10.87 |
| 2000 | 4.40 | 12.05 |
| 2001 | 4.75 | 13.11 |
| 2002 | 4.84 | 13.49 |
| 2003 | 4.93 | 14.10 |
| 2004 | 5.29 | 15.24 |
| 2005 | 5.61 | 16.32 |
| 2006 | 5.90 | 17.32 |
| 2007 | 5.86 | 17.40 |
| 2008 | 6.29 | 18.81 |
| 2009 | 6.86 | 20.67 |
| 2010 | 6.95 | 21.13 |
| | | |



DOCKET

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

