Table 1 - Listing Each Claim Element Annotated With Its Claim Number and a Reference Letter:

Claim Code	IPR2015-01395 U.S. Patent 6,363,345 Patent Claim Elements 1-25, 38-47
1	An apparatus for canceling noise, comprising: [Ex. 1001, 9:35]
1a	an input for inputting an audio signal which includes a noise signal; [9:36-37]
16	a frequency spectrum generator for generating the frequency spectrum of said audio signal thereby generating frequency bins of said audio signal; and [9:38-40]
1c	a threshold detector for setting a threshold for each frequency bin using a noise estimation process and for detecting for each frequency bin whether the magnitude of the frequency bin is less than the corresponding threshold, thereby detecting the position of noise elements for each frequency bin. [9:41-46]
2	The apparatus according to claim 1, wherein said threshold detector detects the position of a plurality of non-speech data points for said frequency bins. [9:47-49]



C1 :	IDD 2017 01207
Claim Code	IPR2015-01395 U.S. Patent 6,363,345 Patent Claim Elements 1-25, 38-47
3	The apparatus according to claim 2, wherein said threshold detector
	detects the position of said plurality of non-speech data points for
	said frequency bins within a continuous speech segment of said audio
	signal. [9:50-53]
4	The apparatus according to claim 1, wherein said threshold detector
	sets the threshold for each frequency bin in accordance with a current
	minimum value of the magnitude of the corresponding frequency
	bin; said current minimum value being derived in accordance with a
	future minimum value of the magnitude of the corresponding
	frequency bin. [9:54-60]
5	The apparatus according to claim 4, wherein said future minimum
	value is determined as the minimum value of the magnitude of the
	corresponding frequency bin within a predetermined period of time.
	[9:61-64]
6	The apparatus according to claim 5, wherein said current minimum
	value is set to said future minimum value periodically. [9:65-67]




C1	IDD 2015 01205
Claim Code	IPR2015-01395
Code	U.S. Patent 6,363,345 Patent Claim Elements
	1-25, 38-47
7	The apparatus according to claim 6, wherein said future minimum
	value is replaced with the current magnitude value when said future
	minimum value is greater than said current magnitude value. [10:1-
	4]
8	The apparatus according to claim 6, wherein said current minimum
	value is replaced with the current magnitude value when said current
	minimum value is greater than said current magnitude value. [10:5-
	8]
9	The apparatus according to claim 5, wherein said future minimum
	value is set to a current magnitude value periodically; said current-
	magnitude value being the value of the magnitude of the
	corresponding frequency bin. [10:9-12]
10	The apparatus according to claim 4, wherein said current minimum
	value is determined as the minimum value of the magnitude of the
	corresponding frequency bin within a predetermined period of time.
	[10:13-15]
	l



C1 '	IDD 2017 01207
Claim Code	IPR2015-01395 U.S. Patent 6,363,345 Patent Claim Elements 1-25, 38-47
11	The apparatus according to claim 4, wherein said threshold is set by
	multiplying said current minimum value by a coefficient. [10:16-18]
12	The apparatus according to claim 1, further comprising an averaging
	unit for determining a level of said noise within said respective
	frequency bin, wherein said threshold detector detects the position of
	said noise elements where said level of said noise determined by said
	averaging unit is less than the corresponding threshold. [10:19-24]
13	The apparatus according to claim 1, further comprising a subtractor
	for subtracting said noise elements estimated at said positions
	determined by said threshold detector from said audio signal to
	derive said audio signal substantially without said noise. [10:25-29]
14	The apparatus according to claim 13, wherein said subtractor
	performs subtraction using a filter multiplication which multiplies
	said audio signal by a filter function. [10:30-32]
15	The apparatus according to claim 14, wherein said filter function is a
	Wiener filter function which is a function of said frequency bins of



C1. '	IDD 2015 01205
Claim Code	IPR2015-01395
Code	U.S. Patent 6,363,345 Patent Claim Elements
	1-25, 38-47 said noise elements and magnitude. [10:33-35]
	said noise elements and magnitude. [10.55-55]
16	The apparatus according to claim 15, wherein said filter
	multiplication multiplies the complex elements of said frequency
	bins by said Weiner filter function. [10:36-38]
17	The apparatus according to claim 13, further comprising a residual
	noise processor for reducing residual noise remaining after said
	subtractor subtracts said noise elements at said positions determined
	by said threshold detector from said audio signal. [10:39-43]
18	The apparatus according to claim 17, wherein said residual noise
	processor replaces said frequency bins corresponding to non-speech
	segments of said audio signal with a minimum value. [10:44-47]
19	The apparatus according to claim 18, wherein said residual noise
	processor includes a voice switch for detecting said non-speech
	segments. [10:48-50]
20	The apparatus according to claim 18, wherein said residual noise
	processor includes another threshold detector for detecting said non-



DOCKET A L A R M

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

