

[54] **METHOD AND FORMAT FOR STORING AND SELECTIVELY RETRIEVING IMAGE DATA**

Primary Examiner—Andrew Johns
 Assistant Examiner—Monica S. Davis
 Attorney, Agent, or Firm—Townsend and Townsend and Crew LLP

[75] Inventors: **Adrianus Ligtenberg**, Palo Alto; **Adolf Gerard Starreveld**; **William John Gulland**, both of Mountain View, all of Calif.

[57] **ABSTRACT**

A method of processing an input image for storage includes decomposing the input image into a number of images at various resolutions, subdividing at least some of these images into tiles (rectangular arrays) and storing a block (referred to as the "tile block") representing each of the tiles, along with an index that specifies the respective locations of the tile blocks. In specific embodiments, the tiles are 64×64 pixels or 128×128 pixels. The representations of the tiles are typically compressed versions of the tiles. In a specific embodiment, JPEG compression is used. In a specific embodiment, an operand image is recursively decomposed to produce a reduced image and a set of additional (or complementary) pixel data. At the first stage, the operand image is normally the input image, and, for each subsequent stage, the operand image is the reduced image from the previous stage. At each stage, the reduced image is at a characteristic resolution that is lower than the resolution of the operand image. The processing is typically carried out until the resulting reduced image is of a desired small size.

[73] Assignee: **Storm Technology, Inc.**, Mountain View, Calif.

[21] Appl. No.: **554,384**

[22] Filed: **Nov. 8, 1995**

[51] Int. Cl.⁶ **G06K 9/36; G06K 9/46**

[52] U.S. Cl. **382/232; 382/240; 382/264**


[58] Field of Search **382/240, 232, 382/264**

[56] **References Cited**

U.S. PATENT DOCUMENTS

4,943,855	7/1990	Bheda et al.	358/133
5,048,111	9/1991	Jones et al.	382/56
5,333,212	7/1994	Ligtenberg	382/56
5,384,869	1/1995	Wilkinson et al.	382/56
5,434,953	7/1995	Bloomberg	382/298

34 Claims, 3 Drawing Sheets






FIG. 1 (PRIOR ART)




FIG. 2




FIG. 3

50 ↗




FIG. 4




FIG. 5

METHOD AND FORMAT FOR STORING AND SELECTIVELY RETRIEVING IMAGE DATA

COPYRIGHT NOTICE

A portion of the disclosure of this patent document contains material which is subject to copyright protection. The copyright owner has no objection to the facsimile reproduction by anyone of the patent document or the patent disclosure as it appears in the Patent and Trademark Office patent file or records, but otherwise reserves all copyright rights whatsoever.

BACKGROUND OF THE INVENTION

The present invention relates generally to storing and retrieving image data, and more specifically to a file format that provides selective retrieval for display, printing, or communication purposes.

It is said that a picture is worth a thousand words, and history bears this out. From cave men drawing pictures on the walls of their caves to modern-day students accessing multimedia encyclopedias, people have always considered pictorial information an essential communication tool. Recent advances in computer technology have made it possible to create and exchange elaborate documents in electronic form. Text and graphics (line art) are easily formatted and manipulated, allowing an amateur computer user to create highly professional documents. The logical next step is the incorporation of photographs and other bitmap images into documents.

While the technology exists to digitize and edit photographs, a persistent problem is that bitmap images are very large. For example, an 8×10 inch color photograph scanned at 300 dpi (dots/inch) at 24 bits/pixel represents over 20 megabytes of data, and this is hardly an extreme example. Thus, in the context of a local computer, acquiring, viewing, manipulating, and printing such images are painfully slow processes, even with state-of-the-art computer equipment. The problem is aggravated when it is desired to transfer these images over a network.

Fortunately, the bitmap representation of most photographs includes a large amount of repetitive information making the images amenable to image compression schemes. An international compression standard called JPEG, which allows pictures to be stored in about 1/10 the space with high quality, has been developed and adopted. Greater levels of compression can be achieved, but the quality of the reconstructed image is lower. While it is possible to achieve lossless compression, the compression factor would only be on the order of 4x. A discussion of the JPEG compression, as well as a number of enhancements thereto, can be found in U.S. Pat. No. 5,333,212 to Ligtenberg, the entire disclosure (including appendices) of which is incorporated by reference for all purposes.

There have been developed image editing programs that incorporate virtual memory schemes specially tailored to images. In these schemes, the images are divided into tiles (rectangular image regions). The advantage of tiles is that image data can be retrieved for only those tiles that will be displayed, and operations can be performed locally.

Another problem is where an image needs to be accessed at different resolutions. For example, an image might be displayed actual size at 72 dpi but printed at 300 or 600 dpi. A solution to this problem is known as pyramid coding, such as in Kodak's PhotoCD format, where the image is stored at

different resolutions. The pyramid allows the user to select an image resolution that is the most effective for a certain task. For example, to browse a number of images, one views the thumbnail images (highly reduced images that are on the order of an inch or two on a side when displayed). The basic features of the image can be discerned, and a selected image can then be retrieved at a screen resolution for viewing or at a higher print resolution suitable for printing.

Although the above solutions have been successful in addressing some of the obstacles standing in the way of using images on the computer, the solutions are not without their drawbacks. For example, JPEG compression, while it reduces the file size, does not allow selective reconstruction of a desired portion of the image. Rather, it is necessary to reconstruct all portions of the image between the top left of the image and the bottom right of the desired portion. Furthermore, while the filebased virtual memory schemes alleviate the memory requirements, they do not reduce the file size. Additionally, an image stored in the PhotoCD format is so large that it is only used on PhotoCDs. The format is not practical as a format for on-line storage and retrieval or for storage on a local hard disk.

SUMMARY OF THE INVENTION

The present invention provides an effective and flexible image data format and techniques for selectively storing and retrieving image data. A storage format according to the invention allows desired portions of the image data to be retrieved at desired resolution.

In brief, a method of processing an input image for storage includes decomposing the input image into a number of images at various resolutions, subdividing at least some of these images into tiles (rectangular arrays) and storing a block (referred to as the "tile block") representing each of the tiles, along with an index that specifies the respective locations of the tile blocks. The representations of the tiles are typically compressed versions of the tiles. In a specific embodiment, JPEG compression is used.

In a specific embodiment, an operand image is iteratively decomposed to produce a reduced image at a lower resolution and a set of additional (or complementary) pixel data. At the first stage, the operand image is normally the input image, and, for each subsequent stage, the operand image is the reduced image from the previous stage. The additional pixel data produced at a given stage can be considered to have the same characteristic resolution as the reduced image produced at that stage. The reduced image and the additional pixel data at a given resolution are sometimes referred to as a layer.

The processing is typically carried out until the resulting reduced image is of a desired small size. This is typically a size that represents the smallest image that is useful for display. In a specific embodiment, this is an image between 80 and 160 pixels on a side, referred to as a thumbnail.

The reduction performed at each stage is of a type that retains the basic appearance of the operand image. In a specific embodiment, the reduced image is obtained by subjecting the operand image to horizontal and vertical low-pass filters followed by decimation. In a specific embodiment, the reduction is by a factor of 2 in each dimension.

The additional pixel data contains at least some of the information lost in the reduction of the operand image. This allows the operand image to be reconstructed to a desired degree by suitably combining the reduced image and the additional pixel data. If the additional pixel data allows

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.