



CONTENTS

KDOQI Clinical Practice Guidelines and Clinical Practice Recommendations for Anemia in Chronic Kidney Disease

Tables	S1
Figures	S2
Abbreviations and Acronyms	S4
Work Group Membership	S7
KDOQI Advisory Board Members	S8
Foreword	S9
I. EXECUTIVE SUMMARY	S11
II. CLINICAL PRACTICE GUIDELINES AND CLINICAL PRACTICE RECOMMENDATIONS FOR ANEMIA IN CHRONIC KIDNEY DISEASE IN ADULTS 1.1. Identifying Patients and Initiating Evaluation	S16 S17 S28 S33 S54
 3.2. Using Iron Agents 3.3. Using Pharmacological and Nonpharmacological Adjuvants to ESA Treatment in HD-CKD 3.4. Transfusion Therapy 3.5. Evaluating and Correcting Persistent Failure To Reach or Maintain Intended Hb 	\$58 \$71 \$79
III. CLINICAL PRACTICE RECOMMENDATIONS FOR ANEMIA IN CHRONIC KIDNEY DISEASE IN CHILDREN 1.1: Identifying Patients and Initiating Evaluation	S86 S87 S89 S90



3.1: Using ESAs	S93
3.2: Using Iron Agents	S99
3.3: Using Pharmacological and NonPharmacological Adjuvants to ESA Treatment in HD-CKD	S105
3.4: Transfusion Therapy	S106
3.5: Evaluating and Correcting Persistent Failure To Reach or Maintain Intended Hb Level	S107
IV. CLINICAL PRACTICE RECOMMENDATIONS FOR ANEMIA IN CHRONIC KIDNEY DISEASE IN TRANSPLANT RECIPIENTS	S109
V. APPENDIX 1: METHODS OF EVIDENCE REVIEW AND SYNTHESIS	S117
Work Group Biographies	S126
Acknowledgments	S131
References	S132

KDOQI Disclaimer

SECTION I: USE OF THE CLINICAL PRACTICE GUIDELINES AND CLINICAL PRACTICE RECOMMENDATIONS

These Clinical Practice Guidelines (CPGs) and Clinical Practice Recommendations (CPRs) are based upon the best information available at the time of publication. They are designed to provide information and assist decision-making. They are not intended to define a standard of care, and should not be construed as one. Neither should they be interpreted as prescribing an exclusive course of management.

Variations in practice will inevitably and appropriately occur when clinicians take into account the needs of individual patients, available resources, and limitations unique to an institution or type of practice. Every health-care professional making use of these CPGs and CPRs is responsible for evaluating the appropriateness of applying them in the setting of any particular clinical situation. The recommendations for research contained within this document are general and do not imply a specific protocol.

SECTION II: DEVELOPMENT PROCESS

The National Kidney Foundation makes every effort to avoid any actual or potential conflicts of interest that may arise as a result of an outside relationship or a personal, professional or business interest of a member of the Work Group.

Specifically, all members of the Work Group are required to complete, submit and sign a Disclosure Questionnaire showing all such relationships that might be perceived as real or potential conflicts of interest. All affiliations are published in their entirety at the end of this publication in the Biographical Sketch section of the Work Group members.

In citing this document, the following format should be used: National Kidney Foundation. *KDOQI Clinical Practice Guidelines and Clinical Practice Recommendations for Anemia in Chronic Kidney Disease*. Am J Kidney Dis 47:S1-S146, 2006 (suppl 3).

Support for the development of the KDOQI Clinical Practice Guidelines and Clinical Practice Recommendations for Anemia in Chronic Kidney Disease was provided by Amgen, Inc.

AMGEN

The National Kidney Foundation gratefully acknowledges the support of Amgen, Inc. as the founding and principal sponsor of KDOQI.



Tables

Table 1.	Key Differences Between Current Guidelines (KDOQI Anemia 2006) and	015
T 11 2	Previous Anemia Guidelines (KDOQI 2000 and EBPG 2004)	
Table 2.	Relationship Between Hb Level and Kidney Function	
Table 3.	Relationship Between Hct and Kidney Function	
Table 4.	Prevalence of Anemia by Level of Kidney Function	
Table 5.	Difference in Hb and Hct From Reference by Category of C _{Cr}	S20
Table 6.	Difference in Hb and Hct From Reference According to Category of BSA	
	and Normalized eGFR	S21
Table 7.	Hb for Males by Race/Ethnicity and Age: United States, 1988 to 1994	S24
Table 8.	Hb for Females by Race/Ethnicity and Age: United States, 1988 to 1994	S25
Table 9.	Normal Increase in Hb Levels Related to Long-Term Altitude Exposure	S26
Table 10.	Maximum Hb Cutoff Values for Anemia in Pregnancy	S27
Table 11.	Adjustment to Hb for Smoking by Number of Packets per Day	S27
Table 12.	RCTs Examining Effects of Distinct Hb Targets/Levels on Key Clinical Outcomes	
	in the HD-CKD and PD-CKD Populations	S34
Table 13.	RCTs Examining Effects of Distinct Hb Targets/Levels on QOL in the HD-CKD	
	and PD-CKD Populations.	S36
Table 14.	Non-CVD/Mortality AE Rates in RCTs Examining Distinct Hb Targets/Levels	550
14010 1 11	in HD-CKD and PD-CKD Populations: ESA versus ESA	\$38
Table 15.	Non-CVD/Mortality AE Rates in RCTs Examining Distinct Hb Targets/Levels	550
Table 13.	in the HD-CKD and PD-CKD Populations: ESA versus Placebo	\$40
Table 16.	Effects of Distinct Hb Targets/Levels on Key Clinical Outcomes in the	540
Table 10.	ND-CKD Population	C 11
Toble 17	RCTs Examining Effects of Distinct Hb Targets/Levels on QOL in the	541
Table 17.		042
T-1-1- 10	ND-CKD Population	542
Table 18.	Non-CVD/Mortality AE Rates in RCTs Examining Distinct Hb Targets/Levels	0.42
T 11 10	in the CKD Population	543
Table 19.	RCTs Examining Effects of Distinct Hb Targets/Levels on Exercise Capacity	0.4.4
T 11 20	in the HD-CKD and PD-CKD Populations	
Table 20.	Target Hb Levels in the HD-CKD and PD-CKD Populations	
Table 21.	Target Hb Levels in the ND-CKD Population	S48
Table 22.	Anemia Management Protocol Information for Initial Anemia Management	
	Used in ESA RCTs	
Table 23.	RCTs for Ferritin and TSAT Targets in the HD-CKD Population	S60
Table 24.	Value of Baseline Ferritin for Assessing Likelihood of Response to IV Iron Therapy	
	in the HD-CKD Population	
Table 25.	Value of Ferritin in Assessing Iron Storage Excess or Deficiency	S61
Table 26.	Value of Baseline TSAT for Assessing Likelihood of Response to IV Iron Therapy	
	in the HD-CKD Population	S62
Table 27.	Value of Baseline CHr for Assessing Likelihood of Response to IV Iron Therapy	S62
Table 28.	Mean Monthly Dose of Iron in Adult Prevalent HD-CKD Patients on ESA Therapy	S63
Table 29A.	Comparative RCTs of IV versus PO Iron Administration and Efficacy of	
	Anemia Management in the HD-CKD and PD-CKD Populations	S65
Table 29B.	Comparative RCTs of IV versus PO Iron Administration and Efficacy of	
	Anemia Management in the ND-CKD Population	S65
Table 30.	Comparative RCTs of PO Iron Administration versus Placebo/Control and	
	Efficacy of Anemia Management in the HD-CKD and PD-CKD Populations	S66
Table 31.	Serious AEs of Iron Agents in Patients Naïve to Tested Iron Agent ($N > 100$)	
Table 31A.		
THUIC JIA.	1. Torong I O Hon rigonia in the HD-CKD and I D-CKD I opulations	507
American los	rnal of Kidney Diseases, Vol 47, No 5, Suppl 3 (May), 2006; pp S1-S3	S1



S2 FIGURES

	IV versus PO Iron Agents in the ND-CKD Population	S67
Table 32.	RCTs Evaluating Effects of Treatment with IV L-Carnitine on Hb Levels and ESA	
	Doses in the HD-CKD Population	
Table 33.	Use of L-Carnitine as an Adjuvant to ESA Treatment in the HD-CKD Population	S73
Table 34.	RCTs Evaluating Effects of Treatment With IV Ascorbic Acid on Hb Levels	
	and ESA Doses in the HD-CKD Population	
Table 35.	Use of Ascorbic Acid as an Adjuvant to ESA Treatments in the HD-CKD Population	S74
Table 36.	RCTs Evaluating Effects of Treatment With IM Androgens on Hb Levels in the	075
Table 37.	HD-CKD Population Use of Androgens as an Adjuvant to ESA Treatment in the HD-CKD Population	
Table 37.	Published Experience in Patients With Anemia, CKD, and a Preexisting	370
Table 36.	Hematologic Disorder	284
Table 39.	Hb Levels (g/dL) in Children Between 1 and 19 Years for Initiation of	504
1abic 37.	Anemia Workup	882
Table 40.	Hb Levels (g/dL) in Children Between Birth and 24 Months for Initiation	500
14010 40.	of Anemia Workup	\$88
Table 41.	Literature Review of Anemia in Transplant CKD: Key Conclusions	
Table 42.	Prevalance of PTA by Duration of Posttransplantation Period	
Table 43.	Example of a Summary Table	
Table 44.	Systematic Review Topics and Screening Criteria	
Table 45.	Literature Search Yield of Primary Articles for Systematic Review Topics	
Table 45A.		
Table 46.	Details of First-Look Topics, Ovid Literature Searches, and Yield by Topic	
Table 46A.	* *	
Table 47.	Evaluation of Studies of Prevalence	
Table 48.	Format for Guidelines.	
Table 49.	Balance of Benefit and Harm	
Table 50.	Definitions of Grades for Quality of Overall Evidence	S124
Table 51.	Example of an Evidence Profile	S125
	TO!	
	Figures	
Figure 1.	Kidney Failure in the United States	S12
Figure 2.	Relationship Between Current and Previous Anemia Guidelines	S14
Figure 3.	Relationship Between Hb Level and eGFR	
Figure 4.	Relationship Between eGFR and Prevalence of Anemia as Defined by Differing Hb	
	Levels for (A) Males and (B) Females	S21
Figure 5.	Prevalence of Anemia by CKD Stage	S22
Figure 6.	Relationship Between Level of Renal Function, Reflected by S _{Cr} Level or	
	GFR, and Prevalence of Anemia, Defined at Different Hb Cutoff Levels, Among	
	Patients under the Care of Physicians	S22
Figure 7.	Hb Percentiles by GFR in the Canadian Multicentre Longitudinal Cohort Study	S22
Figure 8.	Prevalence of Low Hb Level by Category of GFR in the Canadian Multicentre	
	Longitudinal Cohort Study	S23
Figure 9.	Prevalence of Low Hb Level by eGFR in Patients with Diabetics Compared with the	
	General Population	S23
Figure 10.	Changes in Hb Levels and eGFR Over 2 years in Adult Patients with CKD Stages 3	
=	and 4 Not Treated with ESA	S23
Figure 11.	Distribution of Hb Levels in Adult Males and Females by Age Group	S26
Figure 12.	Distribution of Ferritin and TSAT Values by Age Group in Males and Females	S30



DOCKET

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

