

US007309602B2

(12) United States Patent David

(54) COMPOSITIONS AND METHODS FOR PRODUCING FERMENTATION PRODUCTS AND RESIDUALS

- (75) Inventor: Peter R. David, Palo Alto, CA (US)
- (73) Assignee: AmbroZea, Inc., Palo Alto, CA (US)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

- (21) Appl. No.: 11/383,748
- (22) Filed: May 16, 2006

(65)**Prior Publication Data**

US 2007/0243592 A1 Oct. 18, 2007

Related U.S. Application Data

- (60) Provisional application No. 60/797,431, filed on May 3, 2006, provisional application No. 60/744,833, filed on Apr. 13, 2006.
- (51) Int. Cl.

(56)

DOCKE

C12N 1/19	(2006.01)
A23B 7/10	(2006.01)
A23B 7/154	(2006.01)
C12P 7/06	(2006.01)

- (52) U.S. Cl. 435/254.2; 435/161; 435/256; 426/53; 426/56
- (58)Field of Classification Search None See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

1/1986	Faber et al.
5/1989	Rasco et al.
9/1992	Smith et al.
9/1992	Strasser et al 426/11
6/1993	Smith et al.
1/1996	Wolf et al.
6/1996	Ausich et al.
8/1997	Barclay
8/1997	Ausich et al.
6/1998	Sugimoto et al.
6/2002	Millis et al.
3/2003	Thompson et al.
8/2004	Thompson et al.
2/2005	Thompson et al.
2/2005	Thompson et al.
3/2005	Taylor et al.
	5/1989 9/1992 9/1992 6/1993 1/1996 6/1996 8/1997 6/1998 6/2002 3/2003 8/2004 2/2005 2/2005

(10) Patent No.: US 7.309.602 B2

*Dec. 18, 2007 (45) Date of Patent:

6,878,860	B1	4/2005	Thompson et al.
7,001,610	B2	2/2006	Stewart
2002/0155192	A1	10/2002	Walker et al.
2003/0049241	A1	3/2003	Jocobson et al.
2003/0104587	A1	6/2003	Verser et al.
2003/0157675	A1	8/2003	Cordero Otero e al.
2004/0248280	A1*	12/2004	Bolla et al 435/254.2
2006/0008546	A1	1/2006	de Souza et al.
2006/0039955	A1	2/2006	Messman et al.
2006/0057251	A1	3/2006	Dawley et al.
2006/0286645	A1	12/2006	Li et al.
2007/0037267	Al $*$	2/2007	Lewis et al 435/161

FOREIGN PATENT DOCUMENTS

EP	0450430 A2	10/1991
EP	0450430 A3	10/1991
WO	WO 2002/03812 A2	1/2002
WO	WO 2002/03812 A3	1/2002
WO	WO 2005/118795 A2	12/2005
WO	WO 2005/118795 A3	12/2005

OTHER PUBLICATIONS

Parekh et al., Pilot-scale production of butanol by Clostridium beijerinckii BA101 using low-cost fermentation medium based on corn steep water. Appl Microbiol Biotechnol. 1999 51:152-157.* Romanos et al., Yeast vol. 8, Issue 6, pp. 423-488, 1992.* Zeikus J.G. Chemical and fuel production by anaerobic bacteria. Annu Rev Microbiol. 1980;34:423-64.*

Birkelo, et al. The energy content of wet corn distillers grains for lactating dairy cows. J Dairy Sci. 2004; 87(6):1815-9.

Casey, et al. High Gravity Brewing: Effects of Nutrition on Yeast Composition, Fermentative Ability, and Alcohol Production. Appl Environ Microbiol. 1984: 48(3):639-646.

(Continued)

Primary Examiner-Joseph Woitach

Assistant Examiner—Maria Leavit

(74) Attorney, Agent, or Firm-Wilson Sonsini Goodrich & Rosati

(57) ABSTRACT

The present invention provides compositions and methods designed to increase value output of a fermentation reaction. In particular, the present invention provides a business method of increasing value output of a fermentation plant. The present invention also provides a modified fermentation residual of higher commercial value. Also provided in the present invention are complete animal feeds, nutritional supplements comprising the subject ferment residuals. Further provided by the present invention is a method of performing fermentation, a modified fermentative microorganism and a genetic vehicle for modifying such microoganism.

24 Claims, 2 Drawing Sheets

OTHER PUBLICATIONS

Coon, C The present and future utilization of biotechnology in the feed industry: a poultry nutritionist's perspective. University Of Arkansas. Available at http://www.asa-europe.org/pdf/present.pdf. Accessed Oct. 16, 2006.

Feed-Use Amino Acids Business. Ajinomoto Co., Inc. Oct. 2006. 6 pages.

Gasent-Ramirez, et al. Lysine-overproducing mutants of *Sac-charomyces cerevisiae* baker's yeast isolated in continous culture. Appl Environ Microbiol. 1997; 63(12):4800-6.

Hao, C. T. J. Yeast dilution. Bachelor of engineering thesis pre-

sented at The University of Queensland on May 19, 2004. 39 pages. Ingledew, W. M. Yeast—could you base business on this bug? In T.P. Lyons and K.A. Jacques, editors. Under the miccroscope—Focal Points for the New Millennium-Biotechnology in the Feed Industry. Proceedings of Alltech's 15th Annual Symposium. Nottingham University Press, Nottingham, UK. 1999. pp. 27-47.

Ingledew, W. M. Improvements in alcohol technology through advancements in fermentation technology. Getreidetechnologie (Getreidetechnologie).2005; 59(5):308-311.

Larkins, B. A. Boosting lysine improves nutritional value of corn. US Department of Agriculture. Cooperative State Research, Education, and Extension Service. 2001 No. 4. 2 pages.

Lyons, et al. (Ed) Biotechnology in the Feed Industry. Proceedings of Alltech's 10th Annual Symposium. Nottingham University Press. Loughtorough, Leicestershire, UK. 1994. (Table of Contents only). Mason, S. Rumen-protected amino acids. Available at http://www. westerndairyscience.com/html/CALRT%20articles/html/Aa1.html. Accessed Oct. 11, 2006.

Meyers, et al. trans-Recessive mutation in the first structural gene of histidine operon that results in a constitutive expression of the operon. J. Bacteriology 1975, 124 (3) 1227-1235.

Moller, K. Glucose metabolism in the petite-negative yeast Saccharomyces kluyveri. Ph. D. thesis presented Technical University of Denmark. 2001. 132 pages.

Nagai, et al. Transcriptional regulation of the heat shock regulatory gene rpoH in *Escherichia coli*: involvement of a novel catabolite-sensitive promoter. J. Bacteriol. 1990; 172(5):2710-2715.

National Renewable Energy Laboratory. The DOE bioethanol pilot plant—A tool for commercialization. DOE/GO-102000-1114. Sep. 2000. 4 pages.

Nutrient Requirements of Beef Cattle. 7th Revised Edition. National Academy Press. Washington, D. C. 1996 (Table of Contents only). 2 pages.

Nutritional Requirements of Dairy Cattle. 7th Revised Edition. National Acedemy Press. Washington, D.C. 2001. (Table of Contents only). 2 pages.

Nutritional Requirements of Swine. 10th Revised Edition. National Academy Press. Washington, D.C. 1998. (Table of Contents only). 9 pages.

O'Connor-Cox, et al. Wort nitrogenous sources—Their use by brewing yeasts: A review. J. Am. Soc. Brew. Chem. 1989; 120-108. Potera, C. Progress with biofuels will depend on, drive microbology research—As interest in biofuels surges, finding cost-effective ways fo converting biomass to fuels and feedstocks poses challenges to microbiologists. Microbe. 2006; 1(7):317-322.

Program and Abstracts. 27th Symposium on Biotechnology for fuels and chemicals hosted by the National Renewable Energy Laboratory in Denver Marriott City Center Hotel, Denver, Colorado May 1-4, 2005.

DOCKE.

Sambrook, et al. Molecular cloning: A laboratory manual. Cold Spring Harbor Labs Press. Planview, NY. 1989. Table of Contents only. 30 pages.

Shimazu, et al. A Family of Basic Amino Acid Transporters of the Vacuolar Membrane from *Saccharomyces cerevisiae*. J. Biol. Chem. 2005; 280(6)4851-4857.

Shurson, et al. Corn By-Product Diversity and Feeding Value to Non-Ruminants. Minnesota Nutrition Conference Proceedings. 2005; 19 pages.

Shurson, et al. Nutritional and value added benefits of maize DDGS and other dry-mill co-products to swine. University of Minnesota. Eastern Nutrition Conf., Ottawa, Ontario, Canada. May 10-11, 2004. 20 pages.

Soto, et al. Estimation of ethanol yield in corn mash fermentations using mass of ash as a marker. Journal of the Institute of Brewing, 2005; 111(2):137-143.

Thomas, et al. Effects of particulate materials and osmoprotectants on very-high-gravity ethanolic fermentation by *Saccharomyces cerevisiae*. Appl Environ Microbiol. 1994; 60(5):1519-24.

Thomas, et al. Fuel alcohol production: effects of free amino nitrogen on ferementation on very-high-gravity wheat mashes. Appl Environ Microbiol. 1990;56(7):2046-50.

Thomas, et al. Production of fuel alcohol from hull-less barley by very high gravity technology. Cereal Chemistry. 1995; 72(4):360-364.

Thomsen, et al. Biotechnology in ethanol production. In Risø Energy Report 2. 2003; 40-44.

Widyaratne, G. P. Characterization and improvement of the nutritional value of ethanol by-products for swine. Master of science degree thesis presented at University of Saskatchenwan. Dec. 2005. 140 pages.

Cereghino, et al. Heterologous protein expression in the methylotropic yeast *Pichia pastoris*. FEMS Microbiology Reviews. 2000; 24:45-66.

Dansen, et al. Regulation of sterol carrier protein gene expression by the Forkhead transcription factor FOXO3a. J. Lipid Research. 2004; 45:81-88.

He, et al. Overexpression of a sterol C-24(28) reductase increases ergosterol production in *Saccharomyces cerevisiae*. Biotechnology Letters. 2003; 25(10):773-8.

Kim, et al. A role in vacuolar arginine transport for yeast Btn1p and for human CLN3, the protein defective in Batten disease. PNAS. 2003: 100:15458-15462.

Rippert, et al. Engineering Plant Shikimate Pathway for Production of Tocotrienol and Improving Herbicide Resistance. Plant Physiol. 2004; 134:92-100.

Stepanova, et al. Lysine Overproduction Mutations in the Yeast *Saccharomyces cerevisiae* Are Introduced into Industrial Yeast Strains. Russian J. Genetics. 2001; 37:460-463.

Sychrova, et al. Kinetic properties of yeast lysine permeases coded by genes on multi-copy vectors. FEMS Microbiol Lett. 1993; 113(1):57-61.

Szczebara, et al. Total biosynthesis of hydrocortisone from a simple carbon source in yeast. Nat Biotechnol. 2003;21(2):143-9.

Misawa, et al. Production of β-carotene in Zymomonas mobilis and Agrobacterium tumefaciens by intoduction of the biosynthesis genes from Erwinia uredovora. Applied and Environmental Microbiology. 1991; 57(6): 1847-9.

Foreign Search Report of Jul. 2, 2007 Reguarding Application No. GB0706778.8.

* cited by examiner




Figure 1

DOCKET A L A R M Find authenticated court documents without watermarks at <u>docketalarm.com</u>.


DOCKE.

Δ

Δ

RM

Vector for expressing exogenous sequence in yeast



Exemplary Selection Marker: Zeocin

Exemplary Regulatory Sequence:

- Glucose suppressor operon
- Regulatory sequence of a heat shock gene
- Regulatory sequence of a toxicity gene
- Regulatory sequence of a spore formation gene

Figure 2

COMPOSITIONS AND METHODS FOR PRODUCING FERMENTATION PRODUCTS AND RESIDUALS

CROSS REFERENCE

This application claims the benefit of U.S. Provisional Application No. 60/744,833 filed Apr. 13, 2006, U.S. Provisional Application No. 60/797,431 filed May 3, 2006, all of which are incorporated herein by reference in their 10 ods designed to increase value output of a fermentation entirety.

BACKGROUND OF THE INVENTION

The ethanol fuel industry is growing at a rapid pace. 1. Numerous federal and state incentives, such as clean burning fuel programs, have fostered the exponential growth of more than five times over the past two decades. In 2004, high oil prices, a bumper corn crop, and limited processing capacity created new market opportunities and resulted in 20 record production of more than 3.4 billion gallons of fuel ethanol. Today, ethanol represents the third largest market for U.S. corn. At this pace, fuel ethanol production is positioning itself as an integral part of rural economic development and environmental improvement.

Ethanol can be made through fermentation and distillation of starch found in crops such as corn, sorghum, potatoes, sugar cane, as well as in cornstalks. Ethanol is usually produced in either dry grind or wet mill facilities. The primary co-products generated from the wet mills or "corn 30 refineries" include high fructose corn syrup, corn oil, gluten feed, and gluten meal. Co-products from the dry grind process include distillers grains and carbon dioxide. While both types of facilities have similar operating costs, the dry grind facilities are usually smaller and require a lower initial 35 investment, making their capital costs two to four times less per gallon. The dry mill types of ethanol production process the starch portion of corn, which is about 60% of the kernel. All the remaining nutrients-protein, fat, minerals, and vitamins—are concentrated into distillers grain which is a 40 valuable feed for livestock. A bushel of corn weighing nearly 56 pounds may produce approximately 2.8 gallons of ethanol and 18 pounds of distillers grain.

Distillers grain can provide a high quality feedstuff ration for dairy cattle, beef cattle, swine, poultry, pets, and aquac- 4. ulture. The feed is an economical partial replacement for corn, soybean meal, and dicalcium phosphate in livestock and poultry feeds. Distillers grain continues to be an excellent, economical feed ingredient for use in ruminant diets. DDGS (distillers dried grains with solubles) production has been expected to double from 3.5 million metric tons in 2002 to over 7 million metric tons by 2006. The sale of distillers grain is an important part of the total profitability and growth of the ethanol industry. If dried distillers grain sales lag behind the increasing production of ethanol, the 55 current ethanol industry could be significantly affected. An effective marketing of distillers grain as animal feed will undoubtedly contribute to the efficiency and overall profitability of an ethanol facility.

Current ethanol production schemes by fermentation are 60 far from being optimized. While efforts have been directed to improve ethanol production, little research has been focused on enhancing the value output of the fermentation residuals including the distillers grain that contributes to a significant portion of the animal feed market.

Thus, there remains a considerable need for compositions and methods that are designed to increase the value output

DOCKE

of a fermentation facility. An ideal fermentation scheme would maintain the high ethanol production, and at the same time yield fermentation residuals of higher commercial value. The present invention satisfies this need and provides related advantages as well.

SUMMARY OF THE INVENTION

The present invention provides compositions and methreaction. In one embodiment, the present invention provides a business method of increasing value output of a fermentation plant. The method comprises the steps of (a) performing a fermentation reaction with the use of a modified microorganism; and (b) marketing or selling one or more of the products of the fermentation reaction comprising said modified microorganism. In a related embodiment, the method of increasing value output of a fermentation plant comprises performing a fermentation reaction using carboncontaining material in the presence of a modified microorganism to yield fermentation residual that has a higher commercial value than if the fermentation reaction were performed in the absence of the modified microorganism. In one aspect, the fermentation reaction can be performed 25 under either aerobic or anaerobic conditions. The fermentation reaction typically produces products such as alcohol, including but not limited to methanol, ethanol, propanol, and butanol, as well as gaseous co-products such as carbon dioxide. In addition, the fermentation reaction also yields residuals that are of higher commercial value than conventional fermentation residuals. In another aspect, the fermentation reaction may utilize any carbon-containing starting material, e.g., carbohydrates that are present in a wide variety of substances, including but not limited to cellulose, wood chips, vegetables, biomass, excreta, animal wastes, oat, wheat, corn, barley, milo, millet, rice, rye, sorghum, potato, sugar beets, taro, cassaya, fruits, fruit juices, and sugar cane. The modified microorganism employed in the subject methods can be eukaryotic (e.g., yeast) or prokaryotic (e.g., bacteria or archaebacteria). In a preferred embodiment, the fermentation reaction yields fermentation residuals that have an enhanced nutritional content. In one aspect of this embodiment, the fermentation residuals are enriched in one or more types of cofactors, hormones, proteins, preservatives, stabilization agents, nutraceuticals, vitamins, essential amino acids, and/or lipids. In some aspects, the reaction is performed with the subject microorganisms to increase the value output of the entire fermentation reaction by enhancing the process to yield more valuable products and/or fermentation residuals. In some other aspects, the reaction is performed with the subject microorganisms to increase the value output without substantially decreasing the amount of fermentation products produced by the fermentation reaction, and/or without substantially decreasing the total values of fermentation products produced by the fermentation reaction.

The present invention also provides a fermentation residual comprising a genetically modified microorganism, wherein the fermentation residual has a commercial value (e.g. due to increase in nutritional content) higher than that of a fermentation residual that is deficient in said modified microorganism. In one aspect, the subject fermentation residual has a shelf life that is longer than that of a fermentation residual that is deficient in said modified microorganism. In another aspect, the residual is enriched in at least one essential amino acid, a significant faction of which (e.g. the majority of which) is encapsulated in a cell

DOCKET A L A R M



Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.