

Total: \$317.48  
Total RX: 1



BR 1827

If you have any questions, please feel free to contact your Pharmacist at (919)772-2640.  
Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

<p><b>SHARGEL</b> <b>LEON</b> 1535-228 CARLEIGH MILL RALEIGH, NC 27603</p> <p>RX: OC# Ref = 3 DATE: 05/18/15</p> <p>Patient Pay: \$317.48</p>	<p>WAL-MART PHARMACY 10-1372 4500 FAYETTEVILLE RD RALEIGH, NC 27603 -0000 NABP: 3426687 VIMOVO 500-20MG TAB MCK</p> <p>PRIORITY: IN STORE NEW</p> <p>NDC: 75987-0030-04</p> <p>SHARGEL, MARTIN C QTY: 12 DAW: 0 DAY SUPPLY: 6</p>
---	---



( 919 ) 772 - 8751  
MANAGER JORGIE ROJAS  
4500 FAYETTEVILLE RD  
RALEIGH NC 27603

ST# 1372	DP# 00006673	TE# 80	TR# 00349
RX# 786546	D38	QTY 1H	317.48 N
EQ OMEP CAPS	007874206781H		6.98 X
EQ NAPROX TB	068113177675		6.48 X
	SUBTOTAL		329.94
TAX 1	6.750 %		0.84
	TOTAL		330.78
	VISA TEND		330.78

Visa Credit \*\*\*\* \* 0138 I 1  
APPROVAL # 060453  
REF # 513800652917  
TRANS ID - 305138738640340  
VALIDATION - RT4T  
PAYMENT SERVICE - E

AID A000000031010  
TC F2C5779D7746697  
TERMINAL # SC010283  
\*Signature Verified

05/18/15 16:31:19

CHANGE DUE 0.00

# ITEMS SOLD 3

TC# 7106 7587 7530 9602 2353 7



Low Prices You Can Trust. Every Day.  
05/18/15 16:31:19

\*\*\*CUSTOMER COPY\*\*\*



Lot # 3122715  
Exp. # 6/17  
VIMOVO  
500-20mg  
#12  
\$317.48

# OTC PRODUCTS

**TAMPER EVIDENT:** Do not use if foil seal under cap printed with "sealed for your protection" or pink band around center of capsule are broken or missing.

**IMPORTANT:** Read the directions and warnings before use. Keep the carton it contains important information.

**Tips for Managing Heartburn**

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

**equate™**

Compare to Prilosec OTC® Active Ingredient\*

## Omeprazole Magnesium

Delayed-Release Capsules, 20.6 mg

### Acid Reducer

Treats Frequent Heartburn Occurring 2 or More Days a Week

• Easy to swallow capsule

One 14-day course of treatment

20.6 mg 14 CAPSULES SAFETY SEALED



Actual Size

Distributed by: Wal-Mart Stores, Inc., Bentonville, AR 72716  
Made in India  
\*This product is not manufactured or distributed by Procter & Gamble, distributor of Prilosec OTC®. Prilosec OTC® is a registered trademark of AstraZeneca AB.



LOT

EXP

### Drug Facts

**Active ingredient (in each capsule)** Purpose  
Omeprazole magnesium delayed-release capsule 20.6 mg (equivalent to 20 mg omeprazole)..... Acid reducer

**Use**

- treats frequent heartburn (occurs 2 or more days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

**Warnings**

**Allergy alert:** Do not use if you are allergic to omeprazole. Do not use if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

**equate™**

**Naproxen Sodium**

Tablets, 220 mg  
Pain Reliever/Fever Reducer (NSAID)  
Strength to Last 12 Hours

**KEEP CARTON FOR REFERENCE**

**220 100 mg TABLETS**

Actual Size

Compare to Advil® Tablets Active Ingredient\*

**Drug Facts (continued)**  
Inactive ingredients: FD&C blue no. 2 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, Inc. titanium dioxide

**Questions or comments? 1-888-287-1915**

**DO NOT USE IF PRINTED FOR UNDOSE. CAP IS BROKEN OR MISSING.**

**Gluten-Free**

Satisfaction guaranteed - For questions or comments please call 1-888-287-1915.

Distributed by: Wal-Mart Stores, Inc., Bentonville, AR 72716  
\*\*This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Advil® Tablets.

**Drug Facts (continued)**

**Directions** ■ do not take more than directed  
■ the smallest effective dose should be used  
■ drink a full glass of water with each dose  
Adults and children 12 years and older:  
■ take 1 tablet every 8 to 12 hours while symptoms last.  
■ for the first dose you may take 2 tablets within the first hour.  
■ do not exceed 2 tablets in any 8- to 12-hour period.  
■ do not exceed 8 tablets in 24-hour period.  
Children under 12 years: ■ ask a doctor.  
■ do not exceed 3 tablets in 24-hour period.

**Other information** ■ each tablet contains:  
■ sodium 21 mg ■ store at 20-25°C (68-77°F). Avoid high humidity and excessive heat above 40°C (104°F).

**Directions** ■ do not take more than directed  
■ the smallest effective dose should be used  
■ drink a full glass of water with each dose  
Adults and children 12 years and older:  
■ take 1 tablet every 8 to 12 hours while symptoms last.  
■ for the first dose you may take 2 tablets within the first hour.  
■ do not exceed 2 tablets in any 8- to 12-hour period.  
■ do not exceed 8 tablets in 24-hour period.  
Children under 12 years: ■ ask a doctor.  
■ do not exceed 3 tablets in 24-hour period.

**Other information** ■ each tablet contains:  
■ sodium 21 mg ■ store at 20-25°C (68-77°F). Avoid high humidity and excessive heat above 40°C (104°F).

**Directions** ■ do not take more than directed  
■ the smallest effective dose should be used  
■ drink a full glass of water with each dose  
Adults and children 12 years and older:  
■ take 1 tablet every 8 to 12 hours while symptoms last.  
■ for the first dose you may take 2 tablets within the first hour.  
■ do not exceed 2 tablets in any 8- to 12-hour period.  
■ do not exceed 8 tablets in 24-hour period.  
Children under 12 years: ■ ask a doctor.  
■ do not exceed 3 tablets in 24-hour period.

**Other information** ■ each tablet contains:  
■ sodium 21 mg ■ store at 20-25°C (68-77°F). Avoid high humidity and excessive heat above 40°C (104°F).

164152

6 81131 77675 2

LOT NO.

EXP.

: 49078 2E C11

OMEPRAZOLE  
MAGNESIUM  
20 mg / tab  
AG.98 / 14 caps

NAPROXEN  
SODIUM  
220 mg / tab  
E.40 / 100 tablets



**Walmart**   
Save money. Live better.

( 919 ) 772 - 8751  
MANAGER JORGE ROJAS  
4500 FAYETTEVILLE RD  
RALEIGH NC 27603

ST# 1372 OP# 00007317 TE# 13 TR# 07304  
NEXIUM 28 030573245028 18.44 X  
SUBTOTAL 18.44  
TAX 1 6.750 % 1.24  
TOTAL 19.68  
VISA TEND 19.68

Visa Credit \*\*\*\* \* 0138 I 1  
APPROVAL # 37917B  
REF # 515500697343  
TRANS ID - 385155621918477  
VALIDATION - F7X4  
PAYMENT SERVICE - E

AID A0000000031010  
TC 101FFF09F4411CE8  
TERMINAL # SC010993  
\*NO SIGNATURE REQUIRED

06/04/15 13:16:35

CHANGE DUE 0.00

# ITEMS SOLD 1

TC# 5903 0293 0801 9687 3043



Low Prices You Can Trust. Every Day.  
06/04/15 13:16:35

\*\*\*CUSTOMER COPY\*\*\*



**Nexium**<sup>®</sup>  
**(24HR)**

Clinically Proven to  
**Treat Frequent  
Heartburn**

**Treats Frequent Heartburn**



**28  
CAPSULES**

Two 14-day courses of treatment

May take 1 to 4 days for full effect

PAA054078

LOT J07869  
EXP 03/2017



3 0573 2450 28 5