

**3rd Generation Partnership Project;
Technical Specification Group Core Network;
Point-to-Point (PP) Short Message Service (SMS)
support on mobile radio interface
(Release 1999)**



The present document has been developed within the 3rd Generation Partnership Project (3GPP™) and may be further elaborated for the purposes of 3GPP.
The present document has not been subject to any approval process by the 3GPP Organisational Partners and shall not be implemented.
This Specification is provided for future development work within 3GPP only. The Organisational Partners accept no liability for any use of this Specification.

Keywords

3GPP, CN, SMS-PP

3GPP

Postal address

3GPP support office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

<http://www.3gpp.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© 2000 3GPP Organizational Partners (ARIB, CWTS, ETSI, T1, TTA, TTC).
All rights reserved.

Contents

Foreword.....	7
1 Scope	8
1.1 References	8
1.2 Abbreviations.....	8
2 Overview of Short Message Service (SMS) support.....	9
2.1 Protocols and protocol architecture	9
2.2 Use of channels (GSM only).....	10
2.3 Layer 2 SAPI 3 handling for circuit switched GSM	11
2.4 Layer 2 (LLC) GPRS support (GSM only).....	11
2.5 GSMS entity in UMTS	12
3 Service definition	13
3.1 General	13
3.2 Service provided by the CM-sublayer	13
3.2.1 Definition of primitives on the MS side.....	13
3.2.1.1 MNSMS-ABORT-REQuest	14
3.2.1.2 MNSMS-DATA-REQuest.....	14
3.2.1.3 MNSMS-DATA-INDication	14
3.2.1.4 MNSMS-ESTablish-REQuest	14
3.2.1.5 MNSMS-ESTablish-INDication	14
3.2.1.6 MNSMS-ERROR-INDication.....	14
3.2.1.7 MNSMS-RELEASE-REQuest	14
3.2.2 Definition of primitives on the network side.....	14
3.2.2.1 MNSMS-ABORT-REQuest	15
3.2.2.2 MNSMS-DATA-REQuest.....	15
3.2.2.3 MNSMS-DATA-INDication	15
3.2.2.4 MNSMS-ESTablish-REQuest.....	15
3.2.2.5 MNSMS-ESTablish-INDication	15
3.2.2.6 MNSMS-ERROR-INDication.....	16
3.2.2.7 MNSMS-RELEASE-REQuest	16
3.3 Service provided by SM-RL	16
3.3.1 Definition of primitives on the MS side.....	16
3.3.1.1 SM-RL-DATA-REQuest	16
3.3.1.2 SM-RL-DATA-INDication	17
3.3.1.3 SM-RL-MEMORY-AVAILABLE-REQuest	17
3.3.1.4 SM-RL-REPORT-REQuest.....	17
3.3.1.5 SM-RL-REPORT-INDication	17
3.3.2 Definition of primitives on the network side.....	17
3.3.2.1 SM-RL-DATA-REQuest	18
3.3.2.2 SM-RL-DATA-INDication	18
3.3.2.3 SM-RL-MEMORY-AVAILABLE-INDication.....	18
3.3.2.4 SM-RL-REPORT-REQuest.....	18
3.3.2.5 SM-RL-REPORT-INDication	18
4 [Void]	18
5 CM-procedures	18
5.1 General	18
5.2 Short Message Control states.....	18
5.2.1 SMC-CS states at the MS side of the radio interface	19
5.2.1.1 Mobile Originating Case	19
5.2.1.1.1 MO-Idle (State 0).....	19
5.2.1.1.2 MO-MM-connection pending (State 1)	19
5.2.1.1.3 MO-Wait for CP-ACK (State 2)	19
5.2.1.1.4 MO-MM-connection established (State 3).....	19
5.2.1.2 Mobile Terminating case	19

5.2.1.2.1	MT-Idle (State 0)	19
5.2.1.2.2	MT-Wait for CP-ACK (State 2)	19
5.2.1.2.3	MT-MM-connection established (State 3)	19
5.2.2	SMC-GP states at the MS side of the radio interface	19
5.2.2.1	Mobile Originating Case	19
5.2.2.1.1	MO-Idle (State 0).....	20
5.2.2.1.2	MO-GMM-connection pending (State 1) (UMTS only).....	20
5.2.2.1.3	MO-Wait for CP-ACK (State 2)	20
5.2.2.1.4	MO-Wait for CP-Data (State 3).....	20
5.2.2.2	Mobile Terminating case.....	20
5.2.2.2.1	MT-Idle (State 0).....	20
5.2.2.2.2	MT-Wait for RP-ACK (State 1)	20
5.2.2.2.3	MT-Wait for CP-ACK (State 2)	20
5.2.3	SMC-CS states at the network side of the radio interface	20
5.2.3.1	Mobile Originating Case	20
5.2.3.1.1	MO-Idle (State 0).....	20
5.2.3.1.2	MO-Wait for CP-ACK (State 2)	20
5.2.3.1.3	MO-MM-connection established (State 3).....	20
5.2.3.2	Mobile Terminating Case.....	21
5.2.3.2.1	MT-Idle (State 0).....	21
5.2.3.2.2	MT-MM-connection pending (State 1).....	21
5.2.3.2.3	MT-Wait for CP-ACK (State 2)	21
5.2.3.2.4	MT-MM-connection established (State 3).....	21
5.2.4	SMC-GP states at the network side of the radio interface	21
5.2.4.1	Mobile Originating Case	21
5.2.4.1.1	MO-Idle (State 0).....	21
5.2.4.1.2	MO-Wait for RP-ACK (State 1)	21
5.2.4.1.3	MO-Wait for CP-ACK(State 2)	21
5.2.4.2	Mobile Terminating Case	21
5.2.4.2.1	MT-Idle (State 0).....	21
5.2.4.2.2	MT-Wait for CP-ACK (State 1)	22
5.2.4.2.3	MT-Wait for CP DATA (State 2)	22
5.3	Short Message Control procedures	22
5.3.1	MM-connection establishment for circuit switched service	22
5.3.2.1	RPDU transfer for circuit switched service	22
5.3.2.2	RPDU transfer for GPRS.....	23
5.3.3	Release of MM and CM connections	24
5.3.4	Abnormal cases	24
5.4	Concatenating short message or notification transfers	25
6	SM-RL-procedures	25
6.1	General	25
6.2	Transition states of SMR entity	25
6.2.1	SMR-states at the MS-side of the radio interface.....	25
6.2.1.1	Idle (State 0).....	26
6.2.1.2	Wait for RP-ACK (State 1)	26
6.2.1.3	Wait for RETRANS TIMER (State 4)	26
6.2.2	SMR-states at the network side of the radio interface	26
6.2.2.1	Idle (State 0).....	26
6.2.2.2	Wait for RP-ACK (State 1)	26
6.2.2.3	Wait to send RP-ACK (State 3).....	26
6.3	Short Message Relay procedures	26
6.3.1	TPDU relaying	26
6.3.2	[Void].....	27
6.3.3	Notification relaying	27
6.3.3.1	MS side.....	27
6.3.3.1.1	Idle state.....	27
6.3.3.1.2	Wait for RP-ACK state	27
6.3.3.1.3	Wait for RETRANS Timer state.....	28
6.3.3.2	Network side.....	28
6.3.3.2.1	Idle state.....	28

6.3.3.2.2	Wait to Send RP-ACK state.....	28
6.3.4	Abnormal cases	28
7	Message functional definitions and content.....	28
7.1	General	28
7.2	Messages for short message or notification transfer on CM	29
7.2.1	CP-DATA	29
7.2.2	CP-ACK.....	29
7.2.3	CP-ERROR.....	29
7.3	Messages for short message and notification transfer on SM-RL	30
7.3.1	RP-DATA	30
7.3.1.1	RP-DATA (Network to Mobile Station)	30
7.3.1.2	RP-DATA (Mobile Station to Network)	30
7.3.2	RP-SMMA	30
7.3.3	RP-ACK.....	30
7.3.4	RP-ERROR	31
8	Message format and information elements coding.....	31
8.1	CP-messages.....	31
8.1.1	General.....	31
8.1.2	Protocol Discriminator and Transaction Identifier.....	31
8.1.3	Message type.....	32
8.1.4	Other required information elements.....	32
8.1.4.1	CP-User data element.....	32
8.1.4.2	CP-Cause element	32
8.2	RP-messages	33
8.2.1	General.....	33
8.2.2	Message type indicator (MTI).....	33
8.2.3	Message reference.....	34
8.2.4	[Void].....	34
8.2.5	Other required information elements.....	34
8.2.5.1	Originator address element.....	34
8.2.5.2	Destination address element	35
8.2.5.3	RP-User data element.....	35
8.2.5.4	RP-Cause element	36
9	Handling of unknown, unforeseen, and erroneous protocol data.....	37
9.1	General	37
9.2	CP Error Handling.....	38
9.2.1	Message too short	38
9.2.2	Unknown or unforeseen transaction identifier	38
9.2.3	Unknown or unforeseen message type	38
9.2.4	Non-semantical mandatory information element errors	39
9.2.5	Messages with semantically incorrect contents	39
9.3	RP Error Handling	39
9.3.1	Message too short	39
9.3.2	Unknown or unforeseen Message Reference	40
9.3.3	Unknown or unforeseen message type	40
9.3.4	Non-semantical mandatory information element errors	40
9.3.5	Messages with semantically incorrect contents	40

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.