#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants	:	Timothy R. Pryor
Art Unit	:	2629
Application No.	:	11/980,701
Filing Date	:	October 31, 2007
For	:	MULTIPOINT, VIRTUAL CONTROL AND FORCE BASED
		TOUCH SCREEN APPLICATIONS
Attorney Docket No.	:	119473.135627-001

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

### PRELIMINARY AMENDMENT

Before examination, please amend the above identified patent application as set

forth on the following pages:

[The remainder of this page is intentionally blank]

#### **CLAIMS**

1. through 3. (Canceled)

4. (New) A touch interface comprising:

a display screen including a front surface and adapted to display visually observable data;

a sensor circuit adapted to identify a characteristic of a touch input on the front surface of

the display screen; and

a transducer responsive to the sensor circuit and adapted to excite the display screen by generating a force feedback signal in response to the characteristic of the touch input.

5. (New) The touch interface of claim 4 wherein:

the force feedback signal includes a frequency; and

the frequency is selected as a function of at least the characteristic of the touch input.

6. (New) The touch interface of claim 4 wherein:

the force feedback signal includes an intensity; and

the intensity is selected as a function of at least the characteristic of the touch input.

7. (New) The touch interface of claim 4 wherein:

the force feedback signal includes a pulse sequence; and

the pulse sequence is selected as a function of at least the characteristic of the touch input.

8. (New) The touch interface of claim 4 wherein the characteristic includes the location of the touch input.

9. (New) The touch interface of claim 4 wherein the characteristic includes at least a component of the force vector of the touch input.

10. (New) The touch interface of claim 4 wherein the touch input includes one of a finger and a thumb in contact with the touch screen.

11. (New) The touch interface of claim 4 wherein the force feedback signal is directed to a portion of the display screen underlying the touch input.

12. (New) The touch interface of claim 4 wherein the transducer includes a piezoelectric crystal.

13. (New) The touch interface of claim 4 wherein the transducer includes an air blast generator.

14. (New) The touch interface of claim 4 wherein the force feedback signal is an acoustic wave signal.

15. (New) A computer implemented method for providing tactile feedback in response to input received from a user, the method comprising:

providing a touch screen including a front surface, the touch screen adapted to display visually observable data;

detecting a first touch input on the touch screen front surface; and

actuating the touch screen front surface with a first force feedback signal in response to said detecting step.

16. (New) The method according to claim 15 further including determining a characteristic of the first touch input.

17. (New) The method according to claim 16 wherein the characteristic of the first touch input includes the location of the first touch input on the touch screen front surface.

18. (New) The method according to claim 16 wherein the characteristic of the first touch input includes the force of the first touch input.

19. (New) The method according to claim 16 wherein the force feedback signal indicates a function selected by the user.

20. (New) The method according to claim 15 wherein the force feedback signal indicates the first touch input has registered.

21. (New) The method according claim 16 wherein:

the detecting step includes the first touch input generating a local surface distortion; and the characteristic of the first touch input is based on the local surface distortion.

22. (New) The method according to claim 15 wherein the first touch input includes one of a finger and a thumb in contact with the touch screen front surface.

23. (New) The method according to claim 15 wherein said actuating step includes vibrating the touch screen front surface.

24. (New) The method according to claim 15 wherein the first force feedback signal is directed to a portion of the touch screen underlying the first touch input.

25. (New) The method according to claim 16 wherein:

the first force feedback signal includes a frequency; and

the frequency is selected as a function of the characteristic of the first touch input.

26. (New) The method according to claim 16 wherein:

the first force feedback signal includes a pulse sequence; and

the pulse sequence is selected as a function of the characteristic of the first touch input.

27. (New) The method according to claim 16 wherein:

the first force feedback signal includes an intensity; and

the intensity is selected as a function of the characteristic of the first touch input.

28. (New) The method according to claim 16 further including:

detecting a second touch input;

determining a characteristic of the second touch input different from the characteristic of the first touch input; and

actuating the touch screen front surface with a second force feedback signal different from the first force feedback signal.

29. (New) The method according to claim 28 wherein:

the first force feedback signal includes a first pulse sequence; and

the second force feedback signal includes a second pulse sequence different from the first pulse sequence.

30. (New) The method according to claim 28 wherein the second touch input includes one of a finger and a thumb in contact with the touch screen.

31. (New) The method according to claim 28 wherein the second force feedback signal is directed to a portion of the touch screen underlying the second touch input.

32. (New) The method according to claim 28 wherein:

the first force feedback signal indicates a first function selected by the user; and

# DOCKET A L A R M



# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

# **Real-Time Litigation Alerts**



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

# **Advanced Docket Research**



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

# **Analytics At Your Fingertips**



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

# API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

### LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

### FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.