

Find authenticated court documents without watermarks at docketalarm.com.

Δ

			DATE	1 01 1 00	
SERIAL NUMBER		FILING	UATE	CLASS.	GROUP ART UNIT
08/006,12	20	01/	/19/93	437	1107
EZ.W	J BENDIK, C M FINNILA,		$\frac{\partial \epsilon \partial}{\partial t} \frac{d}{dt} \frac{d}{dt}$	ALLOY, OCEANS	CA IDE, CA;
CONT VERIF		*********	****		
FORE: VERIF:	•	CATIONS**	*****		
		NSE GRANTED			
STATE OR COUNTRY	SHEETS DRAWING	TOTAL CLAIMS	INDEPENDENT CLAIMS	Filing Fee Received	ATTORNEY DOCKET NO.
CA	3	21	3	\$862.00	PD-92654
BLDG. P. O.	S AIRCRAFT CC Cl MAIL STAT BOX 80028 NGELES, CA 90	ION A-126		•	
		TURING A MIC AND ETCH-STC	ROELECTRONIC	DEVICE USING	A REMOVABLE
This is to cert Patent and Tr	ify that annexed	heretó is a tru	e copy from the	records of the Ui	nited States
By authority of the	ademark Office		on which is identi	ified above.	· .
By authority of the				ified above.	

L

L

I

DOCKET A L A R M Find authenticated court documents without watermarks at <u>docketalarm.com</u>.

METHOD OF FABRICATING A MICROELECTRONIC DEVICE

Inventors: Joseph J. Bendik Gerald T. Malloy Ronald M. Finnila

Find authenticated court documents without watermarks at docketalarm.com.

D

Δ

Δ

R

Μ

ABSTRACT OF THE DISCLOSURE

A microelectronic device is fabricated by furnishing a first substrate (40) having a silicon 5 etchable layer (42), a silicon dioxide etch-stop layer (44) overlying the silicon layer (42), and a silicon wafer (46) overlying the single-crystal etch-stop layer (44), the wafer (46) having a front surface (52) not contacting the etch stop layer 10 A microelectronic circuit element (50) is (44).formed in the single-crystal silicon wafer (46). The method further includes attaching the front surface (52) of the single-crystal silicon wafer (46) to a second substrate (58), and etching away the silicon 15 layer (42) of the first substrate (40) down to the etch-stop layer (44). The second substrate (58) may also have a microelectronic circuit element (58') therein that can be electrically interconnected to the microelectronic circuit element (50).

DU6/20

R M Find authenticated court documents without watermarks at <u>docketalarm.com</u>.

METHOD OF FABRICATING A MICROELECTRONIC DEVICE

BV BACKGROUND OF THE INVENTION

This invention relates to microelectronic devices, and, more particularly, to a microelectronic device that is moved from one support to another support during fabrication.

Microelectronic devices are normally prepared by a series of steps such as patterning, deposition, implantation, growth, and etching that build up an 10 electronic circuit on or near the top surface of a thin substrate wafer. Interconnection pads are placed on the surface of the wafer to provide connections to external leads to or other microelectronic microelectronic devices. Such a 15 device is considered a two-dimensional structure in the plane of the substrate wafer. There are usually multiple layers of deposited conductors and insulators, but each layer is quite thin. Any height of the device in the third dimension perpendicular to 20 the substrate surface 15 much less than the dimensions in the plane of the substrate wafer, and is often no more than a few thousand Angstroms.

microelectronic devices or arrays of such The devices are usually placed inside a protective 25 housing called a package, with leads or connection extending out of the package. When pads the microelectronic devices are used, a number of the packages with their contained microelectronic devices normally affixed to a base such as a phenolic are plastic board. Wires are run between the various 30 devices to interconnect them. There may be metallic traces imprinted onto the base to provide common ground, and bus connections, and the base power. Such boards with a has external connections. itself

RM

5

DOCKET A L A R M



Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.